

Price List

2019/20

Index

Agave	1	Costanza	20	Fortebraccio	43	Nothing	65
Aircon	1	Costanza LED	23	Fortebraccio LED	45	Otto Watt	66
Amisol	2	Costanza Hue	25	Garbí	46	Pétale	67
Any	3	Lady Costanza	25	GlassGlass	47	Plissé	69
Archetype	3	Grande Costanza	27	Goggle	48	Pod Lens	69
Ascent	4	Grande Costanza Air	28	Honeycomb	49	Silenzio	71
Bap LED	4	Counterbalance	29	Hope	50	Sky	73
Berenice	6	Counterbalance Spot	29	Hope Hue	52	Soleil Noir	73
Berenice LED	7	Counterbalance Floor	29	Illusion	52	Stochastic	74
Blow	8	Curl	30	Ivy	53	Strip	75
Bulbullia	9	Diade	30	Lane	54	Tango	75
Cappuccina	10	Diade Floor	33	Lightdisc	54	Titania	76
Carrara	11	E04 Ceiling	34	Lita	55	Queen Titania	76
Chichibio	11	E04 Wall	35	Lola	58	Tivedo	77
Compendium	12	E04 Suspension	36	Mesh	59	Trama	77
Compendium Hue	14	E06	38	Metropoli	61	Trypta	78
Compendium Circle	15	Ecran In&Out	40	Minimini	64		
Compendium Plate	17	Farel	41	Miranda	64	Dimension & weight	81
Costanzina	18	Fly-too	42	Mirandolina	65	Condition of sale	89

Legenda

□ Light source included

h Height

L Length

d Depth

∅ Diameter

EEL Energy Efficiency Label

▽ Fixture fit for direct assembly on normally inflammable surfaces.

IP40 Appliance protected against ingress of solid objects greater than 1.0 mm.

IP65 Dust-tight.
Protected against water jets.

⊕ Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.

□ Device in which the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.










⚡ Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.

(*) LED module is not replaceable


D49 AGAVE

diego rossi, raffaele tedesco

set of color filters included (red, yellow, blue and cream), superposable, generate the lamp's hue.



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D49/17s suspension 220-240V~ 50/60Hz H 100 - 300 Ø 17 CE □ ▽	1D4917S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	283,00
	D49/26s suspension D49/26 s. 220-240V~ 50/60Hz 220-240V~ 50/60Hz CE □ ▽	1D4926S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	337,00
	D49/70s suspension 220-240V~ 50/60Hz H 100 - 300 Ø 70 CE □ ▽	1D4970S00000	transparent methacrylate	 LED E27 Ø max 38 mm l 150 mm  max 20W FBT E27	A+ A++ A	362,00


accessories

	D49/01 off-center rose Ø 14	1D49/0100002	white			63,00
---	--	--------------	-------	--	--	-------

D50 AIRCON

willem van der sluis, hugo timmermans

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D50 suspension electronic ballast EEI A2 230V~ 50Hz H 50-200 Ø 100 CE □ ▽	1D5000000000	neutral	 3x24W FSD 2611	A	511,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

structure

	D91S suspension dimmable push/DALI cable 1.3 m CE Ⓢ ⚠	1D910S000002	light grey	LED 53W 3000K <input type="checkbox"/>	A++ (*)	515,00
--	--	--------------	------------	---	------------	--------

reflector disk/diffuser

	D91/1 disk Ø 75	1D910/100002	opal			436,00
		1D910/100020	silver			455,00
		1D910/100030	gold			455,00




	D91/2 disk Ø 110	1D910/200002	opal			533,00
		1D910/200020	silver			568,00
		1D910/200030	gold			568,00

accessory

	D91/OAAR anti-rotation accessory	1D91/OAAR000				46,00
--	--	--------------	--	--	--	-------

D69 ANY


Habits Studio, Format Design Studio

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D69 wall dimmable phase cut l 23 h 12 d 9 220-240V~ 50/60Hz CE ⊕ ▼	1D69000L0002	white	LED 24W 2700K <input type="checkbox"/>	A (*)	348,00
	D69/02 wall electronic ballast EEIA2 l 63 h 12 d 9 220-240V~ 50/60 Hz CE ⊕ ▼	1D69002E0002	white	 80W FSD 2611	A	294,00

D68 ARCHETYPE

goodmorning technology

Lamp body and suspension cable are the same colour



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D68C suspension Ø 31, h 23 cable l 3 m 220-240V~ 50/60Hz CE ⊕ ▼	1D680C000002	white		A (*)	290,00
		1D680C000023	sky blue			290,00
		1D680C000001	black			290,00
		1D680C000007	red			290,00

rosoni

	D68/1T ceiling rose dimmable phase cut	1D680/1T0002	white	LED 15W 2700 <input type="checkbox"/>		178,00
	D68/1D ceiling rose dimmable push/DALI	1D680/1D0002	white	LED 15W 2700 <input type="checkbox"/>		228,00


D78 ASCENT

daniel rybakken


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D78 table dimmer on board h max 65 base 17 x 17 testa Ø 8,5	1D780=000001	black	LED 11W 2700K <input type="checkbox"/>	A (*)	432,00
	D78pt fixing pin dimmer on board H max 64 fixing pin (H max 5,7) head Ø 8,5	1D780PT00001	black	LED 11W 2700K <input type="checkbox"/>	A (*)	380,00

D19 BAP LED


alberto meda, paolo rizzato








Calculate the price of the lamp adding the body to the holder (base, counter attachment, wall attachment)

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D19.LLED dimmer on board arm l 50 head 30 x 2 x 2 100-240V~ 50/60Hz	1D19LL000002	white	LED 12W 2700K <input type="checkbox"/>	A (*)	254,00
		1D19LL000001	black			254,00
















accessories






	D19/1 table base 25,4 x 14,5 cm	1D19/1N00002	white			64,00
		1D19/1N00001	black			64,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D19/2 surface mount Ø 8	1D19/2000002	white			16,00
		1D19/2000001	black			16,00
	D19/3 wall bracket 4,5 x 4,5	1D19/3000002	white			16,00
		1D19/3000001	black			16,00
	D19/8 desk joint	1D19/8000002	white			46,00
		1D19/8000001	black			46,00
	D19/9 clamp h 7 (thickness, max 7,5 cm)	1D19/9000002	white			59,00
		1D19/9000001	black			59,00





Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12EL table on/off switch electronic ballast 12V arms l 45 + 45 base Ø 15	1D120=00E020	alu	 LED 2W G4 3000K <input type="checkbox"/>	A+ B	288,00
		1D120=00E001	black	 30W - 12V HSGST GY6.35		288,00
	D12ELpt table on/off switch electronic ballast 12V fixing pin (max 5,7) arms l 45 + 45	1D120=0PE020	alu	 LED 2W G4 3000K <input type="checkbox"/>	A+ B	260,00
		1D120=0PE001	black	 30W - 12V HSGST GY6.35		260,00
	D12ELpi table on/off switch electronic ballast 12V arms l 30 + 30 base Ø 13,5	1D120=P0E020	alu	 LED 2W G4 3000K <input type="checkbox"/>	A+ B	274,00
		1D120=P0E001	black	 30W - 12V HSGST GY6.35		274,00
	D12ELt floor on/off switch electronic ballast 12V arms l 80 + 30 base Ø 15	1D120T00E001	black	 LED 2W G4 3000K <input type="checkbox"/>	A+ B	312,00
		1D120T00E020	alu	 30W - 12V HSGST GY6.35		313,00
	D12 ELa45 wall on/off switch electronic ballast 12V arms l 45 + 45	1D120A45E001	black	 LED 2W G4 3000K <input type="checkbox"/>	A+ B	247,00
		1D120A45E020	alu	 30W - 12V HSGST GY6.35		249,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12ELapi wall on/off switch electronic ballast 12V arms l 30 +30 CE  	1D120APOE001	black	 LED 2W G4 3000K	A+ B	240,00
		1D120APOE020	alu	 30W - 12V HSGST GY6.35		242,00









reflectors


	D12/4 glass reflector	1D120/4/1503	satin white			45,00
		1D120/4/1524	rose			45,00
		1D120/4/1527	yellow			45,00
		1D120/4/1537	sage green			45,00

	D12/5 metal reflector	1D120/5/1520	alu			32,00
		1D120/5/1501	black			32,00
		1D120/5/1530	brass			32,00









D12 BERENICE LED

alberto meda, paolo rizzato


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D12LED table on/off switch 24V dc arms l 45 + 45 base Ø 15 CE  	1D120=NCL020	alu	 LED 8W 3000K	A (*)	348,00
		1D120=NCL001	black			348,00
	D12ptLED table on/off switch 24V dc fixing pin (max 57 mm) arms l 45 +45 CE  	1D120=NPL020	alu	 LED 8W 3000K	A (*)	336,00
		1D120=NPL001	black			336,00




Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D28 ceiling dimnable push dim remote control h 40 Ø 24 220-240V~ 50/60Hz   	1D2800000002	opal	 LED E27 dimmable  max 105W HSGSA E27  max 20W FB E27 	A+ A++ A B D	466,00


accessories

	D28/1 methacrylate blades set Ø 140	1D280P000000	transparent			83,00
		1D280P000088	multicolour (blue, green, orange)			83,00
	D28/2 methacrylate screenprinted blades set Ø 140	1D280P200000	transparent			92,00
	D28 r infrared remote control	1D280R000000				59,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D95A3 wall dimmable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE <input type="checkbox"/> <input type="checkbox"/>	1D950A300002	white	LED 17W 2700K <input type="checkbox"/>	A++ (*)	345,00
	D95A3D wall dimmable push/DALI 220-240V~ 50/60 Hz 37 x 31 depht 7 CE <input type="checkbox"/>	1D950A3D0002	white	LED 16W 2700K <input type="checkbox"/>	A++ (*)	351,00
	D95A5 wall dimmable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE <input type="checkbox"/> <input type="checkbox"/>	1D950A500002	white	LED 27W 2700K <input type="checkbox"/>	A++ (*)	516,00
	D95A5D wall dimmable push/DALI 220-240V~ 50/60 Hz 62 x 37 spessore 7 CE <input type="checkbox"/>	1D950A5D0002	white	LED 26W 2700K <input type="checkbox"/>	A++ (*)	522,00
connection kit available from October 2019						
	D95/1 connection kit for small parabola only for D95A5 / D95A5D	1D950/010002				94,00
	D95/2 connection kit for big parabola only for D95A5 / D95A5D	1D950/020002				115,00



body












shade



 anti fall accessory
(optional)




complete lamp

Calculate the price of the lamp adding the body to the shade, and the anti-fall accessory.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D88W table dimmer on board h 57 base Ø 20 CE  	1D880=DW0004	glacier light grey	LED 12W 2700K <input type="checkbox"/>	A (*)	365,00
	D88TW floor foot dimmer h 150 base Ø 30 CE  	1D880TDW0004	glacier light grey	LED 12W 2700K <input type="checkbox"/>	A (*)	476,00
	D88SW suspension dimmer trailing edge 220-240V~ 50/60Hz H 60 - 350 CE  	1D880SW00004	glacier light grey	LED 15W 2700 <input type="checkbox"/>	A (*)	314,00





shades + accessories

	D88/1 small shade tissue coupled with polycarbonate (for table and suspension version) Ø 36 h 20	1D8801000003	cream			154,00
		1D8801000028	brown/pluie			154,00
		1D8801000011	green/cochenille			154,00
	D88/2 large shade tissue coupled with polycarbonate (only for floor and suspension version) Ø 45 h 22,5	1D8802000003	cream			182,00
		1D8802000028	brown/pluie			182,00
		1D8802000011	green/cochenille			182,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D88/3 anti fall accessory for D88/1	1D8803000000				40,00
	D88/4 anti fall accessory for D88/2	1D8804000000				60,00






D38 CARRARA


alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5 CE  	1D380DL00002	white	LED 45W 3000K 	A++	1.341,00
		1D380DL00001	matt black			1.341,00


D37 CHICHIBIO

amedeo g. cavalchini, domenico perrucci

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D37 floor foot dimmer H 220/330 base Ø 29 220-240V~ 50/60Hz CE  	1D370D000004	white diffuser alu stem	 LED E27 dimmable  205W HSGST E27 energy saver	A+ A++ A D	334,00



ceiling rose



structure







base





complete lamp




Calculate the price of the lamp adding the structure to the base to the floor version or the ceiling rose at the suspension version.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81NT floor extruded aluminium foot dimmer 3000K h 164 CE 	1D81NT000001	black	LED 43W 3000K <input type="checkbox"/>	A (*)	491,00
		1D81NT000020	alu			491,00
		1D81NT000030	brass			491,00
	D81NTW floor extruded aluminium foot dimmer 2700K h 164 CE 	1D81NTW00001	black	LED 43W 2700K <input type="checkbox"/>	A (*)	491,00
		1D81NTW00020	alu			491,00
		1D81NTW00030	brass			491,00

base for floor version


	D81/1N base 220-240V~ 50/60Hz h 16,8 Ø 14 CE <input type="checkbox"/> 	1D81N/100001	black			241,00
---	---	--------------	-------	--	--	--------


suspension structure

	D81B suspension extruded aluminium 3000K 220-240V~ 50/60Hz H 15 - 300 CE  	1D810B000020	alu	LED 29W 3000K with D81/7T <input type="checkbox"/>	A (*)	480,00	
		1D810B000001	black			LED 43W 3000K with D81/7D	480,00
		1D810B000030	brass			480,00	


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81BW suspension extruded aluminium 2700K l 162,5 H 15 - 300 CE ⊕ ▼	1D810BW00020	alu	LED 29W 2700K with D81/7T	<input type="checkbox"/> A (*)	480,00
		1D810BW00001	black	LED 43W 2700K with D81/7D		480,00
		1D810BW00030	brass			480,00


ceiling rose

	D81/7D dimnable push/DALI 220-240V~ 50/60Hz	1D810/7D0000	white			206,00
---	--	--------------	-------	--	--	--------

	D81/7T dimmable phase cut	1D810/7T0000	white			125,00
---	--	--------------	-------	--	--	--------

accessoires


	D81/2 accessory for mechanical joining 180°	1D810/200001				19,00
--	---	--------------	--	--	--	-------


	D81/3 Accessory Kit for mechanical joining T or 90°	1D810/300001				45,00
--	---	--------------	--	--	--	-------

D81SH COMPENDIUM FRIENDS OF HUE

daniel rybakken

Bridge and Hue dimmer switches are not included. Find your local retailer at www2.meethue.com


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81SH suspension extruded aluminium tunable white (HUE bridge/dimmer switch excluded) L 162,5 H 15 - 300 CE ⚡ ⚠	1D810S0H0020	alu	LED 43W 2200-6500K <input type="checkbox"/>	A+ (*)	803,00
		1D810S0H0001	black			803,00
		1D810S0H0030	brass			803,00




body




ceiling rose




complete lamp



bodies















remote drivers +
cover plate (optional)



multiple configuration

It is possible to obtain multiple configurations up to 3 circles.




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81C07 aluminium suspension Ø 72 H 15 - 500   	1D810C070020	alu	LED 46W 3000K <input type="checkbox"/>	A (*)	1.209,00
		1D810C070001	black			1.209,00
		1D810C070030	brass			1.209,00
	D81C11 aluminium suspension Ø 110 H 15 - 500   	1D810C110020	alu	LED 75W 3000K <input type="checkbox"/>	A (*)	1.350,00
		1D810C110001	black			1.350,00
		1D810C110030	brass			1.350,00
	D81C20 aluminium suspension Ø 200 H 15 - 500   	1D810C200020	alu	LED 109W 3000K <input type="checkbox"/>	A (*)	2.187,00
		1D810C200001	black			2.187,00
		1D810C200030	brass			2.187,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

ceiling rose

	D81/4 ceiling rose dimmable push/DALI 60W 220-240V~ 50/60 Hz for D81C07 	1D810/400000	white			306,00
	D81/5 ceiling rose dimmable push/DALI 100W 220-240V~ 50/60 Hz for D81C11 	1D810/500000	white			346,00
	D81/6 ceiling rose dimmable push/DALI 150W for D81C20 	1D810/600000	white			406,00

remote drivers

	D81/10 remote driver dimmable push/DALI 60W for D81C07	1D810/100000				141,00
	D81/11 remote driver dimmable push/DALI 100W for D81C11	1D810/110000				166,00
	D81/12 remote driver dimmable push/DALI 150W for D81C20	1D810/120000				212,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D81/8 optional remote drivers cover for multiple configurations (up to 3)	1D810/800002				159,00


D81P COMPENDIUM PLATE


daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------



















complete lamps

	D81P aluminium wall/ceiling dimmable phase cut push/DALI Ø 56 h 7 CE ⊕ ▼	1D810P000020	alu			876,00	
		1D810P000001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	876,00
		1D810P000030	brass				876,00

	D81PS suspension aluminium dimmable phase cut push dim/DALI Ø 56 H max 300 ceiling rose Ø 17.8 CE ⊕ ▼	1D810POS0020	alu			900,00	
		1D810POS0001	black	LED 75W 2700K CRI 90	<input type="checkbox"/>	A+ (*)	900,00
		1D810POS0030	brass				900,00




Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13pic. LED table on/off switch h 51 base 14x14 CE □ ▽	1D13=NPLC020	complete version alu body white shade	 LED 7W E14 <input type="checkbox"/>	A+ A++ A D	194,00
	D13pi table on/off switch h 51 base 14x14 CE □ ▽	1D13=NP00020 1D13=NP00017 1D13=NP00003 1D13=NP00030	alu black off white brass	 LED E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	146,00 146,00 170,00 213,00
	D13pipt table on/off switch with fixing pin (H table max 5,7) h 51 CE □ ▽	1D13PNP00020	alu	 LED E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	132,00
	D13api wall on/off switch h 54 d 28 CE □ ▽	1D13ANP00020 1D13ANP00017	alu black	 LED E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	144,00 144,00
	D13spi suspension up and down on/off switch H 100 - 250 CE □ ▽	1D13SNP00002	white counterweight	 LED E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	138,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------


shade

	D13pi/1/4 shade ø 26 packing: 4 items the price refers to the single article	1D13=1P11N02	white			36,00
---	---	--------------	-------	--	--	-------


shades for Mezzo Tono collection


	D13 pi/1/2 shade ø 26 packing: 1 item	9D1331437734	mistic white			43,00
		9D1331437738	soft skin			43,00
		9D1331437739	shaded stone			43,00
		9D1331437724	edgy pink			43,00
		9D1331437737	comfort green			43,00

shades for Radieuse collection

	D13pi/1/2 shade ø 26 packing: 1 item	9D1331437736	petroleum blue			43,00
		9D1331437706	smart yellow			43,00
		9D1331437708	primary red			43,00
		9D1331437705	concrete grey			49,00
		9D1331437701	liquorice black			49,00


accessories

	D13/25 off-center ceiling rose	9D1325476800	white			35,00
---	---	--------------	-------	--	--	-------

	D13/50 wall mount accessory for D13 a.pi	9D1350620720	alu			49,00
		9D1350620701	black			49,00



structure



shade



























diffuser accessory
(optional)










complete version


Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
We recommend the use of accessory for a better diffusion of light with halogen bulbs and white shade.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13 c table telescopic sensor dimmer on board H 76/110 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	368,00
	D13 table telescopic sensor dimmer on board 220-240V~ 50Hz H 76/110 base 18x18 CE □ ▽	1D13N=000020 1D13N=000017 1D13N=000003 1D13N=000030	alu black off white brass	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	276,00 276,00 283,00 371,00
	D13i table telescopic on/off switch base 18x18 H 76/110 CE □ ▽	1D13N=010020 1D13N=010003	alu off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	228,00 238,00
	D13if table fixed on/off switch H 80 base 18x18 CE □ ▽	1D13N=01F020 1D13N=01F003	alu off white	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	213,00 221,00
	D13pt table telescopic sensor dimmer on board 220-240V~ 50Hz with fixing pin (H table max 5,7) H 76/110 CE □ ▽	1D13NPT00020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	236,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13pti table telescopic on/off switch with fixing pin (h table max 57 mm) H 76/110 CE □ ▽	1D13NPT10020	alu	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	192,00
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT00C020A	complete version alu body white shade diffuser accessory included	LED E27 dimmmable 105W HSGSA E27 energy saver	A+ A++ A D	378,00
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50Hz H 120/160 base 18x18 CE □ ▽	1D13NT000020 1D13NT000017 1D13NT000003 1D13NT000030	alu black off white brass	LED E27 dimmmable 105W HSGSA E27 energy saver	A+ A++ A D	287,00 287,00 299,00 378,00
	D13ti floor telescopic on/off switch h 120/160 base 18x18 H 120/160 base 18x18 CE □ ▽	1D13NT010020 1D13NT010003	alu off white	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	245,00 255,00
	D13tif floor fixed on/off switch h 153 base 18x18 CE □ ▽	1D13NT01F020 1D13NT01F003	alu off white	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	232,00 241,00
	D13a wall telescopic sensor dimmer on board H 76/110, d 44/57 220-240V~ 50Hz CE □ ▽	1D13NA000020	alu	LED E27 dimmmable 105W HSGSA E27 energy saver	A+ A++ A D	240,00
	D13aif wall fixed on/off switch H 80 S 46 CE □ ▽	1D13NA01F020	alu	LED E27 20/23W FB E27 105W HSGSA E27 energy saver	A+ A++ A D	186,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13s suspension telescopic H 100/150 CE ⊕ ▽	1D13NS000020	alu	 LED E27  20/23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	200,00
	D13sas suspension up and down H 100/250 CE □ ▽	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	A+ A++ A D	148,00


shade

	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			66,00
---	---	--------------	-------	--	--	-------


shades for Mezzo Tono collection



	D13/1/2 shade Ø 40 packing: 1 item	9D1301511734	mistic white			98,00
		9D1301511738	soft skin			98,00
		9D1301511739	shaded stone			98,00
		9D1301511724	edgy pink			98,00
		9D1301511737	comfort green			98,00

shades for Radieuse collection

	D13/1/2 shade Ø 40 packing: 1 item	9D1301511736	petroleum blue			98,00
		9D1301511706	smart yellow			98,00
		9D1301511708	primary red			98,00
		9D1301511705	concrete grey			117,00
		9D1301511701	liquorice black			117,00


accessories

	D13/25 off-center ceiling rose	9D1325476800	white			35,00
---	---	--------------	-------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13/50 wall mount accessory for D13a - D13aif	9D1350620720	alu			49,00
		9D1350620701	black			49,00
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulbs	1D13N/910000	white			17,00



D13L COSTANZA LED


paolo rizzato




body shade complete version

Calculate the price of the lamp adding the cost of the body to the shade.
Luminous flux data in combination with the lampshade finish are available on data sheets. www.luceplan.com

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13iL table telescopic on/off switch H76/110 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13L=010020	alu	LED 23W 2700K □	A (*)	407,00
	D13tL floor telescopic sensor dimmer on board H 120/160 base 18x18 220-240V~ 50/60Hz CE □ ▽	1D13LT000020	alu	LED 23W 2700K □	A (*)	437,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13sasL suspension up and down dimmer trailing edge wall control H 100/250 220-240V~ 50/60Hz CE ⊕ ▼	1D13LSA00020	counterweight steel mat chrome	LED 23W 2700K <input type="checkbox"/>	A (*)	319,00


shades

	D13/1/4 shade Ø 40 packing: 4 items the price refers to the single article	1D13001NT002	white			66,00
---	--	--------------	-------	--	--	-------


shades for Mezzo Tono collection

	D13/1/2 shade Ø 40 packing 1 item	9D1301511734	mistic white			98,00
		9D1301511738	soft skin			98,00
		9D1301511739	shaded stone			98,00
		9D1301511724	edgy pink			98,00
		9D1301511737	comfort green			98,00

shades for Radieuse collection





	D13/1/2 shade Ø 40 packing 1 item	9D1301511736	petroleum blue			98,00
		9D1301511706	smart yellow			98,00
		9D1301511708	primary red			98,00
		9D1301511705	concrete grey			117,00
		9D1301511701	liquorice black			117,00

accessories

	D13/25 off-center ceiling rose	9D1325476800	white			35,00
---	---	--------------	-------	--	--	-------


COSTANZA WITH PHILIPS HUE







paolo rizzato













Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13cH table telescopic hue Kit: bridge + lamp included on/off switch h 76/110 base 18x18 CE □ ▽	1D13N=0HC020	complete version alu body white shade diffuser accessory included	 LED white and color ambience Hue E27 <input type="checkbox"/>	A	417,00
	D13tcH floor telescopic hue Kit: bridge + lamp included on/off switch h 120/160 base 18x18 CE □ ▽	1D13NT0HC020	complete version alu body white shade diffuser accessory included	 LED white and color ambience Hue E27 <input type="checkbox"/>	A	422,00

D13E LADY COSTANZA

paolo rizzato

















Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13E d. floor telescopic dimmer on board dimmer Hh 217 - 250 H min 130 - 140 base 36 x 36 220-240V~50Hz CE □ ▽	1D13GED00020 1D13GED00017	alu black	 LED E27 dimnable  105W HSGSA E27 energy saver	A+ A++ A D	926,00 931,00
	D13E i. floor telescopic on/off switch H 217 - 250 H min 130 - 140 base 36 X 36 220-240V~ 50Hz CE □ ▽	1D13GEI00020 1D13GEI00017	alu black	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	899,00 899,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13Ea d. wall version telescopic dimmer on board H 215 - 248 220-240V~ 50Hz CE □ ▽	1D13GEDA0020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	775,00
	D13Ea i. wall version telescopic on/off switch H 215 - 248 CE □ ▽	1D13GEIA0020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	673,00
	D13E sas suspension H 100 - 250 CE □ ▽	1D13GESA0020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	166,00
shade and accessories						
	D13E/1 D13E/1 shade Ø 50, h 35	1D13GE/01002 1D13GE/01039 1D13GE/01008 1D13GE/01001	white shaded stone primary red black			141,00 166,00 214,00 233,00
	D13/25 off-center ceiling rose	9D1325476800	white			35,00
	D13/91 diffuser accessory lamping not included packing: 4 items the price refers to the single article only with halogen bulb	1D13N/910000	white			17,00

D13G. GRANDE COSTANZA

paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50Hz Ø 70, H 175 - 235 base 36x36 CE □ ▽	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	1.027,00
	D13Gti floor telescopic on/off switch Ø 70, H 175 - 235 base 36x36 CE □ ▽	1D13GTIH0020	alu stem white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	A+ A++ A D	1.018,00
	D13Gs suspension sensor dimmer 220-240V~ 50Hz Ø 70, H 100 - 475 CE □ ▽	1D13GSDH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	A+ A++ A D	561,00
	D13Gsi suspension Ø 70, H 100 - 475 CE □ ▽	1D13GSIH0020	white shade	 3xLED E27  3x20W FB E27  3x70W HSGSA E27 energy saver	A+ A++ A D	528,00

D13G GRANDE COSTANZA OPEN AIR

paolo rizzato

body + shade + (base or stake + fixed base) = complete lamp

Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D13G.air floor outdoor on/off switch Ø 2,1, h 221 CE ⚡ ⚠ IP44	1D13GT/00020	alu	LED E27	A+	703,00
		1D13GT/00013	rust	23W FBT E27 205W HSGST E27 energy saver	A++ A D	703,00

shade and accessories

	D13G/1 shade Ø 70, h 49	1D13GP/01002	white (indoor only)			224,00
		1D13GP/01028	off-white			304,00
		1D13GP/01013	rust			304,00
		1D13GP/01011	green			304,00





	D13G.air/2 base 136x36, h 2	1D13GT/02020	alu			313,00
		1D13GT/02013	rust			313,00

	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, h 50,7	1D13GT/03020	alu			96,00
--	--	--------------	-----	--	--	-------

	D13G.air/4 fixed base for dowels Ø 12, h 1,25	1D13GT/04020	alu			96,00
		1D13GT/04013	rust			96,00





D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D73N wall step dimmer (0%/50%/100%) 220-240V~ 50/60Hz l 191,6 head Ø 8,5	1D73N0000003	white	LED 16W 2700K <input type="checkbox"/>	A++ (*)	725,00
		1D73N0000001	black			725,00
  						

D73a COUNTERBALANCE SPOT



daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D73NA ceiling/wall dimmable trailing edge l 27,9 head Ø 8,5 220-240V~ 50/60Hz	1D73NA0000003	white	LED 13W 2700K <input type="checkbox"/>	A (*)	366,00
		1D73NA0000001	black			366,00
  						

D73t COUNTERBALANCE FLOOR




daniel rybakken

Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D73NT floor step dimmer (0%/50%/100%) 220-240V~ 50/60Hz h 170	1D73NT0000001	black	LED 16W 2700K <input type="checkbox"/>	A++ (*)	408,00
	D73/1 base h 24 Ø 14,5	1D730/100001	black			178,00


D76 CURL

sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D76N1 table dimmer on board l 21 h 26 CE  	1D760N100003	white	LED 8W 3000K <input type="checkbox"/>	A (*)	263,00
		1D760N100018	mirror			263,00

D93 DIADE

monica armani



optic + panels + holders kit = complete lamp

Calculate the price of the lamp adding the optic, to the panels and that to the support kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

optics 120 cm


	D93SDDC direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 220-240V~ 50/60 Hz CE  	1D930SDDC020	alu	LED 54W 3000K <input type="checkbox"/>	A++ (*)	850,00
---	---	--------------	-----	---	-------------	--------

	D93SDIC direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 220-240V~ 50/60 Hz CE  	1D930SDIC020	alu	LED 54W + LED 29W 3000K <input type="checkbox"/>	A++ (*)	1.019,00
---	--	--------------	-----	--	-------------	----------


	D93SFC direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 220-240V~ 50/60 Hz CE  	1D930SFC020	alu	LED 54W + LED 29W 3000K <input type="checkbox"/>	A++ (*)	1.000,00
---	--	-------------	-----	--	-------------	----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

sound-absorbing panels 120 cm


	D93/1 Pair of panels 120 x 60	1D93010000A1	white/black			1.031,00
		1D93010000A2	white/blue			1.031,00
		1D93010000A4	white/beige			1.031,00


support kit


	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC	1D9305000020	alu			111,00
---	--	--------------	-----	--	--	--------

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			194,00
---	---	--------------	-----	--	--	--------

optics 180 cm


	D93SDDL direct optic 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 220-240V~ 50/60 Hz CE Ⓢ ⚡	1D930SDDL020	alu	LED 80W 3000K <input type="checkbox"/>	A++ (*)	1.058,00
---	---	--------------	-----	---	------------	----------

	D93SDIL direct/indirect optic 3000K dimmable push/DALI 180 x 15 x 15 H 50 - 300 220-240V~ 50/60 Hz	1D930SDIL020	alu	LED 80W + LED 46W 3000K <input type="checkbox"/>	A++ (*)	1.097,00
---	---	--------------	-----	--	------------	----------


	D93SFIL direct/indirect optic with anti-glare 3000K dimmable push/DALI 180 x 15 x 5 H 50 - 300 220-240V~ 50/60 Hz CE Ⓢ ⚡	1D930SFIL020	alu	LED 80W + LED 46W 3000K <input type="checkbox"/>	A++ (*)	1.015,00
---	---	--------------	-----	--	------------	----------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

sound-absorbing panels 180 cm

	D93/3 Pair of panels 180 x 60	1D93030000A1	white/black			1.641,00
		1D93030000A2	white/blue			1.641,00
		1D93030000A4	white/beige			1.641,00


Support kit

	D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL	1D9307000020	alu			165,00
---	--	--------------	-----	--	--	--------

	D93/8 Kit 6 supports positioning horizontal panels	1D9308000020	alu			280,00
---	---	--------------	-----	--	--	--------

D93T DIADE FLOOR

monica armani



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

base

	D93/11 base 60 x 50 x 1	1D9311000020	alu			264,00
--	--------------------------------------	--------------	-----	--	--	--------

stem

	D93/10 stem L 215	1D9310000020	alu			511,00
--	--------------------------------	--------------	-----	--	--	--------

optic


	D93TFIC anti glare 3000K optic dimmer on board CE Ⓢ V	1D930TFIC020	alu	LED 54W + LED 29W 3000K <input type="checkbox"/>	A++ (*)	748,00
--	---	--------------	-----	--	-------------	--------

sound-absorbing panels

	D93/1 Pair of panels 120 x 60	1D93010000A1	white/black			1.031,00
		1D93010000A2	white/blue			1.031,00
		1D93010000A4	white/beige			1.031,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

support kit

	D93/6 Kit 4 supports positioning horizontal panels	1D9306000020	alu			194,00
---	---	--------------	-----	--	--	--------


e04 CEILING


habits studio

	+		=	
body		optic		complete lamp

Calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

	E04200 ceiling h 27,9 Ø 7 direct light 220-240V~ 50Hz	1E0400200001	matt black			101,00
		1E0400200002	matt white			101,00
		1E0400200020	matt alu			101,00
	CE	1E0400200030	matt brass			101,00

	E04220 ceiling h 37,2 Ø 13,4 direct light 220-240V~ 50Hz	1E0400220001	matt black			138,00
		1E0400220002	matt white			138,00
		1E0400220020	matt alu			138,00
	CE	1E0400220030	matt brass			138,00



body




optic



complete lamp

calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E04240 wall direct/indirect light h 46,5 Ø 7 220-240V~ CE	1E0400240001	matt black			156,00
		1E0400240002	matt white			156,00
		1E0400240020	matt alu			156,00
		1E0400240030	matt brass			156,00
	E04250 wall direct/indirect light h 46,5 Ø 13,4 220-240V~ 50Hz CE	1E0400250001	matt black			187,00
		1E0400250002	matt white			187,00
		1E0400250020	matt alu			187,00
		1E0400250030	matt brass			187,00




body



optic



kit ceiling rose



complete lamp

Calculate the price of the lamp adding the structure to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E04270 suspension direct light h 27,9 Ø 7 220-240V~ 50Hz CE	1E0400270001	matt black			172,00
		1E0400270002	matt white			172,00
		1E0400270020	matt alu			172,00
		1E0400270030	matt brass			172,00
	E04280 suspension direct/indirect light h 46,5 Ø 7 220-240V~ 50Hz CE	1E0400280001	matt black			170,00
		1E0400280002	matt white			170,00
		1E0400280020	matt alu			170,00
		1E0400280030	matt brass			170,00
	E04290 suspension direct light h 37,2 Ø 13,4 220-240V~ 50Hz CE	1E0400290001	matt black			200,00
		1E0400290002	matt white			200,00
		1E0400290020	matt alu			200,00
		1E0400290030	matt brass			200,00







accessories

	EA1096 5-pole ceiling rose kit	1EA100096000	white			16,00
--	--	--------------	-------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

optics for E04 ceiling, wall e suspension. **LED optics will be available from July 2019 while retrofit optics from October 2019**

	E041M medium beam optics dimnable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1M0000		COB LED module <input type="checkbox"/> 12W 2700K	A++	169,00
	E041W large beam optic dimnable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1W0000		COB LED module <input type="checkbox"/> 12W 2700K	A++	169,00
	E042M medium beam optic dimnable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2M0000		COB LED module <input type="checkbox"/> 19W 2700K	A++	214,00
	E042W large beam optic dimnable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2W0000		COB LED module <input type="checkbox"/> 19W 2700K	A++	214,00
	E043M medium beam optic dimnable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/3M0000		dim to warm LED module <input type="checkbox"/> 13W 3000K	A++	179,00
	E043W large beam optic dimnable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/3W0000		dim to warm LED module <input type="checkbox"/> 13W 3000K	A++	179,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E044M medium beam optic dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE	1E040/4M0000		dim to warm LED module 20W 3000K <input type="checkbox"/>	A++	234,00
	E044W large beam optic dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE ⊕	1E040/4W0000		dim to warm LED module 20W 3000K <input type="checkbox"/>	A++	234,00
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz CE ⊕	1E040/1R0000		 LED retrofit GU10	A+ A++ A	68,00
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz CE ⊕	1E040/2R0000		 LED retrofit G53	A+ A++ A	144,00


e06


habits studio

Calculate the price of the lamp adding the structure to the optic


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------


bodies for LED optics


	E06100 ceiling fixture dimmable push/DALI h 40 Ø 7 220-240V~ 50Hz CE ⊕	1E0600100001	matt black			268,00
		1E0600100002	matt white			268,00
		1E0600100020	matt alu			268,00
		1E0600100030	matt brass			268,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E06150 electrified track fixture dimmable push/DALI h 40 Ø 7 220-240V~ 50Hz CE ⚡	1E0600150001	matt black			303,00
		1E0600150002	matt white			303,00
		1E0600150020	matt alu			303,00
		1E0600150030	matt brass			303,00

LED optics available from July 2019


	E061M medium beam optic CE	1E060/1M0000			LED module COB 11W 2700K <input type="checkbox"/>	A++	107,00
---	---	--------------	--	--	---	-----	--------



	E061W large beam optic CE	1E060/1W0000			LED module COB 11W 2700K <input type="checkbox"/>	A++	107,00
---	--	--------------	--	--	---	-----	--------

	E062M medium beam optic CE	1E060/2M0000			LED module dim to warm 11W 3000K <input type="checkbox"/>	A++	122,00
---	---	--------------	--	--	---	-----	--------



	E062W large beam optic CE	1E060/2W0000			LED module dim to warm 11W 3000K <input type="checkbox"/>	A++	122,00
---	--	--------------	--	--	---	-----	--------

bodies for retrofit optics

	E06200 ceiling fixture dimmable phase cut h 40 Ø 7 220-240V~ 50Hz CE ⚡	1E0600200001	matt black			246,00
		1E0600200002	matt white			246,00
		1E0600200020	matt alu			246,00
		1E0600200030	matt brass			246,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E06250 electrified track fixture dimmable fase cut h 40 Ø 7 220-240V~ 50Hz CE 	1E0600250001	matt black			284,00
		1E0600250002	matt white			284,00
		1E0600250020	matt alu			284,00
		1E0600250030	matt brass			284,00


retrofit optic available from October 2019

	E041R optic retrofit for bodies Ø 7 CE	1E040/1R0000		 LED retrofit GU10	A+ A++ A	68,00
---	--	--------------	--	--	----------------	-------

D67 ECRAN IN&OUT

inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D67PLN1 wall/outdoor 220-240V~ 50Hz Ø 18,5 D 14,5 CE  IP65	1D670PN10002	opal white	LED 8W 3000K 	A (*)	177,00
		1D670PN10034	sand			177,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

optics

	D96/1D optic dimmable push/DALI optics + suspension cables + finishing rings H 30 - 300 CE □ ▽	1D960/1D0020	alu	LED 23W 2700K □	A++ (*)	540,00
		1D960/1D0001	black			540,00
		1D960/1D0030	brass			540,00



	D96/1DW optic dimmable phase cut dim-to-warm optics + suspension cables + finishing rings H 30 - 300 available from November 2019 CE □ ▽	1D960/1DW020	alu	LED 25W 3000K □	A++ (*)	610,00
		1D960/1DW001	black			610,00
		1D960/1DW030	brass			610,00

sound-absorbing body


	D96C acoustic material and flame-retarded fabric Ø 80 h 40 cm	1D960C0000A3	dark grey/ raw white			681,00
		1D960C0000E2	aquamarine/ raw white			681,00
		1D960C0000A2	light grey/ dark grey			681,00
		1D960C0000B2	rust			681,00


D84a FLY-TOO


























consuline

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D84a wall dimmable with wall control 220-240V~ 50/60Hz Ø 20,5 h 27,4 CE ⚡ ⚠	1D840A000002	aged white/ aged white			382,00
		1D840A000038	aged white/ tanned skin	LED 26W 3000K <input type="checkbox"/>	A (*)	382,00
		1D840A000001	ultramatt black/ aged white			382,00
	D84a/01 wall remote driver version Ø 20,5 h 13,7 CE ⚡ ⚠	1D840A010002	aged white/ aged white			328,00
		1D840A010038	aged white/ tanned skin	LED 26W 3000K <input type="checkbox"/>	A (*)	328,00
		1D840A010001	ultramatt black/ aged white			328,00


accessory




	D84/1 remote independent driver for D84a/01	1D840/100000				46,00
---	--	--------------	--	--	--	-------




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N.100 table/wall on/off switch arms l 44 + 35,5 head Ø 16   	1D33N2GI00AA	metal	 LED filament E27  70W HSGSA E27 energy saver	A+	166,00
		1D33N2GI0002	white		A++	175,00
		1D33N2GI0001	black soft-touch		A D	194,00
	D33Nt.100 floor on/off switch 220-240V~ 50Hz arms l 35,5 h 92 head Ø 16   	1D33NTGI00AA	metal	 LED filament dimmable E27  70W HSGSA E27 energy saver	A+	205,00
		1D33NTGI0001	black soft-touch		A++	226,00
		1D33NTGI0002	white		A D	228,00
	D33Nsp.60 ceiling/wall on/off switch s 36 head Ø 11   	1D33NSPI00AA	metal	 LED E14  28W Spot R50 E14 energy saver  42W HSGSA E14 energy saver	A+	123,00
		1D33NSPI0002	white		A++	127,00
		1D33NSPI0001	black soft-touch		A D	137,00
	D33Nsp.100 ceiling/wall on/off switch s 36 head Ø 16   	1D33NSGI00AA	metal	 LED filament E27  70W HSGSA E27 energy saver	A+	129,00
		1D33NSGI0002	white		A++	136,00
		1D33NSGI0001	black soft-touch		A D	146,00

accessories

	D33N/01 base Ø 23,6	1D33N/010002	white			79,00
		1D33N/01000A	metal			79,00
		1D33N/010001	black soft-touch			83,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N/03 universal joint h 11,8	1D33N/03000A	metal			32,00
	D33N/04 clamp h 1 - 6,5	1D33N/04000A	metal			32,00
	D33N/05 fixing pin	1D33N/05000A	metal			50,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N.led table/wall on/off switch 24V dc arms l 44 + 35.5 head Ø 8,9 CE	1D33N2LIR0AA	metal			283,00
		1D33N2LIR002	white	LED 9W 3000K <input type="checkbox"/>	A (*)	288,00
		1D33N2LIR001	black soft-touch			300,00

accessories

	D33N/01 base Ø 23,6	1D33N/010002	white			79,00
		1D33N/01000A	metal			79,00
		1D33N/010001	black soft-touch			83,00


	D33N/03 universal joint h 11,8	1D33N/03000A	metal			32,00
--	---	--------------	-------	--	--	-------

	D33N/04 clamp h 1 - 6,5	1D33N/04000A	metal			32,00
--	--------------------------------------	--------------	-------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D33N/05 fixing pin	1D33N/05000A	metal			50,00

D90 GARBÌ

david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D90N wall dimmer trailing edge 220-240V~ 50/60Hz 20 x 14 x 16 CE ⊕ ▽	1D90NAW00002	white	LED 34W 2700K <input type="checkbox"/>	A (*)	241,00
		1D90NAW00018	metal/white			322,00



structure













glass









complete lamp

Calculate the price of the lamp adding the cost of the structure to the glass diffuser.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D31P H max 124 CE Ⓢ ⚠	1D31PH000020	alu	 LED E27  105/140W HSGSA E27 energy saver  23W FBT E27  205W HSGST E27 energy saver	A+ A++ A D	228,00
	D31G H max 124 CE Ⓢ ⚠	1D31GH000020	alu	 LED E27  105/140W HSGSA E27 energy saver  23W FBT E27  205W HSGST E27 energy saver	A+ A++ A D	250,00





glass and accessories

	D31P/1 H 27 Ø 33	1D31P/010002	opal			220,00
	D31P/2 H 33 Ø 39	1D31P/020002	opal			345,00
	1D31P/5 H 43 Ø 40	1D31P/050002	opal			372,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D31P/9 H 30,6 Ø 22,5	1D31P/090002	opal			135,00
	D31G/2 H25 Ø29	1D31G/020000	transparent sand-blasted			245,00
	D31/1 extra cable 4 m	1D31/0100020				111,00

D52 GOGGLE

ross lovegrove

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D52 ceiling h 32, l 18, s 14 CE □ ▽ IP40	1D5200000031	iridescent	 LED 6W E14  12W FB E14 energy saver  42W HSGSA E14	A+ A++ A D	92,00



body



optic







suspension kit





complete lamp

Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the suspension kit.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D70K/3N1 suspension dimmable trailing edge 220-240V~ 50/60Hz H 60 - 250	1D701K300002	complete version 3 bodies glossy white + 1 module LED + suspension kit	LED 25W 3000K <input type="checkbox"/>	A (*)	541,00
	D70K/4N1 suspension dimmable trailing edge 220-240V~ 50/60Hz H 60 - 250	1D701K400002	complete version 4 bodies glossy white + 2 modules LED + suspension kit	LED 50W 3000K <input type="checkbox"/>	A (*)	827,00
	D70C/1 3 bodies + attachments h module 8	1D7001000002	glossy white			66,00
	D70C/3 9 bodies + attachments h module 8	1D7003000002	glossy white			188,00


optics

	D70L/1N1 LED version dimmable trailing edge structure 3 modules 220-240V~ 50/60Hz	1D701L100000	satin finish aluminium ceiling rose white	LED 25W 3000K <input type="checkbox"/>	A (*)	283,00
---	--	--------------	---	---	----------	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D70L/2N1 LED version dimmable trailing edge structure 6 modules 220-240V~ 50/60Hz CE ⊕ ▽	1D701L200000	satin finish aluminium ceiling rose white	LED 50W 3000K <input type="checkbox"/>	A (*)	505,00





accessories





	D70S suspension kit 4 steel cables	1D7002000002	white			82,00
---	---	--------------	-------	--	--	-------





	D70A kit 5 hooks	1D7005000002	white			35,00
---	----------------------------	--------------	-------	--	--	-------





D66 HOPE

francisco gomez paz, paolo rizzato




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/12 suspension H max 270 Ø 61 CE □ ▽	1D6612S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	854,00

	D66/18 suspension H max 270 Ø 72 CE □ ▽	1D6618S00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	1.134,00
---	--	--------------	-----------------------------	---	---------------------	----------




	D66/42 suspension H 50 - 410 Ø 110 CE ⊕ ▽	1D6642S00000	transparent methacrylate	 3x LED E27  3x 23W FB E27  3x 105W HSGSA E27 energy saver	A+ A++ A D	3.418,00
---	--	--------------	-----------------------------	--	---------------------	----------





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/105 suspension H 60 - 930 Ø 200 CE ⊕ ▽	1D66105S0000	transparent methacrylate	 5x LED E27  5x 23W FB E27  5x 105W HSGSA E27 energy saver	A+ A++ A D	9.490,00





for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).








	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72 CE □ ▽	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	1.155,00
---	---	--------------	-----------------------------	---	---------------------	----------

	D66/18T.1 ground rod h 164	1D6618T01019	stainless steel			491,00
--	---	--------------	-----------------	--	--	--------


	D66/3a wall dimmable l 43 d 28,5 Ø 48 CE ⊕ ▽	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	A+ A++ A C	283,00
---	---	--------------	-----------------------------	---	---------------------	--------

	D66/8a wall l 61 d 45,6 Ø 61 CCC CE ⊕ ▽	1D6608A00000	transparent methacrylate	 LED E27  23W FB E27  105W HSGSA E27 energy saver	A+ A++ A D	659,00
---	---	--------------	-----------------------------	---	---------------------	--------

	D66/12p ceiling Ø 69 h 41,5 CCC CE ⊕ ▽	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 12W FB E14  3 x 42W HSGSA E14 energy saver	A+ A++ A D	958,00
---	---	--------------	-----------------------------	--	---------------------	--------






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/30p ceiling Ø 109 h 64 CE   	1D6630P00000	transparent methacrylate	 3x LED E27  3x 23W FB E27  3x 105W HSGSA E27 energy saver	A+ A++ A D	2.368,00

kit for special composition

	D66/KT kit for special composition	9D6600000000				266,00
---	---	--------------	--	--	--	--------





D66H HOPE FRIENDS OF HUE


francisco gomez paz, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D66/18H suspension hue kit: bridge + lamp included H max 270 Ø 72 CE  	1D6618SH0000	transparent methacrylate	 LED white ambiance Hue 2200-6500K E27 	A	1.204,00




D80 ILLUSION

francisco gomez paz




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D80 wall/ceiling dimnable trailing edge 23 x 23 x 4 220-240V~ 50/60 Hz CE   IP40	1D800A000002	structure white transparent polycarbonate screen	LED 17W main power 3000K 	A (*)	273,00









Calculate the price of the lamp by adding the cost of the structure to the cost of the remote driver.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D94P3 wall recessed dimmable push/DALI 18 x 18 d 15 cm CE  	1D940P300002	white	LED 26W 2700K <input type="checkbox"/>	A (*)	462,00
















accessories

	D94/1 independent remote driver 1 body	1D940/100000				87,00
	D94/2 independent remote driver 3 bodies	1D940/200000				127,00
	D94/3 independent remote driver 5 bodies	1D940/300000				163,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D64 ceiling/wall dimmable h 8, l 22, s 9   	1D6400000002	white	 LED dimmable R7s Ømax: 22 mm  120W HDG R7S	A+ A++ C	190,00


D41 LIGHTDISC

alberto meda, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D41/32.22 ceiling/wall transparent diffuser electronic ballast EEL A2 220-240V~ 50/60Hz Ø 32, h 5,5    IP65	1D41PI220002	white	 22W FSC T5 26X13	A	202,00
	D41B/32.22 ceiling/wall opal diffuser electronic ballast EEL A2 220-240V~ 50/60Hz Ø 32, h 5,5    IP65	1D41PI22B000	transparent	 32W FSC T9 610q	A	202,00
	D41/40.55 D ceiling/wall push dim/DALI transparent diffuser electronic ballast EEL A2 220-240V~ 50/60Hz Ø 40, h 6,7    IP65	1D410055D002 1D410055D000	white transparent	 55W FSC T5 26X13	A	391,00 391,00










accessories











	D41/40/03 H 30/180 only for D41/40.55	1D4100/03002	white			111,00
---	--	--------------	-------	--	--	--------




Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D92V14 Table version complete on/off switch 220-240V~ 50/60 Hz H 13 Ø 14 CE □ ▽	1D920V140000	opal		A+ A++ A	158,00
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12 CE □ ▽	1D920=180002 1D920=180099	white painted aluminum ash wood	LED G9 dimmable	A+ A++ A	187,00 187,00
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10 CE □ ▽	1D920V180000	white painted aluminum	LED G9 dimmable	A+ A++ A	104,00
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20 CE □ ▽	1D920=300002 1D920=300099	white painted aluminum ash wood	LED E27 dimmable	A+ A++ A	230,00 237,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D92V30 Table/support dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15 CE □ ▽	1D920V300000	white painted aluminum	 LED E27 dimmable	A+ A++ A	114,00
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28 CE □ ▽	1D920T300002 1D920T300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	382,00 629,00
	D92/5 Base weight only for floor version D92T30	1D920/500000				117,00
	D92T42 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/4 diffuser H 160 base Ø 40 CE □ ▽	1D920T420002 1D920T420099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	406,00 712,00
	D92/6 Base weight only for floor version D92T42	1D920/600000				128,00
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 h 12 CE □ ▽	1D920P140000	white		A+ A++ A	100,00
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 h 15 CE □ ▽	1D920P180000	white	 LED G9 dimmable	A+ A++ A	42,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D92P30 Wall/ceiling structure dimable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 h 26 CE □ ▽	1D920P300000	white	 LED E27 dimmable	A+ A++ A	45,00
	D92S14 Suspension structure complete version dimable 220-240V~ 50/60 Hz Ø 14 H 30 - 300 CE ⊕ ▽	1D920S140002 1D920S140099	white painted aluminum ash wood	 LED G9 dimmable	A+ A++ A	157,00 168,00
	D92S18 Suspension structure dimable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 CE ⊕ ▽	1D920S180002 1D920S180099	white painted aluminum ash wood	 LED G9 dimmable	A+ A++ A	123,00 135,00
	D92S30 Suspension structure dimable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 CE ⊕ ▽	1D920S300002 1D920S300099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	173,00 186,00
	D92S42 Suspension structure dimable 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 CE ⊕ ▽	1D920S420002 1D920S420099	white painted aluminum ash wood	 LED E27 dimmable	A+ A++ A	175,00 205,00







Diffusers

	D92/2 Diffuser opal glass Ø 18 H 15	1D920/200002	opal			76,00
---	--	--------------	------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D92/3 Diffuser opal glass Ø 30 H 25	1D920/300002	opal			126,00
	D92/4 Diffuser opal glass Ø 42 H 36	1D920/400002	opal			212,00

D15 LOLA


alberto meda, paolo rizzato


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48 CE □ ▽	1D15=1ND0020	alu	 LED dimmable R7s Ømax: 22 mm	A+	399,00
		1D15=1ND0017	black	 240W HDG R7s energy saver	A++ A C	399,00
	D15NA1 wall dimmable h 25 l 18 s 25 CE □ ▽	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm	A+	146,00
		1D15A1N00017	black	 240W HDG R7s energy saver	A++ A C	146,00

Calculate the price of the lamp adding the cost of the body to the ceiling rose and, only for the wireless version, add the appropriate kit.
Color of the ceiling rose: black


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------


structure

	D86N suspension h 90 Ø 100 CE	1D860N000001	black	D86N + D86/W1/W5 LED 61W 2700K <input type="checkbox"/>	A (*)	2.682,00
				D86N + D86/T1/T5 LED 64W 2700K <input type="checkbox"/>		


	D86NPI suspension h 60 Ø 80 CE	1D860N800001	black	D86NPI + D86/W1/W5 LED 50W 2700K <input type="checkbox"/>	A (*)	1.982,00
				D86NPI + D86/T1/T5 LED 53W 2700K <input type="checkbox"/>		

ceiling rose for wireless version

	D86/W1 push dimmable with light scenarios for wireless version 220-240V~ 50/60 Hz L 100 ceiling rose Ø 30 CE ⚡ ⚠	1D860/W10001	black			745,00
--	---	--------------	-------	--	--	--------




	D86/W5 push dimmable ceiling rose with light scenarios for wireless version 220-240V~ 50/60 Hz L 500 ceiling rose Ø 30 CE ⚡ ⚠	1D860/W50001	black			887,00
---	---	--------------	-------	--	--	--------




accessory




	D86/1 wireless Kit	1D860/100000				105,00
---	------------------------------	--------------	--	--	--	--------




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

ceiling rose not predisposed for wireless version




	D86/T1/1 ceiling rose dimmable phase cut 220-240V~ 50/60 Hz only for D86N L 100 ceiling rose Ø 30 CE  	1D860/T11001	black			732,00
---	---	--------------	-------	--	--	--------




	D86/T5/1 ceiling rose dimmable phase cut 220-240V~ 50/60 Hz only for D86N L 500 ceiling rose Ø 30 CE  	1D860/T51001	black			818,00
---	---	--------------	-------	--	--	--------


	D86/T1/8 ceiling rose dimmable phase cut 220-240V~ 50/60 Hz only for D86NPI L 100 rosone Ø 30 CE  	1D860/T18001	black			669,00
---	---	--------------	-------	--	--	--------

	D86/T5/8 ceiling rose dimmable phase cut 220-240V~ 50/60 Hz only for D86NPI L 500 ceiling rose Ø 30 CE  	1D860/T58001	black			767,00
---	---	--------------	-------	--	--	--------

complete versions


	D86C551 suspension dimmable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm L cable 100 CE  	1D860C551001	black	LED 40W 2700K <input type="checkbox"/>	A (*)	1.478,00
---	--	--------------	-------	---	-----------	----------

	D86C555 suspension dimmable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 cm H max 500 CE  	1D860C555001	black	LED 40W 2700K <input type="checkbox"/>	A (*)	1.591,00
---	--	--------------	-------	---	-----------	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D86PLN ceiling dimnable phase cut 220-240V~ 50/60 Hz Ø 72, h 32 cm CE ⊕ ▼	1D860PLN0001	black	LED 50W 2700K <input type="checkbox"/>	A (*)	2.236,00






D20 METROPOLI











alberto meda, paolo rizzatto, riccardo sarfatti











body optic complete lamp




Calculate the price of the lamp adding the cost of the body to the prismatic glass or polycarbonate diffuser and to the respective optical system.
For the outdoor use only the alu painted version with polycarbonate diffuser and the relative kit accessory for IP65.






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/17P polycarbonate diffuser H 8 Ø 17 CE	1D2017P00020	painting alu			150,00
		1D2017P00019	polished			173,00
		1D2017P00040	bronze			288,00
	D20/17V prismatic glass diffuser H 8 Ø 17 CE	1D2017V00020	painting alu			155,00
		1D2017V00019	polished			181,00
		1D2017V00040	bronze			303,00
	D20/17.1 optic for D20/17V CE ⊕ ▼	1D2017010000		 LED 2700K E14  28W HSGSA E14 energy saver	A+ A++ A D	41,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/17.7 optic for D20/17P dimnable phase cut 220-240V~ 50/60Hz available from September 2019	1D2017070000		LED 8W 3000K <input type="checkbox"/>	A (*)	120,00
	CE   					
	D20/27P polycarbonate diffuser H 10 Ø 27	1D2027P00020 1D2027P00019 1D2027P00040	painting alu polished bronze			187,00 219,00 330,00
	CE					
	D20/27V prismatic glass diffuser H 10 Ø 27	1D2027V00020 1D2027V00019 1D2027V00040	painting alu polished bronze			200,00 234,00 344,00
	CE					
	D20/27.1 optic for D20/27V	1D2027010000		 LED E27  15W FBT E27  70W HSGSA E27 energy saver	A+ A++ A D	46,00
	CE   					
	D20/27.9 optic for D20/27P dimnable trailing edge 220-240V~ 50Hz	1D2027090000		LED 17W main power 3000K <input type="checkbox"/>	A (*)	205,00
	CE   					
	D20/38 P polycarbonate diffuser H 12 Ø 38	1D2038P00020 1D2038P00019	painting alu polished			242,00 290,00
	CE					
	D20/38V prismatic glass diffuser H 12 Ø 38	1D2038V00020 1D2038V00019	painting alu polished			257,00 305,00
	CE					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D20/38.1 optic for D20/38V CE ⊕ ▼	1D2038010000		 LED E27  20/23W FBT E27  105/140W HSGSA E27 energy saver only for D20/38V	A+ A++ A D	57,00
	D20/38.2 optic for D20/38V CE ⊕ ▼	1D2038020000		 2 x LED E27  2x20/23W FBT E27  2X70W HSGSA E27 energy saver only for D20/38V	A+ A++ A D	66,00


kit for IP65

	D20/17.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20170A0000				20,00
	D20/27.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20270A0000				23,00
	D20/38.a kit for IP65 only for fluorescent and LED version with polycarbonate diffuser	1D20380A0000				24,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	E08110 suspension complete version 220-240V~ 50/60Hz l 66,4 Ø 2,5 CE   IP20	1E0800110002	white	 5W LED SPOT 3000°K 37° 218 lm 	A (*)	267,00
		1E0800110001	black			267,00
		1E0800110019	polished			286,00






D60 MIRANDA

paolo rizzato




body + opal glass = complete lamp

Calculate the price of the lamp adding the cost of the body to the glass diffuser.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D60 table dimmer on board h 77,6 base 25x25 220-240V~ 50/60Hz CE  	1D600=D00020	alu structure	 LED E27 dimmable  105W HSGSA E27 energy saver	A+ A++ A D	254,00

diffusers




	D60/1 table/floor diffuser	1D600V/01002	opal glass			135,00
---	--------------------------------------	--------------	------------	--	--	--------

D60pi. MIRANDOLINA


paolo rizzato

body + opal glass = complete lamp

Calculate the price of the lamp adding the cost of the body to the glass diffuser.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D60pi.D table dimmer on board 220-240V~ 50/60Hz h 51,3 base 15x15 D60pi./1 diffuser CE □ ▽	1D60P=D00020	alu structure	 LED E14 dimmable  42W HSGSA E14 energy saver	D	192,00


diffusori

	D60pi./1 table diffuser	1D60PV/01002	opal glass			100,00
---	-----------------------------------	--------------	------------	--	--	--------

D75 NOTHING

francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D75 floor dimmer on board 220-240V~ 50/60Hz aluminium body steel structure 43 x 32 x 110 CE □ ▽	1D750T000001	black	LED 35W 2700K □	A (*)	841,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D72N1 table dimmer on board head 13 x 10,5 x 2 arms l 47 + 42,2 100-240V~ 50/60 Hz CE	1D720=N10002	white			317,00
		1D720=N10018	mirror	LED 10W 3000K <input type="checkbox"/>	A (*)	328,00
		1D720=N10001	black soft-touch			328,00



accessories

	D72/1 table base 18,5 x 18,5	1D72/1000001	black soft-touch			74,00
		1D72/1000002	white			98,00
		1D72/1000018	mirror			105,00

	D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3	1D72/2000002	white			32,00
		1D72/2000001	black soft-touch			32,00
		1D72/2000018	mirror			34,00


	D72/3 clamp (for use on the table max 41mm) h 4,4	1D72/3000002	white			61,00
		1D72/3000001	black			61,00
		1D72/3000018	mirror			63,00





	D72/4 wall bracket 5 x 4,5	1D72/4000002	white			31,00
		1D72/4000018	mirror			31,00
		1D72/4000001	black soft-touch			31,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D72/5 desk joint (for use on the table max 41mm) h 4,4, Ø 3 - 12,5	1D72/5000002	white			43,00
		1D72/5000001	black soft-touch			43,00
		1D72/5000018	mirror			45,00
	D72/6 special-CH-adaptor	1D72/6000002	white			43,00
		1D72/6000001	black soft-touch			43,00
		1D72/6000018	mirror			45,00

D71 PETALE




odile decq



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71PL suspension + LED strip 136 x 83 x 15 H 50 - 300 LED strip not dimmable CE 	1D710POL0002	white	LED strip 17W 2800K <input type="checkbox"/>	A (*)	1.779,00
	D71P1L suspension + LED strip 154,5 x 120 x 15 H 50 - 300 LED strip not dimmable CE 	1D710P1L0002	white	LED strip 21W 2800K <input type="checkbox"/>	A (*)	2.135,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D71CL suspension + LED strip Ø 120 x 15 H 50 - 300 LED strip not dimmable CE 	1D710C0L0002	white	LED strip 18W 2800K 	A (*)	1.779,00

optics








	D71/6DL optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz for D71PL - D71P1L - D71CL 220-240V~ 50/6 LED strip not dimmable CE 	1D71/6DL0002		 LED 45W 3000K	A++ (*)	576,00
---	--	--------------	--	--	-------------	--------

top cover lamp body

	D71/OAC cover for D71CL	1D71/OAC0002	white			187,00
	D71/OAP cover for D71PL	1D71/OAP0002	white			187,00
	D71/OAP1 cover for D71P1L	1D71/OAP1002	white			199,00

D62 PLISSÈ

inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D62 suspension l 60 - 160 h 30 s 27 H max 225   	1D6200000019	silver	 7xLED E14  7x12W FB E14 energy saver  7x42W HSGSA E14	A A+ A++ D	966,00 966,00
		1D6200000001	black			

D30 POD LENS




ross lovegrove



For the free-standing version, compose the lamp adding the stand and fixed base, if any, to the diffuser element (D30F).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D30 F suspension/outdoor h 28,5 Ø 10,5 220-240V~ 50/60 Hz suspension cable in green    	1D300F/40004	grey	 LED E27	A+	127,00
		1D300F/40013	terracotta	 14W FBT E27	A++ A	127,00
		1D300F/40025	sage green			127,00

accessories

	D30/2 fixed base H 15 Ø 11	1D30/0200004	grey			32,00
	D30/4.1 stem H 35	1D30/04/0125	sage green			23,00
	D30/4.2 stem H 120	1D30/04/0225	sage green			44,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D30/4.3 stem H 180	1D30/04/0325	sage green			57,00
	D30/5 3 way connector	1D30/0500004	grey			45,00
	D30/6 extra cable 10m	1D30/0600025	green			64,00



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.

Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------



	D79/90c suspension textile Ø 90 h 45 CE	1D7909C000A2	light grey 133			1.789,00
		1D7909C000A3	dark grey 152			1.789,00
		1D7909C000B2	rust 252			1.789,00
		1D7909C000B1	sand 242			1.789,00


	D79/120c suspension textile Ø 117 h 45 CE	1D7912C000A2	light grey 133			1.943,00
		1D7912C000A3	dark grey 152			1.943,00
		1D7912C000B2	rust 252			1.943,00
		1D7912C000B1	sand 242			1.943,00


	D79/150c suspension textile Ø 148,5 h 45 CE	1D7915C000A2	light grey 133			2.377,00
		1D7915C000A3	dark grey 152			2.377,00
		1D7915C000B2	rust 252			2.377,00
		1D7915C000B1	sand 242			2.377,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------


optics


	<p>D79R/03 E27 optic ceiling rose and suspension cables including</p> <p>CE Ⓢ ⚡</p>	<p>9D7903608200</p>			<p>A+ A++ A D</p>	<p>225,00</p>
---	--	---------------------	--	---	-------------------------------	---------------

	<p>D79R/10 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including</p> <p>CE Ⓢ ⚡</p>	<p>9D7910101700</p>		<p>LED 45W 3000K <input type="checkbox"/></p>	<p>A++ (*)</p>	<p>560,00</p>
---	---	---------------------	--	---	--------------------	---------------

	<p>D79R/11 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables including</p> <p>CE Ⓢ ⚡</p>	<p>9D7910101800</p>		<p>LED 45W 2700K <input type="checkbox"/></p>	<p>A++ (*)</p>	<p>579,00</p>
---	---	---------------------	--	---	--------------------	---------------







accessories

	<p>D79R/07 Lower screen (optional in the LED version)</p>	<p>9D7907726000</p>	<p>satin Ø 90 cm</p>			<p>206,00</p>
		<p>9D7907726100</p>	<p>satin Ø 120 cm</p>			<p>317,00</p>
		<p>9D7907726200</p>	<p>satin Ø 150 cm</p>			<p>336,00</p>

	<p>D79R/09 suspension kits for installation in parallel ropes (optional)</p>	<p>9D7909612000</p>	<p>white</p>			<p>21,00</p>
---	---	---------------------	--------------	--	--	--------------





D63 SKY


alfredo häberli





Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D63a.L outdoor 220-240V~ 50/60Hz h 16, l 20 CE ⊕ ▼ IP65	1D630A0LE002	white	 2xLED E14	A (*)	362,00
		1D630A0LE020	alu			362,00
		1D630A0LE013	chestnut			362,00
	D63t1.L outdoor 220-240V~ 50/60Hz h 16, l 20, H 28 CE ⊕ ▼ IP65	1D630T1LE002	white	 2xLED E14	A (*)	429,00
		1D630T1LE020	alu			429,00
		1D630T1LE013	chestnut			429,00
	D63t2.L outdoor 220-240V~ 50/60Hz h 16, l 20, H 70 CE ⊕ ▼ IP65	1D630T2LE002	white	 2xLED E14	A (*)	499,00
		1D630T2LE020	alu			499,00
		1D630T2LE013	chestnut			499,00

D89 SOLEIL NOIR

odile decq









Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 h 18,5 CE ⊕ ▼	1D890P000002	white	LED 35W 3000K 	A (*)	1.675,00
		1D890P000035	black/white			1.710,00
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz 120 x 62,5 x 35 H 30 - 300 CE ⊕ ▼	1D890S000002	white	LED 35W 3000K 	A (*)	1.675,00
		1D890S000035	black/white			1.710,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D87CW suspension dimnable trailing edge H 120 - 320 220-240V~ 50/60Hz CE ⚡ ⚠	1D870CW00000	alu	LED 25W 2700K <input type="checkbox"/>	A (*)	657,00
	D87CC suspension dimnable trailing edge H 120 - 320 220-240V~ 50/60Hz CE ⚡ ⚠	1D870CC00000	alu	LED 25W 3000K <input type="checkbox"/>	A (*)	657,00
Kit spheres + rods						
	D87048 Kit 48 spheres + rods	1D8704800002	opal white			569,00
		1D8704800018	metallized			569,00
	D87072 Kit 72 spheres + rods	1D8707200002	opal white			875,00
		1D8707200018	metallized			875,00



D22 STRIP

dante donegani

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D22/1EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x10,5x7 CE ⊕ ▼ IP40	1D22001E0002	white	 2x14W FD (T5) G5 ø16	A	253,00
		1D22001E0020	painting alu			264,00
		1D22001E0019	polished			303,00
	D22/2EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x18,6x8,5 CE ⊕ ▼ IP40	1D22002E0002	white	 2x24W FD (T5) G5 ø16	A	273,00
		1D22002E0020	painting alu			279,00
		1D22002E0019	polished			336,00
	D22/3EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x38,6x8,5 CE ⊕ ▼ IP40	1D22003E0002	white	 4x24W FD (T5) G5 ø16	A	417,00
		1D22003E0020	painting alu			428,00
		1D22003E0019	polished			490,00
	D22/4EL ceiling/wall electronic ballast EEI A2 220-240V~ 50/60Hz 74x66,1x8,5 CE ⊕ ▼ IP40	1D22004E0002	white	 6x24W FD (T5) G5 ø16	A	567,00
		1D22004E0020	painting alu			576,00
		1D22004E0019	polished			676,00




D77 TANGO

francisco gomez paz


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE □ ▼	1D77NTD00001	black	LED 35W 3000K □	A (*)	861,00
	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5 CE □ ▼	1D77NTDW0001	black	LED 35W 2700K □	A (*)	891,00

D17 TITANIA

alberto meda, paolo rizzato




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D17 suspension up and down coloured filters included: yellow, rose, light blue, violet 70x27x8 H 100 - 250 CE □ ▽	1D1700000020	alu	 LED E27 Ø max 38 mm l 150 mm  205W HSGST E27 energy saver	A A+ A++ D	336,00

accessories



	D13/25 off-center ceiling rose	9D1325476800	white			35,00
---	---	--------------	-------	--	--	-------

D17Q QUEEN TITANIA

alberto meda, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D17Q suspension l 140 h 16 CE □ ▽	1D170QHALO20	alu	 2x LED E27 Ø max 38 mm l 150 mm  2x 205W HSGST/F E27 energy saver	A A+ A++ D	876,00









accessories

	D17Q /01 pair of polycarbonate filter	1D170Q/01024	rose			44,00
		1D170Q/01023	sky blue			44,00
		1D170Q/01027	yellow			44,00
		1D170Q/01036	violet			44,00
	D17Q /02 suspension kit h 50 - 250	1D170Q/02020	alu			179,00

D83 TIVEDO

sebastian bergne

Calculate the price of the lamp adding the cost of the body and to the holder (base or fixing pin).








Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D83 table dimmer on board arms 44,5 + 45,7 head Ø 8,1   	1D830=000023	sky blue	LED 9,5W 3000K <input type="checkbox"/>	A (*)	234,00
		1D830=000004	light grey/ dark grey			234,00
		1D830=000001	black			234,00
		1D830=000008	lacquer red			234,00
	D83pres. table dimmer on board with occupancy sensor arms 44,5 + 45,7 head Ø 8,1   	1D830=001023	sky blue	LED 9,5W 3000K <input type="checkbox"/>	A (*)	286,00
		1D830=001004	light grey/ dark grey			286,00
		1D830=001001	black			286,00
		1D830=001008	lacquer red			286,00








accessories

	D83/1 table base Ø 19	1D83/1000023	sky blue			50,00
		1D83/1000004	light grey/ dark grey			50,00
		1D83/1000001	black			50,00
		1D83/1000008	lacquer red			50,00
	D83/2 fixing pin h 2,8 Ø 3	1D83/2000018	polished			28,00

D14 TRAMA


luciano balestrini, paola longhi

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D14a ceiling/wall h 17 Ø 64   	1D14A0000020	alu	 3xLED E27  3x70W HSGSA E27 energy saver  3x23W FBT E27	A+ A++ A D	337,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D14 a.pi. ceiling/wall h 16 Ø 50 CE ⊕ ▼	1D14A1PI0020	alu	 3xLED E27  3x42W HSGSA E27 energy saver  3x20W FBT E27	A+ A++ A D	280,00
	D14 sa. suspension up and down dimmable trailing edge H 80/170 Ø 64 CE ⊕ ▼	1D14SA000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	A+ A++ A C	460,00

D97 TRYPTA



Stephen Burks



structure + panels + upper and bottom panel's plaquettes = complete lamp

Calculate the price of the lamp adding the structure to the panels and to the closing plaquettes kit.

available from October 2019

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
	D97/1D cylindrical body direct/indirect light dimmable push/DALI 220-240V~ 50/60Hz Ø 5,6 H 90 CE ⊕ ▼	1D970/1D0001	matt black	dim to warm LED module 2 x 20W 3000K <input type="checkbox"/>	A++ (*)	623,00
		1D970/1D0020	matt alu			623,00
	D97/2D cylindrical body direct/indirect light dimmable push/DALI 220-240V~ 50/60Hz Ø 5,6 H 120 CE ⊕ ▼	1D970/2D0001	matt black	dim to warm LED module 2 x 20W 3000K <input type="checkbox"/>	A++ (*)	685,00
		1D970/2D0020	matt alu			685,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------


panels

	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60	1D970C3600A1	light shade			256,00
		1D970C3600A2	medium shade			256,00
		1D970C3600A3	dark shade			256,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75	1D970C3700A1	light shade			291,00
		1D970C3700A2	medium shade			291,00
		1D970C3700A3	dark shade			291,00
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90	1D970C3900A1	light shade			323,00
		1D970C3900A2	medium shade			323,00
		1D970C3900A3	dark shade			323,00
	D97C46 sound-absorbing panel for D97/1D and D97/2D L 45 H 60	1D970C4600A1	light shade			301,00
		1D970C4600A2	medium shade			301,00
		1D970C4600A3	dark shade			301,00
	D97C47 sound-absorbing panel only for D97/2D L 45 H 75	1D970C4700A1	light shade			369,00
		1D970C4700A2	medium shade			369,00
		1D970C4700A3	dark shade			369,00
	D97C49 sound-absorbing panel only for D97/2D L 45 H 90	1D970C4900A1	light shade			421,00
		1D970C4900A2	medium shade			421,00
		1D970C4900A3	dark shade			421,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	EEL	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-----	-------------------

kit plaquettes

	D97/31 kit plaquettes for closing panel L 30	1D970/310001	matt black			128,00
		1D970/310020	matt alu			128,00

	D97/32 kit plaquettes for closing panel L 45	1D970/320001	matt black			141,00
		1D970/320020	matt alu			141,00

PACKAGING DIMENSIONS AND WEIGHT

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D12 EL	BERENICE table, only structure	3,72	102.5	20	8	0,016
D12 EL pi.	BERENICE small table, only structure	2.88	102.5	20	8	0,016
D12EL pt	BERENICE, fixing pin, only structure	3,714	102,5	20	8	0,016
D12 EL t.	BERENICE floor, only structure	3.84	122	20	8	0,020
D12 EL a.45	BERENICE wall 45/45, only structure	1.05	102.5	20	8	0,016
D12 EL a.pi.	BERENICE small, wall, only structure	0.92	102.5	20	8	0,016
D12/4/2	BERENICE n 2 glass reflector	0.24	11	11	10.5	0,001
D12/5/2	BERENICE n 2 metal reflector	0.17	11	11	10.5	0,001
D12 LED	BERENICE LED, table. only structure	3,814	102,5	20	8	0,016
D13 c.	COSTANZA table, complete	3.13	20.5	77	10	0,016
D13	COSTANZA table, only structure	2.88	20.5	77	10	0,016
D13 i.L	COSTANZA LED table, on/off switch, only structure	3,60	79	20	10	0,017
D13 i.	COSTANZA table, on/off switch, only structure	2.88	20.5	77	10	0,016
D13 i.f.	COSTANZA table, fixed, on/off switch, only structure	2.88	20.5	77	10	0,016
D13 p.t.	COSTANZA table with fixing pin, only structure	1.39	20.5	77	10	0,016
D13 t.c	COSTANZA floor, complete	3.63	20.5	105	10	0,022
D13t.	COSTANZA floor, only structure	3.38	20.5	105	10	0,022
D13t.L	COSTANZA LED floor, only structure	4.00	118	20	10	0,024
D13 t.i.	COSTANZA floor, on/off switch, only structure	3.55	20.5	105	10	0,022
D13 t.i.f.	COSTANZA floor, fixed, on/off switch, only structure	3.81	20.5	139	10	0,028
D13 a.	COSTANZA wall, only structure	1.39	20.5	77	10	0,016
D13 a.i.f.	COSTANZA wall, on/off switch, only structure	1.33	20.5	77	10	0,016
D13 s.	COSTANZA suspension, only structure	1.80	20.5	105	10	0,022
D13 sa.s	COSTANZA up and down, only structure	1.00	19.5	33	21	0,014
D13/1	COSTANZA shade	0,63	104	45.3	1.5	0,007
D13/1/4	COSTANZA n. 4 shade	1,52	104	45.3	1.5	0,007
D13 G t.s	GRANDE COSTANZA floor, dimmer	17,56	195	41	34	0,272
D13 G t.i.s	GRANDE COSTANZA floor, on/off	17,56	195	41	34	0,272
D13 G s.s	GRANDE COSTANZA suspension, dimmer	3.23	54,5	30,5	30,5	0,051
D13 G s.i.s	GRANDE COSTANZA suspension, on/off	3.53	54,5	30,5	30,5	0,051
D13G.air	GRANDE COSTANZA open air	9,40	24	24	213	0,123
D13G/1	GRANDE COSTANZA shade	1,90	30,5	30,5	54,5	0,051
D13G.air/2	GRANDE COSTANZA open air, base	22,00	53	53	12,5	0,035
D13G.air/3	GRANDE COSTANZA open air, stake	1,00	74	13	6,0	0,006
D13G.air/4	GRANDE COSTANZA open air, fixed base	0,50	24	22	5,5	0,003
D13E i.	LADY COSTANZA on off, only structure	16,00	144	40	12,5	0,072
D13E d.	LADY COSTANZA dimmer, only structure	16,00	144	40	12,5	0,072
D13E sa.s.	LADY COSTANZA suspension, only structure	1.20	19.5	33	21	0,014

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D13E/1	LADY COSTANZA shade	1,00	21,5	21,5	42,0	0,019
D13 pi.	COSTANZINA table, only structure	1.32	67	31	8	0.017
D13 pi.c	COSTANZINA table, complete	1.42	67	31	8	0.017
D13 pi.p.t.	COSTANZINA with fixing pin, only structure	0.93	67	31	8	0.017
D13 a.pi.	COSTANZINA wall, only structure	0.93	67	31	8	0.017
D13 s.pi.	COSTANZINA up and down, only structure	0.97	67	31	8	0.017
D13 pi/1	COSTANZINA shade	0.27	29	65.5	1.5	0.003
D13 p/1/4	COSTANZINA n. 4 shade	0.60	29	65.5	1.5	0.003
D14 sa.	TRAMA suspension, up and down	4.80	68.5	68.5	22	0.103
D14 a.	TRAMA ceiling/wall	4.65	68.5	68.5	22	0.103
D14 a.pi.	TRAMA ceiling/wall, small	3.29	59	59	21	0.073
D15 d.	LOLA floor, dimmer	4.70	149	19.5	12	0.035
D15 a.1	LOLA wall	0.48	41	19	12	0.009
D17	TITANIA suspension	2.22	78	38	13	0.039
D17Q	QUEEN TITANIA suspension	10.70	173	27	70	0.327
D17Q/01	QUEEN TITANIA filters	0,17	45	13	20	0,001
D17Q/02	QUEEN TITANIA suspension kit	2,75	13,5	18	15,5	0,004
D19L.LED	BAP LED	1,68	67	31	7,5	0,016
D19/1	BAP table base	2.75	31.5	22.5	6	0.004
D19/2	BAP surface mount	0.11	8	8	3	0.001
D19/3	BAP wall mount	0.04	5	5	3	0.001
D20/17 P	METROPOLI 17 polycarbonate	1.05	21	21	14	0.006
D20/17 V	METROPOLI 17 glass	1.15	21	21	14	0.006
D20/17.1	METROPOLI 17 reflector 1xE14	0.16	14.5	14.5	11	0.002
D20/17.7	METROPOLI 17 reflector LED 1x8W	0,5	14,5	14,5	11	0,002
D20/17.a	METROPOLI 17 kit for IP65	0.16	14.5	14.5	11	0.002
D20/27 P	METROPOLI 27 polycarbonate	2.23	31	31	20	0.019
D20/27 V	METROPOLI 27 glass	2.70	31	31	20	0.019
D20/27.1	METROPOLI 27 reflector 1xE27	0.42	22.5	22.5	8	0.004
D20/27.9	METROPOLI 27 reflector LED 1x17W	0,5	22,5	22,5	8	0,004
D20/27.a	METROPOLI 27 kit for IP65	0.16	14.5	14.5	11	0.002
D20/38 P	METROPOLI 38 polycarbonate	3.97	43	43	21.5	0.040
D20/38 V	METROPOLI 38 glass	4.84	43	43	21.5	0.040
D20/38.1	METROPOLI 38 reflector 1xE27	0.68	30	30	8.5	0.008
D20/38.2	METROPOLI 38 reflector 2xE27	0.74	30	30	8.5	0.008
D20/38.a	METROPOLI 38 kit for IP65	0.18	14.5	14.5	11	0.002
D22/1EL	STRIP "1" 2x13W G5	4.28	85	16	17	0.023
D22/2 EL	STRIP "2 EL" - 2x24W G5	5.38	85	23	16	0.031

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D22/3EL	STRIP "3 EL"-4x28WG5	11.00	85	51	20	0.087
D22/4 EL	STRIP "4 EL" 6x28W G5	15.78	85	78	20	0.133
D28	BLOW dimmable electronic structure	5.50	29	29	49.5	0.042
D28/1-D28/2	BLOW Blades set	1.27	74	13	6	0.006
D28 r	BLOW remote control	0.14	12	13.5	3	0.001
D30 F	POD LENS basic element, fluorescent 23W	0.78	30	15	10	0.005
D30/2	POD LENS fixed base	0,27	17,5	13,5	12	0.003
D30/4.1	POD LENS stem H 35 cm.	0.15	8	8	39	0.002
D30/4.2	POD LENS stem H 120 cm.	0.50	8	8	124	0.008
D30/4.3	POD LENS stem H 180 cm.	0.75	8	8	184	0.012
D30/5	POD LENS 3 way connector	0.21	17,5	13,5	12	0.003
D30/6	POD LENS extra cable 10 mt.	1.11	42.5	36	5	0.008
D31 P	GLASSGLASS small structure	1.94	40	40	16	0.026
D31 P/1	GLASSGLASS diffuser small P/1	3.00	40	40	39	0.062
D31 P/2	GLASSGLASS diffuser small P/2	4.91	50	50	41.5	0.104
D31 P/5	GLASSGLASS diffuser small P/5	6.58	50	50	59	0.148
D31 P/9	GLASSGLASS diffuser small P/9	4,00	40	40	39	0.062
D31 G	GLASSGLASS large structure	2.07	40	40	16	0.026
D31 G/2	GLASSGLASS diffuser large G/2	4.44	40	40	39	0.062
D33N.100	FORTEBRACCIO 100W E27	2,63	30	82	20	0,049
D33Nt.100	FORTEBRACCIO floor 100W E27	2,63	30	82	20	0,049
D33N.sp.60	FORTEBRACCIO spot 60W E14	1,24	30	39	20	0,023
D33N.sp.100	FORTEBRACCIO spot 100W E27	1,29	30	39	20	0,023
D33N. led	FORTEBRACCIO LED 7,8W	2,63	30	82	20	0,049
D33N/1	FORTEBRACCIO base	4,88	30	30	11	0,010
D33N/3	FORTEBRACCIO universal joint	0.27	24	12.4	7.2	0.002
D33N/4	FORTEBRACCIO clamp	0,21	24	12,4	7,2	0,002
D33N/5	FORTEBRACCIO desk joint	0,35	24	22	5,5	0,003
D37	CHICHIBIO	5.27	198	10	10	0.065
D38	CARRARA	22.6	195	41	34	0.272
D41/32.22	LIGHTDISC 32 22W	1.32	33	33	7.5	0.008
D41/40.55	LIGHTDISC 40 55W	2.16	41.5	41.5	9	0.016
D49/17s	AGAVE 17 suspension	4.38	49	36	21	0.037
D49/26s	AGAVE 26 suspension	6.16	49	36	25	0.044
D49/70s EL	AGAVE 70 suspension	8.00	62	32	37	0.073
D50	AIRCON suspension	3.50	100	87	10	0.044
D52	GOGGLE 60W E14	0.89	34.5	18.5	15.0	0.010
D60	MIRANDA only structure, dimmer	2,73	76,0	27,0	10,5	0,022

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D60/01	MIRANDA diffuser, table/floor	2,58	41,0	41,0	26,0	0,044
D60pi.D	MIRANDOLINA only structure, dimmer	1,09	57,0	17,0	10,5	0,011
D60pi/01	MIRANDOLINA diffuser, table	1,18	28,0	28,0	18,0	0,014
D62	PLISSE' suspension	7,70	62,0	32,0	37,0	0,073
D63a.led	SKY ceiling/wall	1,50	26,0	25,0	24,0	0,015
D63t1.Led	SKY floor 28cm	2,4	26	40	24	0,025
D63t2.Led	SKY floor 70cm	4,5	26	80	24	0,05
D64	LANE 22cm halogen 150W	1,09	33	20	15	0,01
D66/12	HOPE suspension Ø 61cm	3,60	35	35	39	0,048
D66/18	HOPE suspension Ø 72 cm	4,80	40	40	39	0,062
D66/42	HOPE suspension Ø 110 cm	13,65	82,5	83,5	43	0,296
D66/105	HOPE suspension Ø 200 cm	36,60	82,0	54	145	0,645
D66/18 td	HOPE Ø 72 floor, only structure	5,00	40	40	40	0,064
D66/18 T.1	HOPE floor, stem	3,60	8	8	183	0,012
D66/3a	HOPE wall Ø 48 cm	2,30	47	34	10	0,016
D66/8a	HOPE wall Ø 61 cm	3,60	35	35	39	0,048
D66/12p	HOPE ceiling Ø 69 cm	4,50	50	50	23	0,057
D66/30p	HOPE ceiling Ø 109 cm	12,00	82,5	83,5	43	0,296
D67p LED	ECRAN IN & OUT	0,98	26	25	24	0,016
D68C	ARCHETYPE body	2,90	40	40	39	0,062
D68/1T-1D	ARCHETYPE dimmable ceiling rose	0,77	25	23	10	0,005
D69	ANY I 23 LED	1,10	33	15	20	0,010
D69/02	ANY I 63	2,20	77	17,5	13	0,020
D70K/3N1	HONEYCOMB complete version 3 bodies	4,66	40	31	43,5	0,054
D70K/4N1	HONEYCOMB complete version 4 bodies	6,40	40	31	53,5	0,066
D70C/1	HONEYCOMB 1 body + 3 attachments	1,15	40	30	10	0,012
D70C/3	HONEYCOMB 3 bodies + 9 attachments	2,19	38	30	30	0,036
D70L/1	HONEYCOMB optic LED 3x8W	1,77	40	30	10	0,012
D70L/2	HONEYCOMB optic LED 6x8W	2,36	40	30	10	0,012
D70S	HONEYCOMB suspension kit	0,70	40	30	3	0,003
D71PL	PETALE suspension ecophon + led strip 136 x 83 cm	7,00	135	135	15	0,274
D71PIL	PETALE suspension ecophon + led strip 154,5 x 120 cm	11,0	174	135	15	0,300
D71CL	PETALE suspension ecophon + led strip Ø 120	7,50	135	135	15	0,274
D71/6DL	PETALE DALI LED optic 40W + led strip	3,59	50	50	23	0,058
D72N1	OTTO WATT only structure	1,70	120	20	10	0,024
D72/1	OTTO WATT table base	3,17	24	24	11,5	0,006
D72/2	OTTO WATT fixing pin	0,70	15	10	5	0,001
D72/3	OTTO WATT clamp	0,70	15	10	5	0,001

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D72/4	OTTO WATT wall mount	0,20	15	10	5	0,001
D72/5	OTTO WATT desk joint	0,80	24	22	5,5	0,002
D73N	COUNTERBALANCE LED	10,00	31	19	214	0,126
D73NA	COUNTERBALANCE Spot LED	1,40	34,5	19	15	0,009
D73T	COUNTERBALANCE floor LED	2,50	175	17	14,5	0,049
D73/1	COUNTERBALANCE floor base	3,50	26	25	24	0,016
D75	NOTHING	1,40	71	40	5,5	0,016
D76	CURL LED 8W	1,50	30	33	32	0,032
D77t	TANGO floor sensor dimmer	6,40	180	40	40	0,288
D78	ASCENT LED 10W table base	2,27	80	20	15	0,020
D78 p.t.	ASCENT LED 10W fixing pin	1,21	80	20	15	0,020
D79/90c	SILENZIO suspension Ø 90	21,00	104	104	55,5	0,600
D79/120c	SILENZIO suspension Ø 117	27,00	134	134	55,5	0,864
D79/150c	SILENZIO suspension Ø 148,5	36,00	164	164	55,5	1,350
D79R/03	SILENZIO optic 3xE27	1,20	53	53	12,5	0,035
D79R/10	SILENZIO optic LED 44W 3000K	1,20	31	31	20	0,019
D79R/11	SILENZIO optic LED 44W 2700K	1,20	31	31	20	0,019
D79R/07	SILENZIO optional lower screen Ø 90 cm	3,22	86	86	2	0,015
D79R/07	SILENZIO optional lower screen Ø 120 cm	4,20	86	86	2	0,015
D79R/07	SILENZIO optional lower screen Ø 150 cm	6,35	105	105	2	0,030
D79R/09	SILENZIO suspension kit for parallel installations	0,11	20	32	1	0,001
D80	ILLUSION	1,05	30	30	11	0,006
D8NT - D81NTW	COMPENDIUM LED floor dimmable	3,50	178	14	14	0,049
D81/1N	COMPENDIUM base	4,50	26	25	24	0,009
D81B / D81BW	COMPENDIUM LED suspension	3,40	178	14	14	0,024
D81/7D-7T	COMPENDIUM dimmable ceiling rose	1,20	19	16	12	0,003
D81/2	COMPENDIUM mechanical junction accessories	0,20	14	27	1	0,001
D81/3	COMPENDIUM mechanical junction accessories at 90°	0,20	20	32	1	0,001
D81C07	COMPENDIUM CIRCLE structure Ø 72 cm	3,40	81	81	13	0,085
D81C11	COMPENDIUM CIRCLE structure Ø 110 cm	5,40	121	121	13	0,191
D81C20	COMPENDIUM CIRCLE structure Ø 200 cm	15	200	200	13	0,726
D81/4	COMPENDIUM CIRCLE dimmable ceiling rose	1,50	40	30	10	0,012
D81/5/6	COMPENDIUM CIRCLE dimmable ceiling rose	1,50	40	40	16	0,026
D81/10/11/12	COMPENDIUM CIRCLE remote driver	0,90	26	39	3	0,001
D81/8	COMPENDIUM CIRCLE ceiling-mounted driver cover	1,80	45	40	7	0,014
D81P	COMPENDIUM PLATE	6	60	60	13	0,024
D83	TIVEDO table dimmable	1,70	118	15,5	6,5	0,011
D83pres.	TIVEDO table dimmable, occupancy sensor	1,70	118	15,5	6,5	0,011

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D83/1	TIVEDO table base	2,20	25	25	3	0,002
D83/2	TIVEDO fixing pin	0,16	10	7	6	0,001
D86N	MESH suspension	6,10	104	104	55,5	0,600
D86/W1	MESH ceiling rose for wireless versions 1m	3,52	44	44	23	0,045
D86/W5	MESH kit ceiling rose for wireless versions, 5m	3,52	44	44	23	0,045
D86NPI	MESH suspension Ø 80cm	4,90	85	85	52	0,376
D86/T1/1	MESH dimmable phase cut ceiling rose for D86N, 1m	3,52	44	44	23	0,045
D86/T5/1	MESH dimmable phase cut ceiling rose for D86N, 5m	3,52	44	44	23	0,045
D86/T1/8	MESH dimmable phase cut ceiling rose for D86NPI, 1m	3,52	44	44	23	0,045
D86/T5/8	MESH dimmable phase cut ceiling rose for D86NPI, 5m	3,52	44	44	23	0,045
D86C551/555	MESH suspension Ø 55cm	6,50	60	60	62	0,223
D86PLN	MESH ceiling Ø 72cm	7,75	77	77	48	0,285
D87CC-CW	STOCHASTIC only structure LED	6,10	101	40	23	0,093
D87048	STOCHASTIC Kit 48 spheres + rods	6,15	101	40	24	0,097
D87072	STOCHASTIC Kit 72 spheres + rods	8,00	101	40	34	0,137
D88W	CAPPUCCINA table only structure	3,50	29	29	73	0,061
D88TW	CAPPUCCINA floor only structure	4,40	143	38	21	0,114
D88SW	CAPPUCCINA suspension only structure	3,10	29	29	65	0,054
D88/1	CAPPUCCINA shade Ø 36cm	1,76	41	41	26	0,043
D88/2	CAPPUCCINA shade Ø 45 cm	2,00	50	50	28	0,07
D89p	SOLEIL NOIR ceiling	7,50	126	70	41	0,362
D89s	SOLEIL NOIR suspension	7,50	126	70	41	0,362
D90	GARBÍ applique	1,22	24	22,5	9,5	0,005
D91S	AMISOL only structure LED	2,10	19,5	33	21	0,014
D91/1	AMISOL reflector/diffuser disk Ø 75 cm	2,40	90	90	1	0,08
D91/2	AMISOL reflector/diffuser disk Ø 110 cm	4,65	119	119	2,5	0,014
D91/OAAR	AMISOL anti-rotation accessory	0,30	20	32	1	0,001
D92V14	LITA table complete version	1,22	22	22	22	0,011
D92=18	LITA table structure dimmable	1,05	15	15	26	0,006
D92V18	LITA support base dimmable	1,22	18	14	12	0,003
D92=30	LITA table structure dimmable	3,30	22	17	25	0,009
D92V30	LITA support base dimmable	1,22	21	21	14	0,006
D92T30	LITA floor structure dimmable	2,72	180	40	42	0,302
D92/5	LITA base weight only for D92T30	5,15	33	33	8	0,08
D92T42	LITA floor structure dimmable	11,92	175	50	50	0,438
D92/6	LITA base weight only for D92T42	10,1	45	45	8	0,015
D92P14	LITA parete versione completa	1,22	22	22	22	0,011
D92P18	LITA struttura parete	1,22	18	14	12	0,003

PACKAGING DIMENSIONS AND WEIGHT

Model	Description	Gross weight Kg	Dimension cm			Volume m3
			L	I	H	
D92P30	LITA struttura parete	1,22	21	21	14	0,006
D92S14	LITA suspension complete version	2,20	20	33	21	0,013
D92S18	LITA suspension only structure	1,52	25	22	17	0,009
D92S30	LITA suspension only structure	1,52	25	22	17	0,009
D92S42	LITA suspension only structure	1,72	25	22	17	0,009
D93SDDC-DLC	DIADE suspension only structure 120 cm	6,27	146	25	16	0,058
D93SDDL-DIL-FIL	DIADE suspension only structure 180 cm	9,3	206	25	16	0,082
D93/1	DIADE pair of panels 120 cm	9,5	130	69	16	0,144
D93/3	DIADE pair of panels 180 cm	14,2	190	69	16	0,21
D93/5	DIADE kit 4 vertical supports	0,5	11	9	8	0,001
D93/6	DIADE kit 4 horizontal supports	1,4	31	16	11	0,006
D93/7	DIADE kit 6 vertical supports	0,70	9	14	11	0,001
D93/8	DIADE kit 6 horizontal supports	1,90	31	31	11	0,010
D93STFIC	DIADE floor only structure 120 cm	6,27	146	25	16	0,058
D93/10	DIADE terra, stem	8,05	226	14	14	0,044
D93/11	DIADE terra, base	23,7	58	68	5	0,020
D94P3	IVY wall recessed	1,20	30	30	11	0,005
D94/1/2/3	IVY remote driver	0,90	26	39	3	0,001
D95A3	BULBULLIA wall, small	1,55	47	34	10	0,016
D95A5	BULBULLIA wall, large	2,42	73	46	9	0,030
D96C	FAREL sound-absorbing body	7,20	83	83	43	0,400
D96/1D-DW	FAREL optics + suspension cables + finishing rings	4,85	93	93	9	0,150
E04200	E04 ceiling Ø 7 cm	0,80	39	17	17	0,011
E04220	E04 ceiling Ø 13.4 cm	2,05	58	25	22	0,032
E04240	E04 wall Ø 7 cm	1,41	57	17	17	0,016
E04250	E04 wall Ø 13,4 cm	2,70	58	25	22	0,032
E04270	E04 suspension Ø 7 cm	1,10	39	17	17	0,011
E04280	E04 suspension Ø 7 cm	1,40	58	25	22	0,032
E04290	E04 suspension Ø 13.4 cm	1,93	58	25	22	0,032
E041M/E041W	E04 LED optic module COB Ø 7 cm	0,57	30	10	10	0,003
E042M/E042W	E04 LED optic module COB Ø 13,4 cm	1,05	26	26	26	0,017
E043M/E043W	E04 LED optic module dim to warm Ø 7 cm	0,60	30	10	10	0,003
E044M/E044W	E04 LED optic module dim to warm Ø 13,4 cm	1,00	26	26	26	0,017
E06100	E06 ceiling Ø 7 cm	2,45	55	20	10	0,011
E06150	E06 electrified track Ø 7 cm	2,50	55	20	10	0,011
E06200	E06 ceiling, retrofit Ø 7 cm	2,05	55	20	10	0,011
E061M/E061W	E06 LED optic module COB	0,40	25	10	10	0,002
E062M/E062W	E06 LED optic module dim to warm	0,42	25	10	10	0,002

GENERAL CONDITION OF SALE

GENERAL CONDITION OF SALE

1. OFFER, CONFIRMATION, AGREEMENT

- (a) These terms and conditions ("Terms") apply to the sale or supply of all products or systems ("Products"), and the performance of all services (which includes any software provided as a service) ("Services") by Signify Italy S.p.A. ("Signify") to you ("Customer") and will form a necessary part of any Offer or Agreement therefore. Customer's ordering of Products or Services from Signify constitutes acceptance of these Terms, as such Terms may have been updated through the date of such order. As used herein, "Agreement" means any written agreement for supply, distribution, sale, or license of any Products or Services entered into between Signify and Customer, or any purchase order that is issued by Customer and accepted by Signify; and "Offer" means any quotation, proposal or offer provided to Customer by Signify.
- (b) Products and Services may include web or mobile applications that may be subject to additional terms ("Additional Use Terms") or software that may be subject to additional (end-user) software license conditions ("EULAs"), both from either Signify or an affiliate, or third parties. Such EULAs or Additional Use Terms will be made available together with the web or mobile application or software, as applicable. Except where specified otherwise in a EULA or Additional Use Terms, such EULA or Additional Use Terms will form part of the Agreement. Software will not be sold to Customer, but licensed subject to the license terms in section 10 below.
- (c) In the event of any conflict or inconsistency between these Terms and the terms of any Agreement or Offer the terms of such Agreement or Offer will prevail. With respect to web or mobile applications or software, any Additional Use Terms or the terms of any applicable EULA will prevail over these Terms.
- (d) The terms "agreed", "consent", "confirmed", "accepted", "informed", "notified" or "notice" and documents or acts of similar meaning will be deemed to be required to be done in writing, where "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record. The terms "includes" or "including" will be construed without limitation to the generality of preceding words.
- (e) Any different or additional terms in any purchase order, blanket instructions, terms of purchase or other writing from Customer will be deemed a material alteration of these Terms and are expressly objected to and rejected and will be of no force or effect. Commencement of performance or shipment will not be construed as acceptance of any of Customer's terms or conditions. Course of performance or usage of trade will not be applied to modify these Terms.
- (f) These Terms may be amended by Signify by posting an updated version on its website, provided that in respect of an Agreement and an Offer the version of the Terms applicable as of the effective date of the Agreement or the date of the Offer will apply.
- (g) Offers by Signify are open for acceptance within the period stated in such Offer or, in the event that no period is stated, within thirty (30) days from the date of the Offer, provided that Signify may amend, withdraw or revoke any Offer at any time prior to the receipt by Signify of the acceptance of an Offer. No order submitted by Customer will be deemed final or accepted by Signify unless and until confirmed by Signify.
- (h) Customer is solely responsible for the accuracy of any order, including with respect to the specification, configuration or other requirements of Products and Services, and functionality, compatibility and interoperability with other products (not authorized by Signify), as well as fitness for particular use. Customer warrants that the information provided to Signify under an Agreement is complete, accurate and true, and Customer acknowledges that a failure to provide complete, accurate and true information or instructions to Signify may detrimentally affect Signify's ability to discharge its obligations or exercise its rights under an Agreement.
- (i) Any catalog, specification, price sheet or other similar documentation prepared by Signify is strictly for convenience only and will not be deemed as an Offer. Signify believes such documentation is complete and accurate at time of printing, but Signify does not warrant that such documentation is error free. Signify will not accept responsibility for any damages in connection with errors of measurements, descriptions, application recommendations and the like.
- (j) Products will be supplied in accordance with the standard functionalities, styles and sizes as described in Signify's catalogs or, for special or made-to-order Products, in accordance with Signify's drawings and specifications sheets. In the event of a conflict between an order of Customer and a drawing or specification sheet from Signify approved by Customer, the latter will prevail.
- (k) Assumptions, exclusions and qualifications stated by Signify in Offers, Agreements or otherwise will direct the Agreement and will be construed as part thereof and guide its execution and interpretation.
- (l) Where the performance under the Agreement relies on the approval, confirmation or acceptance by Customer of a (draft) proposal, design, deliverable, planning or any other action by Signify, Customer shall do so within the period stated in the Agreement, or, in the event that no period is stated, within seven (7) days after receipt of a request from Signify, in the absence of a response within such time period Customer will be deemed to have approved, confirmed or accepted as submitted by Signify.
- (m) In the event that Customer resells Products or incorporates Products and/or Services in offerings to its customer, Customer shall ensure that all its customers and/or end users of Products or Services comply with all relevant Customer's obligations under the Agreement and these Terms, and that the terms of its agreement with each of its customer(s) or end user(s) are consistent with the Agreement and these Terms, failing which Customer shall indemnify, defend and hold harmless Signify and its affiliates, and their officers, directors, agents, employees, successors, and assigns from and against, all losses, liabilities, costs (including legal costs) and expenses arising out of or in connection with any non-compliance.

2. PRICES AND TERMS OF PAYMENT

- (a) In consideration of the sale of Products and/or the performance of Services by Signify, Customer shall pay all prices and fees ("Prices") in accordance with the Agreement and this section 2. Prices are in Euro and unless agreed otherwise based on Ex Works - Signify facility (INCOTERMS latest version). Unless stipulated otherwise by the applicable INCOTERMS, Prices do not include any taxes, duties or other governmental fees, now or hereafter enacted, including value-added or similar taxes levied by any government, and Signify may add these to the Price or invoice separately, and Customer will reimburse Signify promptly on first request.
- (b) Subject to notice to Customer, Signify reserves the right to adjust Prices for Products and/or Services not yet delivered or performed to reflect variations in individual costs of more than five percent (5%) including any foreign exchange rate fluctuations, raw materials and other costs of manufacturing and distribution, and labor costs, that take effect between the date of the Agreement and delivery of Products and/or performance of Services. In addition, if an Agreement has a term longer than twelve (12) months, Signify may adjust Prices as of each 1st April (i) for the change in the most recently published inflation index compared to twelve (12) months earlier; and (ii) to reflect variations in the foreign exchange rate between US Dollar and Euro currency and/or Chinese Renminbi currency and the Euro currency of more than 5% since the date of an Offer.
- (c) Any cancellation, delay or other change by Customer of a purchase order previously accepted by Signify will require the prior approval of Signify and the approval will be without prejudice to any rights or remedies Signify may have under the Agreement or at law. If, on request of Customer, Signify agrees to any such change in purchase order or a change in an Agreement, including an (partial) cancellation, delay or suspension, the addition, omission, alteration, substitution or modification of the design, quality, standard, quantity, manufacturing site or performance (including sequence, quantities or timing) of Products and/or Services (each, a "Variation"), or a Variation is required due to (i) changes in applicable laws, regulations or industry standards, (ii) emergency situations, (iii) incorrect or incomplete information provided by Customer, or (iv) non-compliance by Customer of any of its obligations under an Agreement, Customer shall reimburse Signify for all costs and expenses incurred in respect of such Variation promptly on first request.
- (d) Signify may invoice Customer upon shipment of Products, or when Services have been performed. Signify may require (i) Customer to pay on fixed payment days; (ii)

an advance payment of (part of) the Price; and/or (iii) invoice per separate specified phase, time period or milestone of performance. Customer shall make net payment within thirty (30) days of date of invoice to the designated bank account of Signify. Customer shall pay all amounts due to Signify in full without any set-off, counterclaim, deduction or (tax) withholding. Notwithstanding the aforesaid, any invoice falling due on a day that is not a bank day shall be payable on the preceding bank day.

(e) In the event Customer fails to make any payment due under an Agreement on the due date, then, whether or not Signify has made a formal demand for payment and in addition to any other rights and remedies available to Signify, to the extent permitted by applicable law: (i) all amounts due from Customer will be considered payable and non-disputed, admitted debt; (ii) Customer shall pay Signify interest on all due amounts from the due date until Signify has received full payment thereof, as per art. 5 of the Legislative Decree 231/2002, at a rate equal to the official ECB rate plus 7% or to the extent permitted by applicable law, and shall pay Signify all costs of payment collection, including attorneys' fees; and (iii) Signify may cancel any credit issued to Customer and require, to its satisfaction, that Customer provides (additional) security, pre-payments or deposits, and may implement additional conditional payment terms or accelerate payments schedules for any outstanding performance.

(f) Signify may set off against and deduct from any amount that Signify (or any of its affiliates) owes to Customer under any agreement any amount that Customer owes to Signify or against any advance payments or deposits made by Customer. In the event that Signify sets off amounts in different currency it will use a commonly used currency conversion rate.

3. DELIVERY OF PRODUCTS; PERFORMANCE OF SERVICES

(a) Unless agreed otherwise, Products will be delivered Ex Works – Signify facility (INCOTERMS latest version). Signify shall perform Services at the location(s) agreed in the Agreement. Dates communicated or acknowledged by Signify are approximate only, and Signify will not be liable for, nor will Signify be in breach of its obligations to Customer, for any delay in delivery or performance, provided that Signify shall use commercially reasonable efforts to meet such dates. In the event of delay, Signify shall use commercially reasonable efforts to deliver Products or perform Services (where applicable) within a period that is reasonably needed given the cause of the delay, failing which Customer's sole and exclusive remedy will be to cancel the purchase order for undelivered Products and Services.

(b) Customer shall note any damage to Products caused in transit, or shortages thereto, on transport documentation immediately upon receipt of Products, with due regard to applicable instructions by Signify or the carrier. All Products delivered under the Agreement will be deemed accepted by Customer as conforming to the Agreement, and Customer will have no right to revoke any acceptance, unless Customer provides Signify notice of a claimed nonconformity within seven (7) days of the date of delivery. Notwithstanding the foregoing, any use of a Product by Customer or its customers after delivery will constitute acceptance of that Product by Customer. Signify shall at its option and within a reasonable time, correct nonconformities by either repair, make available parts, replace or deliver missing Products, or credit the Price paid by Customer for undelivered Products.

(c) Minor Nonconformities will not prevent or suspend acceptance by Customer of the Products, Services or both, and Signify shall correct these within a reasonable time. "Minor Nonconformities" are nonconformities or anomalies that do not hinder the overall operation and intended use of Products or Services in accordance with the specifications.

(d) Signify may make changes to the design, materials, fit and finish of Products or change working methods, communication systems, software or any other elements of Services, and Documentation provided that such changes do not materially affect the functionality of the Product or Services. Unless specifically agreed otherwise, Signify does not warrant the availability, accuracy, completeness, reliability, timeliness or output from Products and Services. Customer shall not use or rely on Products and Services for any other applications or purposes than agreed in the Agreement.

(e) Customer explicitly acknowledges that certain features or functionality of Products and Services may rely on the availability and correct functioning of third party service providers, as may be indicated by Signify, including supply of energy, data storage, connectivity and communication services. These are outside of the control of Signify, and Signify will have no responsibility or liability in this respect.

(f) Customer is responsible for all information, orders, instructions, materials, and actions provided or performed by Customer directly or by third parties engaged by Customer (excluding subcontractors of Signify) in connection with the delivery or performance by Signify of any Products or Services. Signify will be entitled to rely on the accuracy and completeness of all information furnished by Customer, including where Signify provides data collection, design or audit services. Upon request of Signify, Customer shall promptly provide any other information, services or support under Customer's control and relevant to the performance by Signify under the Agreement.

(g) In the event of delay or interruption in delivery of Products or the performance of Services for reasons not attributable to Signify or due to a Variation, the timelines for performance by Signify will be amended accordingly. Signify will be entitled (in addition to the increased costs referred to in section 2(c)) to a reasonable compensation by Customer for any damages and/or costs incurred by such delay.

(h) In the event that an Agreement contains (minimum) stock requirements for Signify, Customer shall at first request of Signify purchase Products kept in stock under such requirement.

4. USE OF PRODUCTS AND SERVICES

(a) Customer shall use Products and Services only for their intended purposes and in accordance with all instructions contained in the manuals, guidelines, warranty terms and any other terms and conditions applicable to such Products and Services or provided by any personnel of Signify, deployed or subcontracted by Signify in the performance of an Agreement ("Personnel"). Customer shall maintain the site, site conditions and equipment supplied and/or used by Signify in the performance of Services (including cabling, fittings and electricity supply) in good condition, repair, and working order, and shall protect same against damage and external influences.

(b) Customer shall use and, where applicable, shall cause and ensure that end-users use web-applications, mobile applications and software in accordance with applicable Additional Use Terms and/or EULAs, and where applicable, keep a full back-up of such software installed readily available. In the event of a software error, Customer shall provide Signify with alerts or error messages and support Signify in updating or replacing software used in connection with performance under the Agreement.

(c) Customer shall not perform (or permit) any activity on any equipment or software supplied and/or used by Signify in the performance of Services, except normal use in accordance with the specifications or otherwise with the prior approval by Signify. In the event of any unauthorized actions, Signify may suspend the Services until the equipment or software has been restored to its original compliant state and charge Customer on the basis of a Variation, and until confirmed any warranty obligations of Signify with respect to such Services will be null and void. Any changes to equipment or software owned by Signify (or its licensors) will be exclusively owned by Signify (or its licensors), even if such changes have been performed by or for Customer.

(d) Unless expressly included in Services, for any Services requiring connection to a system from a remote location, Customer shall at its own expense and risk establish external system access for service staff of Signify (or its subcontractors). Customer shall make available technically competent staff as and when required to support Signify and, where applicable, Customer authorizes Signify to make use of Customer's IT infrastructure to connect to and share data with specified systems and/or services to perform Services.

(e) Signify shall not be responsible for the failure of any of its Products or Services to provide the expected performance, benefits, effects or outcome arising from: (i) Customer's failure to comply with the terms under the Agreement; (ii) failures or fluctuations of electric power; (iii) sunset/shutdown of connectivity and communication technologies; (iv) Force Majeure and other unusual external influences; or (v) Variations.

5. DESIGN SERVICES; DOCUMENTATION

(a) If included as part of Services, Signify shall provide design services in accordance with specifications as agreed by the Parties in writing. Unless otherwise agreed, all IPR (as defined in section 10(a)) in and to the deliverables arising out of design Services will exclusively vest in Signify or a Signify nominee. Customer shall not use, publish, copy or disclose these without prior approval of Signify, which approval Signify may grant subject to certain conditions, including the payment of a reasonable fee.

(b) All the documentation provided by Signify in connection with the Products and Services, including any user manuals or instructions, catalogs, specification sheets, data, drawings, schedules, designs, source code, or any other documents or information obtained from Signify or created by Signify in whatever form including electronic or printed format ("Documentation") will remain the property of Signify. Documentation is not sold to Customer, but licensed subject to the license terms in section 10 below. Unless otherwise agreed, all IPR in and to the Documentation is retained by Signify or a Signify nominee. Customer shall not use, publish, copy or disclose the Documentation except in accordance with these Terms.

6. INSTALLATION; SERVICES ON-SITE

This section applies where Signify (or its subcontractor) will perform construction, cabling or installation activities ("Installation" or "Install") or other Services at a site owned or controlled by Customer.

(a) Customer is responsible for the timely completion of preparatory works and site preparations in conformity with requirements set by Signify. Customer shall prior to the agreed start of Installation or other Services on site, and in such a manner that Signify can perform in the most efficient manner and within agreed time schedules: (i) provide and maintain the site conditions (including infrastructure); (ii) provide all necessary information, instructions, inspections, authorizations, approvals, permits and notify Signify about the location of any cables, electric power lines, water pipes or the like, including surveys describing physical characteristics, legal limitations and utility locations for the site; (iii) provide site access, including traffic management, where applicable; and (iv) put at the disposal of Signify all materials, tools, constructions and other facilities, and all other reasonable assistance in an accurate and timely manner, and at no additional costs to Signify, all in compliance with applicable laws, including all applicable health and safety, electrical and building codes.

(b) Customer shall not call Signify upon site before the obligations under section 6(a) have been satisfactorily completed. In the event of waiting times of more than four (4) hours on a day, Signify may reschedule and charge Customer a full working day for that day for the resources concerned. Customer shall (i) provide a fully qualified representative to support Signify as and when required while working on site; (ii) provide utilities (including gas, water, electricity and connectivity), heating and lighting necessary for the performance on site; (iii) provide adequate and lockable rooms for Personnel (equipped with sanitary installations) and storage of materials, tools and instruments on or near the site; (iv) decommission and collect the materials that are replaced by Products and remove these from the site; and (v) assist Signify during (performance) tests. Upon request of Signify, Customer shall arrange for the temporary shutdown of facilities at the site (including water systems).

(c) Upon finalization of Installation or other Services on-site, Signify shall notify Customer in accordance with the acceptance protocol agreed between the Parties. In the event that no such protocol has been agreed, within five (5) days after notice to Customer of finalization of installation or other Services on-site, Customer shall check and test the Service set-up, the Products supplied and/or Installed by Signify and, subject to sections 3(b) and 3(c), notify Signify of any Defect (as defined in section 9(a)), in the absence of which Customer will be deemed to have accepted the Service set-up, the Products supplied and/or Installed five (5) days after notice. Signify shall resolve Defects so notified within a reasonable period in accordance with section 9.

7. RISK AND TITLE

(a) Risk of damage to or loss of Products will pass to Customer (i) upon delivery by Signify to Customer in accordance with the applicable INCOTERM; or (ii) in the event that Signify Installs Products on-site, unless agreed otherwise, upon delivery on-site.

(b) Legal title to Products will pass to Customer only when Signify (or its financiers) has received payment for such Products in full and, to the extent permitted by applicable law, Signify received payment in full of all other amounts due by Customer under any other agreement with Signify (or any of its affiliates). Until legal title to Products has passed to Customer, Customer shall (i) not assimilate, transfer or pledge any of the Products, or grant any right or title in the Products to any third party, except in the normal course of business and against payment or subject to retention of title; and (ii) ensure that the Products remain identifiable as Products owned by Signify. In the event of breach by Customer, Signify may require that Customer return to Signify, at Customer's cost (including costs for de-installation), all Products in which the title has not yet passed and Customer shall fully cooperate to enable Signify to collect such Products and grant Signify (or its representative) free access to the location of the Products, and other equipment supplied and/or used by Signify in the performance of Services.

8. FORCE MAJEURE

Signify will not be liable for any breach resulting from a Force Majeure event. If a Force Majeure event occurs, Signify's performance will be suspended for the period of such Force Majeure event. "Force Majeure" means any circumstances or occurrences beyond the reasonable control of Signify, whether or not foreseeable at the time of an Agreement, as a result of which Signify cannot reasonably perform or execute its obligations, including, without limitation, acts of God, natural catastrophes including earthquake, lightning, hurricane, typhoon, flooding or volcanic activities or extreme weather conditions, strikes, lock-outs, war, terrorism, political situation, civil unrest, riots, sabotage, vandalism, industry-wide shortages, breakdown of plant or machinery, fault or loss of electricity supply, cyber attacks and hacking or non-performance by suppliers of Signify or by other third parties on which Services rely (including connectivity and communication services). In the event that Force Majeure event extends (or is reasonably expected by Signify to extend) for a period of three (3) consecutive months, Signify will be entitled to cancel all or any part of an Agreement without any liability towards Customer.

9. LIMITED WARRANTY AND DISCLAIMER

(a) In most instances, Signify Products are sold subject to an applicable standard limited warranty either accompanying the product or as published on Signify's website as the standard warranty applicable for a particular Product (the "Standard Product Warranty"). For any Product that is sold by Signify that is not subject to an applicable Standard Product Warranty, Signify warrants only that for one (1) year from delivery to Customer the Products will be free from Defects. For any Services that are performed by Signify, Signify warrants only that for thirty (30) days from the performance, the Service will be free from Defects (except in respect of Installation where this thirty (30) days' warranty period will commence upon acceptance as set out in section 6(c)). A "Defect" (or "Defective") means, in relation to a Product, that a Product has any defect in material or workmanship which causes the Product to fail to operate in accordance with the specifications provided by Signify, with consideration given to the overall performance of the Product and, in relation to Services, means that the Service has not been performed in a competent, diligent manner.

(b) Unless otherwise agreed by the Parties, Signify does not provide any warranty for third party products, products not marked with the PHILIPS trademark or with trademarks owned by Signify, nor for third party software, applications or services, or customized Products.

(c) Customer acknowledges that EULAs or Additional Use Terms may limit the warranty period for software (including web or mobile applications).

(d) In order to be entitled to make a valid claim under warranty, Customer shall promptly notify Signify of alleged Defective Products or Defective Services prior to expiration of the warranty period. In the event that Signify decides, in its sole discretion, that a claim under warranty is valid, Signify shall, within a reasonable time, at its own option, repair or offer replacement products for Defective Products, or remedy or supplement any Defective Services. If despite reasonable efforts of Signify, a Defective Product cannot be repaired, no replacement product can be supplied or Defective Services cannot be remedied or supplemented, Signify shall make an appropriate refund or

credit of monies paid by Customer for those Defective Products or Defective Services. Repairs, replacements or remedies will not extend or renew the applicable warranty period. Customer shall obtain consent from Signify on the specifications of any tests it plans to conduct to determine whether a Defect exists. Replacement products supplied by Signify may have minor deviations in design and/or specifications which do not affect the functionality of replaced Product. In respect of any replaced or credited Products, Signify may, in its sole discretion, either claim the property of replaced or credited Products and require Customer to return these to Signify, or instruct Customer to destroy these at Customer's costs.

(e) Customer shall bear the costs of access for remedial warranty efforts by Signify, including removal and replacement of systems, structures or other parts of Customer's facility, the de-installation of Defective Products, and the re-installation of replacement products. Customer shall not return Products to Signify without consent of Signify and unless in accordance with applicable Signify' return policies. In the event that Signify decides that a claim under warranty is not valid, Customer will bear the costs incurred by Signify in handling and testing, and the transport of Products returned.

(f) Any indemnification and warranty obligations of Signify under an Agreement are conditional upon (i) proper storage, installation, use, operation, and maintenance of Products, all in accordance with user manuals, warranty policies and other instructions or terms communicated by Signify to Customer; (ii) Customer keeping accurate and complete records of operation and maintenance during the warranty period and providing Signify access to those records; and (iii) modification or repair of Products or Services only as authorized by Signify. Failure to meet these conditions renders the warranty null and void. Signify will not be responsible for normal wear and tear and environmental or stress testing. The warranty provided in this section 9 does not apply to damage or failure to perform arising as a result of any Force Majeure or from any abuse, misuse, abnormal use, improper power supply, power surges or fluctuations, corrosive environments, neglect, exposure or any use or installation in violation of the instructions or restrictions prescribed by Signify or any applicable standard or code.

(g) Any indemnification and warranty obligation of Signify under an Agreement will not establish, by themselves, any liability to third parties or the public. Nothing in an Agreement will be construed to create any obligation, standard of care or liability to persons or third parties.

(h) If a recall, retrofit, update, withdrawal or any other remedial action related to any Product is required, Customer shall fully cooperate and shall provide such assistance as Signify may require. Customer shall keep accurate books and records to assure traceability of the Products in the event of a Product recall or any other remedial actions.

(i) SUBJECT TO THE EXCLUSIONS AND LIMITATIONS SET OUT IN THE AGREEMENT, AND SUBJECT TO APPLICABLE LAW, SECTIONS 9, 11 AND 12(b), (c) and (d) STATE THE ENTIRE LIABILITY OF SIGNIFY AND ITS AFFILIATES IN CONNECTION WITH DEFECTIVE PRODUCTS OR DEFECTIVE SERVICES, REGARDLESS OF WHEN THE DEFECT ARISES, AND WHETHER A CLAIM, HOWEVER DESCRIBED, IS BASED ON CONTRACT, WARRANTY, INDEMNITY, TORT OR EXTRA-CONTRACTUAL LIABILITY (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, AND WILL EXTEND DIRECTLY TO CUSTOMER ONLY AND NOT TO ANY THIRD PARTY, INCLUDING CUSTOMER'S CUSTOMERS, AGENTS OR REPRESENTATIVES. SIGNIFY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AGAINST INFRINGEMENT OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AN ESSENTIAL PURPOSE OF THE LIMITED EXCLUSIVE LIABILITIES AND REMEDIES UNDER THE WARRANTY IS ALLOCATION OF RISKS BETWEEN SIGNIFY AND CUSTOMER, WHICH ALLOCATION OF RISKS IS REFLECTED IN THE PRICES.

10. RIGHTS IN SOFTWARE, DOCUMENTATION AND INTELLECTUAL PROPERTY

(a) Subject to Customer's fulfillment of all obligations under the Agreement and these Terms, the supply of Products and/or Services (including software embedded in Products or Services) includes a non-exclusive and non-transferable limited license (without the right to grant sublicenses) to Customer under any intellectual property rights (including patents, utility models, registered and unregistered designs, copyrights, database rights, trademarks, domain names, trade secrets, know-how, semiconductor IC topography rights and all registrations, applications, renewals, extensions, combinations, divisions, continuations or reissues of any of the foregoing, collectively: "IPR") of Signify, to the limited extent that such IPR is embodied or embedded in the Products or Services purchased, to use or resell the Products (including Documentation) as sold by Signify, and/or, for Services, to use the Services (including Documentation) during the term of the applicable Agreement in accordance with the applicable Services description. No rights to IPR are conferred to Customer or any third party other than explicitly granted under the Agreement or these Terms.

(b) In respect of any (embedded) software or other applications supplied to Customer, Customer shall not and shall not permit any third party to: (i) copy, reproduce, distribute, modify, adapt, alter, translate, or create derivative works therefrom; (ii) assign, sublicense, lease, rent, loan, transfer, disclose, or otherwise make available such software or other works; (iii) merge or incorporate such software with or into any other software; or (iv) reverse assemble, decompile, disassemble, or otherwise attempt to derive the source code or the algorithmic nature for such software, or to decode, de-crypt or neutralize any security measures in software or remove or circumvent the protection of software, without authorization from Signify except as explicitly allowed under applicable law; (v) perform any action with regard to software in a manner that would require the software, or any derivative work thereof, to be licensed under Open Source Terms, including but not limited to: (a) combining the software or a derivative work thereof with Open Source Software, by means of incorporation or linking or otherwise; or (b) using Open Source Software to create a derivative work of the software, where "Open Source Software" means any software that is licensed under open source license terms that require as a condition of use, modification or distribution of a work: (1) the making available of source code or other materials preferred for modification, or (2) the granting of permission for creating derivative works, or (3) the reproduction of certain notices or license terms in derivative works or accompanying documentation, or (4) the granting of a royalty-free license to any party under IPR regarding the work or any work that contains, is combined with, requires or otherwise is based on the work.

(c) Customer acknowledges that third parties may own IPR related to Products or Services. Customer shall reproduce, without any amendments or changes, any proprietary rights legends of Signify or its third party suppliers in any software or Documentation provided by Signify.

(d) Signify will be free to use in any way or form any ideas, suggestions, feedback or recommendations by Customer to Signify regarding Products or Services ("Feedback"), without payment of royalties or other consideration to Customer. Signify will own all IPR in Feedback. Signify is entitled to use output, deliverables and creations resulting from the performance of Services for its own publicity or for promotional purposes.

11. INTELLECTUAL PROPERTY RIGHTS INDEMNITY

(a) Customer shall promptly notify Signify of any third party claim alleging that any of the Products and/or Services supplied to Customer by Signify infringes any third party IPR. Upon such notice, Signify may at its own option and at its own expense either: (i) procure for Customer the right to continue using such Product and/or Services; or (ii) provide a replacement non-infringing product for such Product of equivalent functionality; or (iii) modify such Product such that it is no longer infringing; or (iv) remedy such Service; or (v) make an appropriate refund or credit of monies paid by Customer for that Product and/or Services.

(b) In the event that a claim referred to under section 11(a) results in any legal proceedings, Customer shall give Signify full authority, at the option and cost of Signify, to settle or conduct the defence of such claim. Customer shall provide Signify with all assistance as Signify may reasonably require in connection with such defence of such claim. Customer shall not enter into any settlement in connection with any such claim, nor incur any costs or expenses for the account of Signify without the prior consent of Signify.

(c) Subject to the provisions of sections 11 and 12, Signify will reimburse Customer in respect of any final award of damages by a court of competent jurisdiction holding that Products and/or Services as supplied by Signify under an Agreement directly infringe any third party IPR, provided that the infringement is held to be directly and solely attributable to the use by Customer of the Products and/or Service as supplied by Signify under the Agreement.

(d) Notwithstanding anything to the contrary provided in the Agreement, Signify will not be liable for, and the obligations of Signify set out in this section 11 will not apply to:

(i) any claim of infringement of third party IPR resulting from compliance with Customer's design, drawings, specifications or instructions; or (ii) use of any Products, deliverables and/or Services other than in accordance with its specifications or any claim based on or resulting from any modification or adaptation of a Product, deliverables and/or Service made by or on behalf of Customer; or (iii) any third party IPR covering any assembly, circuit, combination, method or process, in the manufacture, testing or application in which such Products and/or Services supplied by Signify may have been used; or (iv) any claim of infringement resulting from compliance with an industry standard applying to the Products or Services.

(e) With regard to any claim of infringement covered by section 11 (d), Customer shall fully indemnify Signify against any award of damages for any such infringement and shall reimburse all costs incurred by Signify in defending any suit or proceeding for such infringement, provided that Signify gives Customer prompt notice in writing of any such suit or proceeding for infringement and, if so requested, full authority to conduct the defence thereof.

(f) In the event that Signify receives notice claiming infringement of third party IPR in relation to any Products and/or Services supplied or to be supplied under an Agreement, Signify may, in order to limit or avoid liability, terminate the Agreement, suspend or discontinue the supply or performance to Customer of the Products and/or Services or parts to which such notice relates and Signify will not be liable to Customer by virtue of such termination, suspension or discontinuation.

(g) Subject to the exclusions and limitations set forth in section 12, the foregoing states the entire liability of Signify for infringement of third party IPR in connection with the supply of Products and/or Services.

12. LIMITATION OF LIABILITY

(a) THE LIABILITY OF SIGNIFY AND ITS AFFILIATES FOR ALL CLAIMS OF ANY KIND ARISING FROM OR RELATED TO THE PROVISION OF PRODUCTS OR SERVICES TO CUSTOMER, OR OTHERWISE UNDER AN AGREEMENT, INCLUDING ANY INDEMNITIES, PENALTIES OR LIQUIDATED DAMAGE ("CLAIMS"), WILL BE LIMITED TO A MAXIMUM, AGGREGATE TOTAL ("LIABILITY CAP") OF (I) TWENTY PERCENT (20%) OF THE TOTAL PRICE PAID BY THE CUSTOMER FOR PRODUCTS AND/OR SERVICES TO WHICH SUCH CLAIMS RELATE, OR (II) EUR 2,000,000, WHICHEVER IS LOWER. FOR SERVICES THAT ARE PERFORMED ON THE BASIS OF SPECIFIED PHASES, TIME PERIODS OR MILESTONES ("MILESTONES") AS MAY BE SPECIFIED IN AN AGREEMENT, THE LIABILITY CAP WILL FURTHER BE LIMITED TO TWENTY PERCENT (20%) OF THE TOTAL PRICE PER EACH SUCH MILESTONE FOR ALL CLAIMS ARISING FROM OR RELATED TO SUCH MILESTONE.

(b) Signify will not under any circumstances be liable for any lost profits, lost savings, loss of data, loss of reputation, loss of goodwill, indirect, incidental, punitive, special or consequential damages, whether or not such damages are based on tort, warranty, contract or otherwise – even if Signify has been advised, or is aware, of the possibility of such damages.

(c) In order to be entitled to make a valid Claim, Customer shall notify Signify of any such Claim within thirty (30) days of the date of the event giving rise to the Claim, and any lawsuit relating to a Claim must be filed within one (1) year of the date of such notification. Claims that are not brought or filed in accordance with the preceding sentence will be null and void.

(d) The limitations and exclusions of liability will apply only to the extent permitted by applicable mandatory law.

13. CONFIDENTIALITY

Customer shall maintain any technical, commercial and financial information, including any Offer and (pricing) terms, other data disclosed to Customer by Signify, and any Feedback, confidential and shall not disclose such information to any third party and shall not use any such information for any purpose other than as agreed by the Parties and in relation to the Offer and/or the Agreement.

14. EXPORT/IMPORT CONTROLS

(a) Certain transactions of Signify may be subject to export or import controls laws and regulations that prohibit or restrict the (re)export or transfer of certain items to certain countries, entities or individuals, such as the laws and regulations of the UN, EU and US ("Export Regulations"). The (re)export or transfer of Products and/or Services, as well as technical assistance, training, investments, financing, financial assistance, brokering and licensing of technology, are subject in all respects to the applicable Export Regulations and to the jurisdiction of the relevant authorities responsible for Export Regulations. If any such (re-)export or transfer requires an export or import license, or is otherwise prohibited or restricted under Export Regulations, Signify may, in its sole discretion, suspend its obligations to Customer until such license is granted or for the duration of any restrictions or prohibitions, or terminate (the relevant part of) the Agreement without incurring any liability.

(b) Customer shall impose all export control restrictions to any third party if the Products and/or Services are (re)exported or transferred to third parties. At the request of Signify and if required by applicable Export Regulations, Customer shall inform Signify on any (re)export or transfer of the Products in order to comply with Export Regulations and any other regulatory responsibilities governing the sale of the Products, including requirements on the traceability of Products that may apply to Signify. Customer shall not provide any statement or certification in support of restrictive trade practices or boycotts.

15. ASSIGNMENT

(a) Customer may not assign an Agreement, or any of its rights or obligations thereunder, without the prior consent of Signify.

(b) Signify may delegate, assign, sell, novate or subcontract in part or in whole its obligations and rights (including receivables) under any Agreement to any of its affiliates or any third party without the prior consent of Customer – and if such consent would be required under applicable law, such consent is herewith provided –, in which event Customer shall cooperate with Signify' efforts, including providing relevant information, executing documents and making payments to accounts or third parties as notified by Signify.

16. COMPLIANCE WITH LAWS; ANTI-BRIBERY

(a) Customer shall at all times comply and shall take all actions reasonably necessary to ensure that its business partners shall comply, with all applicable local and international laws and regulations, including on anti-bribery and anti-corruption and the Export Regulations (and in particular with Italian Legislative Decree 231/01 as amended from time to time). Accordingly, Customer shall conduct its business honestly and not engage in any act of bribery or corruption. In particular adheres to the General Business Principles of Signify Italy S.p.A. recalled by the Organizational Model of the company (available at: http://images.philips.com/is/content/PhilipsConsumer/PDF-Downloads/Italy/ODLI20170302_001_it_IT-Modello-Organizzativo-231-Philips-Lighting_01072016.pdf).

(b) Should Signify receive any indications about a breach of the obligation under (a) Customer shall cooperate and provide Signify with all information required to allow Signify to verify such indications, and if founded, section 18 will apply.

17. HEALTH AND SAFETY

(a) The Parties shall comply with all applicable legislation, rules and/or regulations on the health and safety of workers and/or employees, as well as health and safety of the public in the vicinity. Customer shall provide and shall procure that its employees, agents, contractors or subcontractors provide safe work surroundings for Personnel and other representatives and shall take those measures prescribed by law and any other measures necessary for the prevention of accidents at the site and to ensure the health and safety of Personnel at the site. Customer shall timely inform Personnel of required safety precautions and advise Signify of all applicable site-specific health,

safety, security and environmental requirements and procedures. Signify has the right, but not the obligation, to, from time to time, review and inspect applicable health, safety, security and environmental documentation, procedures and conditions at the site.

(b) Customer shall ensure that no hazardous materials are present at the site. If hazardous materials are present, Customer shall and shall procure that its employees, agents, contractors or subcontractors handle these properly and if applicable, arrange for the appropriate removal and disposal thereof at the expense of Customer. If, in the reasonable opinion of Signify, the health, safety, or security of Personnel or the site is, or may be, imperiled by security risks, terrorist acts or threats, the presence of or threat of exposure to hazardous materials, or unsafe working conditions, Signify may, in addition to other rights or remedies available to it, evacuate some or all Personnel from the site (with the reasonable assistance of Customer), suspend performance of all or any part of an Agreement, and/or remotely perform or supervise Services (if possible) with no further liability to Customer.

(c) Conditions at a site that differ materially from those disclosed by Customer, or previously unknown physical conditions at site that differ materially from those ordinarily encountered and generally recognized as inherent in work of the character provided for in the Agreement, will be deemed a Variation.

18. BREACH; SUSPENSION; TERMINATION

(a) In the event of (i) a breach by Customer of any of the provisions of the Agreement or these Terms, including any failure to pay any amount as and when due; or (ii) in the reasonable opinion of Signify, the financial position of the Customer (or a material change thereof) is likely to affect Customer's ability to perform its obligations under the Agreement; or (iii) any proceedings in insolvency, bankruptcy (including reorganization), liquidation or winding up are instituted by or against Customer, whether filed or instituted by Customer (voluntarily or involuntarily), a trustee or receiver is appointed over Customer, or any assignment is made for the benefit of creditors of Customer; or (iv) Customer ceases, or threatens to cease, to carry on business, or (v) the control over or ownership of Customer changes, then Signify may declare all amounts outstanding by Customer immediately due and payable and may set off any amount that Signify (or any of its affiliates) owes to Customer under any agreement including any advance payments or deposits made by Customer, against amounts due pursuant to section 18(b). In addition, Signify may in its sole discretion by notice to Customer with immediate effect suspend or cancel any performance due from Signify (including production, delivery, installation and commissioning of Products, obligations under warranty and performance of Services) or terminate the Agreement or any part thereof, without any liability, and/or suspend or cancel any credit terms offered to Customer. Signify may only use the right to terminate an Agreement pursuant to this section if, in respect of an event under (i) above that is capable of being remedied, Customer fails to remedy the breach within fourteen (14) days, or in respect of an event under (ii), Customer fails to provide Signify with a bank guarantee or other security to the satisfaction of Signify within fourteen (14) days.

(b) Customer shall indemnify, defend and hold harmless Signify and its affiliates, and their officers, directors, agents, employees, successors, and assigns from and against, all losses (including loss of profits or turnover), liabilities, costs (including legal costs and costs incurred in relation to unfinished products) and expenses arising out of or in connection with any of the following events: (i) a breach by Customer of any of the provisions or obligations of the Agreement or these Terms, or the occurrence of any of the other events set out in section 18(a); (ii) any claim by third parties for any loss, damage or injury or death caused or alleged to be caused by the negligent use, application, or installation of Products, or caused by any modification of Product or integration of Product into other products not authorized by Signify, by Customer or its contractors, agents, affiliates or customers to whom it sold Product; or (iii) non-compliance by Customer with section 7(b), in which event costs will include the full replacement costs of products, systems or other equipment.

(c) Upon (early) termination or expiration of an Agreement, (i) all rights and licenses granted to Customer under that Agreement will immediately cease; (ii) Customer shall return, delete (including from all hard disks and memory) or destroy (and a duly appointed officer shall certify to such destruction) all information disclosed under section 13, including software not embedded in Products, and all copies thereof; (iii) return to Signify, at the costs of Customer, any Products of which (legal) title has not passed to Customer (in accordance with section 7) and any other products, systems or equipment supplied and/or used by Signify in the performance of the Services; and (iv) all reasonable costs and expenses incurred by Signify (including a reasonable profit) for any activities related to work performed by Signify prior to such termination will be considered due, payable and non-refundable.

(d) In the event of a suspension that lasts for more than two (2) months, the provisions of section 18(c)(iv) will also be applicable to any activities related to work performed by or for Signify prior to such suspension.

(e) The rights of Signify pursuant to this section 18 will be in addition to any other rights and remedies Signify may have at law or in equity. In the event of termination of an Agreement, the terms and conditions destined to survive such termination or expiration will so survive. Termination will not affect the rights of the Parties accrued up to the date of termination.

19. GOVERNING LAW AND FORUM

(a) The laws of Italy govern all Agreements, Offers and these Terms, without regard to conflict of law principles. Any legal action or proceeding arising out of or in connection with an Agreement, an Offer or these Terms that cannot be settled through consultation in good faith within thirty (30) days after notice from either Party that a dispute exists, will be brought exclusively in the courts of Milan, Italy, provided that Signify will always be permitted to bring any action or proceedings against Customer in any other court of competent jurisdiction. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

(b) Nothing in this section 19 will be construed or interpreted as a limitation on either Party's right under applicable law to seek injunctive or other equitable relief, to take any action to safeguard its possibility to have recourse on the other Party or to bring action or proceedings in relation to any failure to pay any amount as and when due.

20. PRIVACY AND USE OF DATA

(a) Each Party shall comply with all applicable data protection laws. Unless agreed otherwise by the Parties, Signify (or its subcontractors) will not process information relating to any identified or identifiable natural persons ("Personal Data") for Customer or on Customer's behalf. In the event that Signify processes Personal Data as part of its own legitimate business purposes, it will do so in accordance with the "Signify Privacy Notice for Customers, Consumers and Other Business Persons" which is available on <http://www.signify.com/global/privacy> under the "Legal information" section.

(b) Customer acknowledges and agrees that Signify and its affiliated companies (or their respective subcontractors) may collect information and data generated from Products and Services (including any third party product, service or system provided in conjunction with the Product and/or Service) and/or the use thereof ("Usage Data"). Signify is entitled to use the Usage Data, free of charge, at any time during the term of an Agreement and afterwards, in its sole discretion for any purposes whatsoever, including to aggregate or compile Usage Data with other data, create IPR or derivative works of or modify or adapt Usage Data to provide, maintain, and improve products and services, and to develop new products or features or services. Unless otherwise stated in the Agreement, EULA or Additional Use Terms, Signify shall ensure that the use of Usage Data will exclude any Personal Data and any data that would enable the identification of Customer or company or organization.

21. MISCELLANEOUS

(a) The invalidity or unenforceability of any provision of these Terms or an Agreement will not affect the validity or enforceability of any other provision thereof, all of which will remain in full force and effect. In the event of such finding of invalidity or unenforceability, the Parties shall endeavor to substitute the invalid or unenforceable provision(s) by such effective provision(s) as will most closely correspond with the original intention of the provision(s) so voided. At reasonable notice, Customer shall assist Signify

in verifying Customer's compliance with the Agreement.

(b) Any right of Signify set out in these Terms will be without prejudice to any rights or remedies Signify may have under the Agreement or at law or in equity. Customer acknowledges that Signify N.V. and any of its affiliates are intended to be third-party beneficiaries for purposes of all benefits under, and may enforce the provisions of the Agreement, including these Terms, where applicable. The failure or the delay of either Party to enforce any provision of these Terms or an Agreement will not constitute a waiver of such provision or a waiver to enforce it.

(c) The terms of an Agreement (including these Terms and any other terms and conditions forming part thereof) state the entire understanding and agreement between the Parties as to the sale of Products and performance of Services under that Agreement and will supersede any prior promises, agreements, representations, undertakings or implications whether made orally or in writing between Signify and Customer with respect to the subject thereof. The Parties expressly acknowledge that, in entering into an Agreement, no reliance has been placed on any representations which have not been incorporated as part of that Agreement. No variation to an Agreement will be binding upon either Party unless made in writing and signed by an authorized representative of each of the Parties.

(d) Prices and terms are subject to correction for typographical or clerical errors.

ITALY

Signify Italy SpA
Via E.T. Moneta 40
20161 Milano
T +39 02 66 242 1
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

For info, contacts and information
about international distributors
please visit www.luceplan.com

USA

Luceplan USA Inc.
14 Wooster Street
New York, NY 10013
T +1 212 334 1809
F +1 212 334 7307
infous@luceplan.com

Showroom**Milan**

Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

New York

14 Wooster Street
New York, NY 10013
T +1 212 966 1399
F +1 212 334 7307
storeus@luceplan.com

Copenhagen

Luceplan Professional Space
Dybendalsvænget 2,
DK-2630 Taastrup (Copenhagen)
T +45 41 67 54 16
professionalspace@luceplan.com

1PL000315

