

arturo alvarez

Mei 2018

B R U T O P R I J S L I J S T
E X C L U S I E F B T W

Illum behoudt zich te allen tijden het recht voor de prijzen te wijzigen.

De prijzen zijn BRUTO in €uro exclusief BTW en exclusief lichtbron.

Deze prijslijst vervangt alle voorgaande prijslijsten.

Bij bestellingen van meer dan € 500,00 netto ex BTW leveren wij franco in Nederland.

Bij bestellingen van minder dan € 500,00 netto ex BTW berekenen wij behandelings- en verzendkosten.

Reclamaties over zendingen kunnen slechts gehonoreerd worden indien binnen 24 uur na levering gemeld.

Ingeschreven in het handelsregister K.v.K. Rijnland te Leiden onder nummer 33209514, alwaar onze algemene verkoop- en leveringsvoorwaarden ter inzage liggen.



INDEX

2

Authenticity guarantee. Symbol Index

3

How to place an order. About our lamps. Material colour codes

4

Table lamps

9

Floor lamps

14

Pendant lamps

42

Wall & ceiling lamps

50

Accessories

51

Bulbs

52

Sales Terms

AUTHENTICITY GUARANTEE

All lamps are labelled with an identification code and serial number. This fixture is an exclusive and authentic design of the company arturo alvarez. It is entirely handmade in Spain and passes strict quality controls before its entrance into the market.

SYMBOL INDEX

 INTERIOR DESIGN BEST OF YEAR 2014 Innovative translucent shading lighting solution Awarded by Interior Design Magazine, New York	 BEST of year WINNER 2016 INTERIOR DESIGN Awarded by Interior Design Magazine, New York	 Double insulation and/or reinforced insulation in every part and without ground devices	 Luminaire to use with tungsten halogen bulbs with own protection shield
 HID Product Design Competition As awarded by the International Interior Design Association (IIDA) and Hospitality Design magazine	 GOOD DESIGN As awarded by the Chicago Athenaeum Museum of Architecture and Design	 With ground devices	 Fitting is legally approved and comply with the European Mark CE
		 The device is not suitable for installation on normally inflammable surface	 Available with LED technology

HOW TO PLACE AN ORDER

Please refer all the following elements:

1. Reference: BE04
2. Colour of the shade: white
3. Colour of the cable: transparent
4. Quantity: 2 units

Incomplete orders or with wrong references, missing quantity, shades or cable colour, will not be included in the production schedule, so the terms of delivery will start as of the date on which the order has been duly completed.

Orders will have to be confirmed in writing either by sending a fax or an e-mail:

fax to: +34 981 50 20 00

e-mail to: orders@arturo-alvarez.com

Once the order is placed and sent to the factory an ORDER CONFIRMATION [proforma invoice] will be sent. All modifications to the order will have to be done within 48 hours as of the receipt of this acknowledgment. If after 48 hours no modification is done THAT ORDER WILL BE CONSIDERED VALID IN ALL ITS TERMS. This means that from that very moment the order is sent to the production schedule and consequently modifications or cancellation will not be admitted.

ABOUT OUR LAMPS

All our lamps are totally handmade. The differences found in our luminaires and in the different materials used make them unique. Small differences between lamps are not a defect, it is a value because each one is a unique object. The indicated lampshade dimensions are only approximate, never exact.

MATERIAL COLOUR CODES

PAINTED STAINLESS STEEL MESH*

B. White (NCS: S 0500-N)
V. Green (NCS: S 2020-G90Y)
O. Ocher (NCS: S 2040-Y20R)
BE. Beige (NCS: S 3020-Y30R)

PAINTED STAINLESS STEEL THREAD

B. White

SIMETECH® by arturo alvarez

B. White
G. Grey
BE. Beige
A. Yellow
NA. Orange

INTERIOR
DESIGN
**BEST
OF
YEAR 2014**

Innovative translucent shading
lighting solution

CORD

42. White
43. Grey
46. Red
47. Brown
48. Gold yellow
49. Medium brown
50. Beige
51. Green
52. Blue

GLASS

02. White
84. Light pink
87. Sand
89. Dark amber
90. Brown
95. Beige

PRESSED CELLULOSE

42. White
43. Light grey
46. Red
47. Brown
48. Gold yellow
49. Medium brown
50. Beige
51. Green
52. Blue

PLYWOOD


WE. Wenge
AM. Yellow
B. White

POLYPROPYLENE STRIPS

B. White

*Customers who request 5 units or more in the same order can choose the color that best suits the project they are designing. All we will need is the RAL or NCS code.

TABLE LAMPS



LED

Arc ref. AC02

pg. 116

LAMPSHADE
Cord

One color: white

SUPPORT
Stainless steel

CABLE
Transparent

230V - 50Hz

STRIP 39,4W 3000K 2897lm built-in

Energy efficiency: from A++ to A

1.839€

71x71x40 cm
28x28x16 in
10kg | 22lb

Certifications:
CE

35cm | 13,8in

67cm | 26,4in

Bety ref. BE01

LAMPSHADE
Polypropylene

One color: white

Stainless steel

SUPPORT
Stainless steel

CABLE
Black or transparent

230V - 50Hz

E14 - Max. 1x9 W
E14 - Max. 1x11 W
E14 ECO - Max. 1x46 W
E14 LED - Max. 1x7 W
E14 - Max. 1x60 W

Energy efficiency: from A+ to E

381€

61x27x20 cm
24x10,6x7,9 in
1,5kg | 3,3lb

Certifications:
CE

4



Curvas ref. CV01

324€

LAMPSHADE

Glass

One color to choose

SUPPORT

Painted steel
and stainless steel

CABLE

Black or transparent

230V - 50Hz


- E14 - Max. 1x9 W
- E14 ECO - Max. 1x46 W
- E14 LED - Max. 1x7 W
- E14 - Max. 1x60 W

35x25x25 cm
13,8x9,8x9,8 in
2,6kg | 5,7lb



Energy efficiency: from A+ to E

Certifications:



Doscubos ref. D001G

228€

LAMPSHADE

Glass

One color to choose

SUPPORT

Stainless steel

CABLE

Black or transparent

230V - 50Hz


- G9 LED - Max. 1x4 W
- G9 ECO - Max. 1x42 W
- G9 ECO - Max. 1x33 W

21x21x22 cm
8,3x8,3x8,7 in
1,7kg | 3,7lb



Energy efficiency: from A+ to C

Certifications:



Doscubos ref. D002

451€

LAMPSHADE

Glass

One color to choose

SUPPORT

Painted steel
and stainless steel

CABLE

Black or transparent

230V - 50Hz

- G9 LED - Max. 2x4 W
- G9 ECO - Max. 2x42 W
- G9 ECO - Max. 2x33 W

61x27x20 cm
24x10,6x7,9 in
4,1kg | 9lb

120V - 60Hz

- G9 Bi-pin - Max. 2x40 W



Energy efficiency: from A+ to C

Certifications:



Muu ref. MU01

pg. 91

291€

LAMPSHADE

Painted stainless steel

One color to choose

SUPPORT

Painted steel

CABLE

Black or transparent

230V - 50Hz

- E14 - Max. 1x9 W
- E14 - Max. 1x11 W
- E14 ECO - Max. 1x46 W
- E14 LED - Max. 1x7 W
- E14 - Max. 1x60 W


44x44x20 cm
17,3x17,3x7,9 in
1,8kg | 3,9lb



Energy efficiency: from A+ to E

Certifications:





Muu ref. MU02

pg. 91

321€

LAMP SHADE
Painted stainless steel

One color to choose

SUPPORT
Painted steel

CABLE
Black or transparent

- 230V - 50Hz
- E14 - Max. 1x9 W
 - E14 - Max. 1x11 W
 - E14 ECO - Max. 1x46 W
 - E14 LED - Max. 1x7 W
 - E14 - Max. 1x60 W

52x47x31 cm
20,5x18,5x12,2 in
2,4kg | 5,4lb



Certifications:



Energy efficiency: from A+ to E



Nevo ref. NE01

pg. 80

394€

LAMP SHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and stainless steel

SUPPORT
Painted steel
and stainless steel

CABLE
Black or transparent

- 230V - 50Hz
- E14 - Max. 2x9 W
 - E14 - Max. 2x11 W
 - E14 ECO - Max. 2x46 W
 - E14 LED - Max. 2x7 W
 - E14 - Max. 2x60 W


43x43x30 cm
17x17x11,8 in
2,5kg | 5,5lb



Certifications:



Energy efficiency: from A+ to E



Nevo ref. NE02

pg. 81

504€

LAMP SHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and stainless steel

SUPPORT
Stainless steel

CABLE
Black or transparent

- 230V - 50Hz
- E14 - Max. 2x9 W
 - E14 - Max. 2x11 W
 - E14 ECO - Max. 2x46 W
 - E14 LED - Max. 2x7 W
 - E14 - Max. 2x60 W


61x61x22cm
24x24x8,7 in
4kg | 8,8lb



Certifications:



Energy efficiency: from A+ to E



Pili ref. PL01

pg. 26

421€

LAMP SHADE
Painted stainless steel thread

One color: white

SUPPORT
Stainless steel

CABLE
Transparent

- 230V - 50Hz
- 4W 2700K 290lm built-in

61x61x32 cm
24x24x12,6 in
2,6kg | 5,7lb



Certifications:



Energy efficiency: from A++ to A



Shio ref. SH02 pg. 160

LAMPSHADE	CABLE
Plywood	Black or transparent
One color to choose	
Painted steel	
Top and bottom diffuser	

230V - 50Hz
2GX13 - Max. 1x22 W

43x43x63 cm
16,9x16,9x24,8 in
5kg 11lb



Energy efficiency: from A+ to B

Certifications:



Shio ref. SH02-D pg. 160

LAMPSHADE	CABLE
Plywood	Black or transparent
One color to choose	
Painted steel	
Top and bottom diffuser	

DIMMABLE


230V - 50Hz
2GX13 - Max. 1x22 W
Dimming system: Switch DIM

43x43x63 cm
16,9x16,9x24,8 in
5kg 11lb



Energy efficiency: from A+ to B

Certifications:



Tati ref. TA02 pg. 74

LAMPSHADE	SUPPORT
Painted stainless steel	Stainless steel
One color to choose	
Steel gloss nickel-plated and stainless steel	

CABLE
Black or transparent

230V - 50Hz
E14 - Max. 2x9 W
E14 - Max. 2x11 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

61x61x22 cm
24x24x8,7 in
4kg 8,8lb



Energy efficiency: from A+ to E

Certifications:



Ura ref. UR01 pg. 12

LAMPSHADE	SUPPORT
Painted stainless steel	Stainless steel
One color to choose	
CABLE	Black or transparent

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W


61x27x20 cm
24x10,6x7,9 in
1,8kg 3,9lb



Energy efficiency: from A+ to E

Certifications:






Vento ref. VN01 pg. 146

789€

LAMP SHADE Glass One color to choose or combinations: Pink:02+84 Brown: 90+95	SUPPORT Stainless steel CABLE Black or transparent Diffuser included	230V - 50Hz G9 LED - Max. 2x4 W G9 ECO - Max. 2x33 W	 80x30x30 cm 31,5x11,8x11,8 in 4,4kg 9,7lb
Energy efficiency: from A+ to C			 Certifications: CE

NOTE: VENTO collection are not guaranteed with halogen G9.
Only guaranteed with G9 energy savings lamps, G9 LED or G9 ECO Halogens




Vento ref. VN02 pg. 146

1.063€

LAMP SHADE Glass One color to choose or combinations: Pink:02+84 Brown: 90+95	SUPPORT Stainless steel CABLE Black or transparent Diffuser included	230V - 50Hz G9 LED - Max. 4x4 W G9 ECO - Max. 4x33 W	 125x31x25 cm 49,2x12,2x9,8 in 6,8kg 15lb
Energy efficiency: from A+ to C			 Certifications: CE

NOTE: VENTO collection are not guaranteed with halogen G9.
Only guaranteed with G9 energy savings lamps, G9 LED or G9 ECO Halogens

FLOOR LAMPS



Africa ref. AF03 pg. 87

8.826€*

LAMPSHADE
Painted stainless steel

One color to choose

SUPPORT
Stainless steel and painted steel

CABLE
Black or transparent

- 230V - 50Hz
- E27 ECO - Max. 3x77 W
- E27 LED - Max. 3x12 W
- E27 - Max. 3x100 W

272kg | 600lb
154x153x240 cm
60,6x60,2x94,5 in

Certifications:
CE

*Transport not included,
price upon request.

Energy efficiency: from A+ to E



Arc ref. AC03 pg. 114

4.719€*

LAMPSHADE
Cord

One color: white

SUPPORT
Steel

CABLE
Transparent


- 230V - 50Hz
- STRIP 112W 3000K 8195lm built-in

116kg | 256lb
40x140x190 cm
16x55,1x75 in

Certifications:
CE

*Transport not included,
price upon request.

Energy efficiency: from A++ to A



Aros


ref. AR03

pg. 143

528€

LAMPSHADE Polypropylene	 4kg 8,8lb
One color: white	170x10x10 cm 66,9x3,9x3,9 in
Painted steel	61x61x33 cm 24x24x13 in
SUPPORT Painted stainless steel and painted steel	
Bottom diffuser included	
CABLE Black or transparent	Certifications: 
230V - 50Hz	
 E27 - Max. 1x23 W	
 E27 LED - Max. 1x11 W	
 E27 ECO - Max. 1x77 W	
 E27 LED - Max. 1x12 W	
 E27 - Max. 1x100 W	

Energy efficiency: from A+ to E



Aros


ref. AR03G

pg. 143

565€

LAMPSHADE Polypropylene	 6,5kg 14,3lb
One color: white	180x10x10 cm 70,9x3,9x3,9 in
Painted steel	61x61x33 cm 24x24x13 in
SUPPORT Painted stainless steel and painted steel	
Bottom diffuser included	
CABLE Black or transparent	Certifications: 
230V - 50Hz	
 E27 - Max. 1x23 W	
 E27 LED - Max. 1x11 W	
 E27 ECO - Max. 1x77 W	
 E27 LED - Max. 1x12 W	
 E27 - Max. 1x100 W	

Energy efficiency: from A+ to E




Bety

ref. BE03

pg. 133

753€

LAMPSHADE Polypropylene	 6,5kg 14,3lb
One color: white	180x10x10 cm 70,9x3,9x3,9 in
SUPPORT Stainless steel	43x43x63 cm 16,9x16,9x24,8 in
CABLE Black or transparent	
230V - 50Hz	Certifications: 
 E27 - Max. 1x23 W	
 E27 LED - Max. 1x11 W	
 E27 ECO - Max. 1x77 W	
 E27 LED - Max. 1x12 W	
 E27 - Max. 1x100 W	
Energy efficiency: from A+ to E	



Curvas ref. CVO3G 1.344€

LAMPSHADE
Glass
15kg | 33,1lb
185x45x25 cm
72,8x17,7x9,8 in
61x61x33 cm
24x24x13 in
One color to choose
SUPPORT
Painted steel and stainless steel

CABLE
Black or transparent
Top diffuser included

Dimmable
230V - 50Hz
E27 ECO - Max. 4x75 W
E27 - Max. 4x60 W
E27 LED - Max. 4x12 W

Energy efficiency: from A+ to E

Doscubos ref. D003 657€

LAMPSHADE
Glass
17kg | 37,5lb
170x20x20 cm
66,9x7,9x7,9 in
35x25x25 cm
13,8x9,8x9,8 in
One color to choose
SUPPORT
Painted steel and stainless steel

CABLE
Black or transparent

230V - 50Hz
E14 - Max. 2x9 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

Energy efficiency: from A+ to E

Gea ref. GE03 pg. 66 1.876€

LAMPSHADE
Painted stainless steel
19kg | 41,9lb
189x44x27 cm
74,4x17,3x10,6 in
One color to choose
SUPPORT
Painted steel and stainless steel

CABLE
Black or transparent

Dimmable
230V - 50Hz
E27 ECO - Max. 5x60 W
E27 LED - Max. 5x12 W

Energy efficiency: from A+ to E





Shio

ref. SH03

pg. 161

1.056€

LAMPSHADE	
Plywood	 11,9kg 26,2lb
One color to choose	156x10x10 cm 61,4x3,9x3,9 in
Painted steel	61x61x21 cm 24x24x8,3 in
Top and bottom diffuser included	
CABLE	
Black or transparent	
230V - 50Hz	Certifications:
 26X13 - Max. 1x55 W	
Energy efficiency: from A+ to B	

Shio

ref. SH03-D

pg. 161DIMMABLE

1.099€

LAMPSHADE	
Plywood	 11,9kg 26,2lb
One color to choose	156x10x10 cm 61,4x3,9x3,9 in
Painted steel	61x61x21 cm 24x24x8,3 in
Top and bottom diffuser included	
CABLE	
Black or transparent	
230V - 50Hz	Certifications:
 26X13 - Max. 1x55 W	
Dimming system: Switch DIM	
Energy efficiency: from A+ to B	

Tina

ref. TN03

pg. 137

741€

LAMPSHADE	
Polypropylene	 6,5kg 14,3lb
One color: white	125x31x25 cm 49,2x12,2x9,8in
Painted steel	
SUPPORT	
Painted Stainless steel and painted steel	
CABLE	
Black or transparent	
230V - 50Hz	Certifications:
 E27 - Max. 1x23 W	
 E27 LED - Max. 1x11 W	
 E27 ECO - Max. 1x77 W	
 E27 LED - Max. 1x12 W	
 E27 - Max. 1x100 W	
Energy efficiency: from A+ to E	



Ura

ref. UR03

pg. 12

1.431€

LAMPSHADE

Painted stainless steel

11,7kg | 25,8lb

110x47x60 cm
43,3x18,5x23,6 in

One color to choose

SUPPORT

Stainless steel

CABLE

Black or transparent

Dimmable

230V - 50Hz

E27 ECO - Max. 3x100 W

E27 LED - Max. 3x12 W

E27 - Max. 3x100 W

Certifications:

CE

Energy efficiency: from A+ to E

V

ref. VV03

pg. 169

1.623€

LAMPSHADE

Polycarbonate

17kg | 37,5lb

150x50x12 cm
59,1x19,7x4,7 in
84x84x38 cm
33x33x15 in

One color to choose

Glass diffuser

SUPPORT

Painted steel

CABLE

Black or transparent

230V - 50Hz

E27 ECO - Max. 1x77 W

E27 LED - Max. 1x12 W


E27 - Max. 1x100 W

Certifications:

CE

Energy efficiency: from A+ to E

PENDANT LAMPS



Aros ref. AR04 pg. 142

394€

LAMPSHADE Polypropylene One color: white Painted steel	CANOPY Steel gloss nickel-plated CABLE Black or transparent	230V - 50Hz E27 - Max. 1x100 W E27 LED - Max. 1x12 W E27 ECO - Max. 1x77 W E27 LED - Max. 1x8 W
--	--	---

61x61x33 cm
24x24x13 in
3,2kg | 7,1lb



Energy efficiency: from A+ to E

Certifications:
CE



Aros ref. AR04-LD pg. 142

LED / DIMMABLE

627€


LAMPSHADE Polypropylene One color: white Painted steel Bottom diffuser	CANOPY Steel gloss nickel-plated CABLE Black or transparent	230V - 50Hz 18,1W 3000K 1776lm built-in upon request 2700K 1645lm Dimming system DALI / Switch DIM upon request PHASE CUT
---	--	---

61x61x33 cm
24x24x13 in
3,3kg | 7,4lb



Energy efficiency: from A++ to A

Certifications:
CE



Ballet Plié

ref. BAPI04

pg. 46

LAMPSHADE

Painted stainless steel

One color to choose

Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

230V - 50Hz

E27 - Max. 1x100 W


E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

61x61x33 cm
24x24x13 in
3,6kg | 7,2lb

Certifications:
CE



LED

Ballet Plié

ref. BAPI04-LD

pg. 46

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose

Stainless steel

Inside diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

61x61x33 cm
24x24x13 in
4,3kg | 9,7lb

Certifications:
CE



Ballet Relevé

ref. BARE04

pg. 47

LAMPSHADE

Painted stainless steel

One color to choose

Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

43x43x30 cm
17x17x11,8 in
2kg | 4,6lb

Certifications:
CE



LED

Ballet Relevé

ref. BARE04-LD

pg. 47

LED / DIMMABLE

LAMPSHADE

Painted stainless steel

One color to choose

Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or transparent

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

43x43x30 cm
17x17x11,8 in
2,8kg | 6,3lb

Certifications:
CE

Ballet Elancé ref. BALA04 pg. 47

498€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W

44x44x40 cm
17,3x17,3x15,7 in
2,4kg | 5,5lb

One color to choose

CABLE
Black or transparent

Energy efficiency: from A+ to E



Certifications:



LED Ballet Elancé ref. BALA04-LD pg. 47 LED / DIMMABLE 750€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

44x44x40 cm
17,3x17,3x15,7 in
3,2kg | 7lb

One color to choose

CABLE
Black or transparent

Energy efficiency: from A++ to A



Certifications:



Ballet ref. BA04-3 pg. 48

1.803€

LAMPSHADE
Painted stainless steel

CANOPY
DIBOND®

230V - 50Hz
E27 - Max. 3x100 W
E27 LED - Max. 3x12 W
E27 ECO - Max. 3x77 W

60x80x116 cm
23,6x31,5x45,7 in
14kg | 30,2lb

One color to choose

CABLE
Black or transparent

Energy efficiency: from A+ to E



Certifications:



refs. 1xBAPI04, 1xBARE04, 1xBALA04

Bety ref. BE04 pg. 132

465€

LAMPSHADE
Polypropylene

CANOPY
Steel gloss nickel-plated

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

43x43x63 cm
16,9x16,9x24,8 in
2,6kg | 5,1lb

One color: white


CABLE
Black or transparent

Energy efficiency: from A+ to E



Certifications:





Bety ref. BE04-LD pg.132

LAMPSHADE
Polypropylene

One color: white

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

LED / DIMMABLE

230V - 50Hz
● 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

693€
43x43x63 cm
16,9x16,9x24,8 in
2,7kg | 6lb



Certifications:
CE



Blum ref. BL04 pg. 30

LAMPSHADE
Painted stainless steel thread

One color: white

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

230V - 50Hz
● E27 LED - Max. 1x8 W
● E27 ECO - Max. 1x77 W
● E27 LED - Max. 1x12 W

Energy efficiency: from A+ to E

44x44x40 cm
17,3x17,3x15,7 in
2,7kg | 5,1lb



Certifications:
CE



Caos ref. CA04A pg. 122

LAMPSHADE
Cord

One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or Transparent

230V - 50Hz
● E27 LED - Max. 1x8 W
● E27 ECO - Max. 1x77 W
● E27 LED - Max. 1x12 W

Energy efficiency: from A+ to E

44x44x40 cm
17,3x17,3x15,7 in
1,5kg | 3,3lb



Certifications:
CE



Caos ref. CA04A-LD pg. 122

LAMPSHADE
Cord

One color to choose

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or Transparent

LED / DIMMABLE

230V - 50Hz
● 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

555€
44x44x40 cm
17,3x17,3x15,7 in
2kg | 4,6lb



Certifications:
CE



Caos ref. CA04AG pg. 123

LAMPSHADE

Cord

One color to choose

Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

230V - 50Hz



E27 LED - Max. 1x8 W



E27 ECO - Max. 1x77 W



E27 LED - Max. 1x12 W



51x51x53 cm
20x20x20,9 in
3,8kg | 8,6lb



Energy efficiency: from A+ to E

Certifications:



Caos ref. CA04AG-LD pg. 123

LAMPSHADE

Cord

One color to choose

Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

LED / DIMMABLE

230V - 50Hz



18,1W 3000K 1776lm built-in
upon request 2700K 1645lm



Dimming system DALI / Switch DIM
upon request PHASE CUT



51x51x53 cm
20x20x20,9 in
4kg | 8,8lb



Energy efficiency: from A++ to A

Certifications:



Caos ref. CA04B pg. 124

LAMPSHADE

Cord

One color to choose

Stainless steel

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

230V - 50Hz



E27 LED - Max. 1x8 W



E27 ECO - Max. 1x77 W



E27 LED - Max. 1x12 W



36x36x30 cm
14,2x14,2x11,8 in
1,5kg | 3,3lb



Energy efficiency: from A+ to E

Certifications:



Caos ref. CA04B-LD pg. 124

LAMPSHADE

Cord

One color to choose

Stainless steel

Bottom diffuser

CANOPY

Steel gloss nickel-plated

CABLE

Black or Transparent

LED / DIMMABLE

230V - 50Hz



18,1W 3000K 1776lm built-in
upon request 2700K 1645lm



Dimming system DALI / Switch DIM
upon request PHASE CUT



36x36x30 cm
14,2x14,2x11,8 in
2kg | 4,6lb



Energy efficiency: from A++ to A

Certifications:





Caos

ref. CA04A-3

LAMPSHADE

Cord

One color to choose

Stainless steel

refs. 3xCA04A

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

E27 LED - Max. 3x8 W

E27 ECO - Max. 3x77 W

E27 LED - Max. 3x12 W

60x80x92 cm
23,6x31,5x36,2 in
10,5kg | 23,1lb

Energy efficiency: from A+ to E

Certifications:

CE



Caos

ref. CA04AB-3

pg. 125

LAMPSHADE

Cord

One color to choose

Color combination: 48-47-51
or 2-3 color combination

Stainless steel

refs. 1xCA04A, 2xCA04B

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

E27 LED - Max. 3x8 W

E27 ECO - Max. 3x77 W

E27 LED - Max. 3x12 W

60x80x92 cm
23,6x31,5x36,2 in
10,5kg | 23,1lb

Energy efficiency: from A+ to E

Certifications:

CE



Caos

ref. CA04A-4

LAMPSHADE

Cord

One color to choose

Stainless steel

refs. 3xCA04A, 1xCA04AG

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

E27 LED - Max. 4x8 W

E27 ECO - Max. 4x77 W

E27 LED - Max. 4x12 W

80x120x115 cm
31,5x47,2x45,3 in
18kg | 39,6lb

Energy efficiency: from A+ to E

Certifications:

CE



Caos

ref. CA04A-6

LAMPSHADE

Cord

One color to choose

Color combination: 42-46-52
or 2-3 color combination

Stainless steel

refs. 6xCA04A

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

E27 LED - Max. 6x8 W

E27 ECO - Max. 6x77 W

E27 LED - Max. 6x12 W

80x120x115 cm
31,5x47,2x45,3 in
20kg | 44lb

Energy efficiency: from A+ to E

Certifications:

CE



Coral Cay ref. COCY04 pg. 56

390€

LAMPSHADE
Painted stainless steel

One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz

	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W
	E27 LED - Max. 1x8 W

36x36x30 cm
14,2x14,2x11,8 in
1,6kg | 3,4lb



Energy efficiency: from A+ to E

Certifications:



Coral Cay ref. COCY04-LD pg. 56

LED / DIMMABLE

607€

LAMPSHADE
Painted stainless steel

One color to choose

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz

	18,1W 3000K 1776lm
	built-in upon request 2700K 1645lm
	Dimming system DALI / Switch DIM upon request PHASE CUT

36x36x30 cm
14,2x14,2x11,8 in
2,1kg | 4,1lb



Energy efficiency: from A++ to A

Certifications:



Coral Galaxea ref. COGA04 pg. 57

390€

LAMPSHADE
Painted stainless steel

One color to choose

Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz

	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W
	E27 LED - Max. 1x8 W

36x36x30 cm
14,2x14,2x11,8 in
1,7kg | 3,7lb



Energy efficiency: from A+ to E

Certifications:



Coral Galaxea ref. COGA04-LD pg. 57

LED / DIMMABLE

607€

LAMPSHADE
Painted stainless steel

One color to choose

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz


	18,1W 3000K 1776lm
	built-in upon request 2700K 1645lm
	Dimming system DALI / Switch DIM upon request PHASE CUT

36x36x30 cm
14,2x14,2x11,8 in
2,7kg | 5,9lb



Energy efficiency: from A++ to A

Certifications:



Coral Reef ref. CORE04 pg. 57

390€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

61x27x20 cm
24x10,6x7,9 in
2,2kg | 4,8lb

One color to choose


CABLE
Black or transparent

Stainless steel



Energy efficiency: from A+ to E

Certifications:
CE



LED Coral Reef ref. CORE04-LD pg. 57 LED / DIMMABLE

643€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

61x27x20 cm
24x10,6x7,9 in
2,9kg | 6,4lb

One color to choose

CABLE
Black or transparent

Stainless steel



Energy efficiency: from A++ to A

Certifications:
CE



Coral Sea ref. COSE04 pg. 56

390€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

36x36x30 cm
14,2x14,2x11,8 in
2kg | 4,4lb

One color to choose

CABLE
Black or transparent

Stainless steel



Energy efficiency: from A+ to E

Certifications:
CE



LED Coral Sea ref. COSE04-LD pg. 56 LED / DIMMABLE

607€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

230V - 50Hz
18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

36x36x30 cm
14,2x14,2x11,8 in
2,5kg | 5,5lb

One color to choose

CABLE
Black or transparent

Stainless steel



Energy efficiency: from A++ to A

Certifications:
CE



Coral Seaurchin ref. COAU04 pg. 55

420€

LAMPSHADE	CANOPY	230V - 50Hz
Painted stainless steel	Steel gloss nickel-plated	E27 - Max. 1x100 W
One color to choose	CABLE	E27 LED - Max. 1x12 W
Stainless steel	Black or transparent	E27 ECO - Max. 1x77 W
		E27 LED - Max. 1x8 W

44x44x40 cm
17,3x17,3x15,7 in
2,9kg | 6,4lb

Energy efficiency: from A+ to E

Certifications:



LED

Coral Seaurchin ref. COAU04-LD pg. 55 LED / DIMMABLE

676€

LAMPSHADE	CANOPY	230V - 50Hz
Painted stainless steel	Steel gloss nickel-plated	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
One color to choose	CABLE	Dimming system DALI / Switch DIM upon request PHASE CUT
Stainless steel	Black or transparent	
Bottom diffuser		

44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,9lb

Energy efficiency: from A++ to A

Certifications:



Coral Seaurchin ref. COAU04G pg. 54

852€

LAMPSHADE	CANOPY	230V - 50Hz
Painted stainless steel	Steel gloss nickel-plated	E27 - Max. 4x100 W
One color to choose	CABLE	E27 LED - Max. 4x12 W
Stainless steel	Black or transparent	E27 ECO - Max. 4x77 W
		E27 LED - Max. 4x8 W

71x71x43 cm
28x28x16,9 in
7,2kg | 15,9lb

Energy efficiency: from A+ to E

Certifications:



Coral ref. C004-3 pg. 60

1.563€


LAMPSHADE	CANOPY	230V - 50Hz
Painted stainless steel	DIBOND®	E27 - Max. 3x100 W
One color to choose	CABLE	E27 LED - Max. 3x12 W
Stainless steel	Transparent	E27 ECO - Max. 3x77 W

60x80x85 cm
23,6x31,5x33,5 in
12kg | 26,5lb

Energy efficiency: from A+ to E

Certifications:


refs. 1xCOAU04, 1xC0SE04, 1xC0GA04




Coral ref. C004-5 pg. 61

LAMPSHADE Painted stainless steel	CANOPY DIBOND®	230V - 50Hz
One color to choose	CABLE Transparent	E27 - Max. 5x100 W
Stainless steel		E27 LED - Max. 5x12 W
		E27 ECO - Max. 5x77 W
refs. 1xC0AU04, 1xC0CY04, 1xC0SE04, 1xC0GA04, 1xC0RE04		

2.403€




Certifications:




Coral ref. C004-10 pg. 62

LAMPSHADE Painted stainless steel	CANOPY DIBOND®	230V - 50Hz
One color to choose	CABLE Transparent	E27 - Max. 13x100 W
Stainless steel		E27 LED - Max. 13x12 W
		E27 ECO - Max. 13x77 W
refs. 2xC0AU04, 1xC0CY04, 2xC0SE04, 2xC0GA04, 2xC0RE04, 1xC0AU04G		

5.178€




Certifications:




Curvas ref. CV04 pg. 152

LAMPSHADE Glass	CANOPY Steel gloss nickel-plated	230V - 50Hz
One color to choose	CABLE Black or transparent	E27 - Max. 1x100 W
Bottom diffuser		E27 LED - Max. 1x12 W
		E27 ECO - Max. 1x77 W
Energy efficiency: from A+ to E		

666€




Certifications:



Curvas ref. CV04-1 pg. 152

LAMPSHADE Glass	CANOPY Steel gloss nickel-plated	230V - 50Hz
One color to choose	CABLE Black or transparent	E14 - Max. 1x9 W
		E14 ECO - Max. 1x46 W
		E14 LED - Max. 1x7 W
		E14 - Max. 1x60 W
Energy efficiency: from A+ to E		

282€



Certifications:






Curvas ref. CVO4G pg. 152

1.138€


LAMPSHADE	CANOPY	230V - 50Hz	61x61x33 cm 24x24x13 in 15,7kg 34,6lb
Glass	Steel gloss nickel-plated	E27 - Max. 4x100 W	
		E27 LED - Max. 4x12 W	
One color to choose	CABLE	E27 ECO - Max. 4x77 W	Energy efficiency: from A+ to E
Top and bottom diffuser	Black or transparent		
			Certifications:



Curvas ref. CVO4C-3 pg. 154

2.107€


LAMPSHADE	CANOPY	230V - 50Hz	60x80x95 cm 23,6x31,5x37,4 in 16kg 35lb
Glass	DIBOND®	E27 - Max. 3x100 W	
		E27 LED - Max. 3x12 W	
One color to choose	CABLE	E27 ECO - Max. 3x77 W	Energy efficiency: from A+ to E
Bottom diffuser	Black or transparent		
refs. 3xCVO4			Certifications:



Curvas ref. CVO4-7 pg. 155

4.368€


LAMPSHADE	CANOPY	230V - 50Hz	80x120x125 cm 31,5x47,2x49,2 in 35kg 77lb
Glass	DIBOND®	E27 - Max. 7x100 W	
		E27 LED - Max. 7x12 W	
One color to choose	CABLE	E27 ECO - Max. 7x77 W	Energy efficiency: from A+ to E
Bottom diffuser	Black or transparent		
refs. 7xCVO4			Certifications:



Doscubos ref. D004-1

172€

LAMPSHADE	CANOPY	230V - 50Hz	21x21x22 cm 8,3x8,3x8,7 in 1kg 2,2lb
Glass	Painted steel and stainless steel	E14 - Max. 1x9 W	
		E14 ECO - Max. 1x46 W	
One color to choose	CABLE	E14 LED - Max. 1x7W	Energy efficiency: from A+ to E
	Black or transparent	E14 - Max. 1x60 W	
			Certifications:



Encaixe ref. EN04

468€

LAMPSHADE

Glass

One color to choose

CANOPY

Painted steel
and stainless steel

230V - 50Hz

 E27 - Max. 1x100 W

 E27 LED - Max. 1x12 W


 E27 ECO - Max. 1x77 W



43x43x30 cm
17x17x11,8 in
4,3kg | 9,5lb



Certifications:



Fluo ref. FL04

pg. 108

687€

LAMPSHADE

Galvanized painted steel

One color to choose*

CANOPY

Steel gloss nickel-plated
and Stainless steel

230V - 50Hz

 E27 LED - Max. 1x8 W

 E27 - Max. 1x100 W

 E27 LED - Max. 1x12 W



80x75x75 cm
31,5x29,5x29,5 in
7,6kg | 16,7lb



Certifications:



*For orders of 5 or more units
select any color NCS

Energy efficiency: from A+ to E



Fluo ref. FL04-4

pg. 110

2.454€*

LAMPSHADE

Galvanized painted steel

One color to choose**

CANOPY

Stainless steel

230V - 50Hz

 E27 LED - Max. 4x8 W

 E27 - Max. 4x100 W

 E27 LED - Max. 4x12 W



75x80x195 cm
29,5x31x77 in



75x80x72 cm
29,5x31x28 in
16kg | 35lb




Certifications:



**For orders of 5 or more units
select any color NCS

Energy efficiency: from A+ to E

*Transport not included
price upon request



Fluo ref. FL04-16

pg. 111

9.441€*

LAMPSHADE

Galvanized painted steel

One color to choose**

CANOPY FLORÓN

Stainless steel

230V - 50Hz

 E27 LED - Max. 16x8 W

 E27 - Max. 16x100 W

 E27 LED - Max. 16x12 W



75x80x200 cm
29,5x31,5x78,7 in



75x80x72 cm
29,5x31,5x28,3 in



15x15x190 cm
5,91x5,91x74,8 in

77kg | 170lb



Certifications:



25

**For orders of 5 or more units
select any color NCS

Energy efficiency: from A+ to E

*Transport not included
price upon request





Geo ref. GEO4 pg. 67

351€

LAMPSHADE
Painted stainless steel

One color to choose

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W

61x27x20 cm
24x10,6x7,9 in
2kg | 4,4lb



Energy efficiency: from A+ to E

Certifications:



LED Geo ref. GEO4-LD pg. 67

LED / DIMMABLE

577€

LAMPSHADE
Painted stainless steel

One color to choose

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / SWITCH DIM upon request PHASE CUT	

61x27x20 cm
24x10,6x7,9 in
2,5kg | 5,8lb



Energy efficiency: from A++ to A

Certifications:



Iki ref. IK04 pg. 93

799€

LAMPSHADE
Painted stainless steel

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz	
	E27 - Max. 2x100 W
	E27 LED - Max. 2x12 W
	E27 ECO - Max. 2x77 W

125x31x32 cm
49,2x12,2x12,6 in
6kg | 13,2lb



Energy efficiency: from A+ to E

Certifications:



Kite ref. KT04 pg. 96

835€

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz	
	2GX13 - Max. 1x55 W

71x71x13 cm
28x28x5,1 in
7kg | 15,4lb



Energy efficiency: from A+ to B

Certifications:



9cm | 3,5in

150cm | 59,1in

92x85cm | 36,2x33,4in [diagonal]

Kite ref. KT04-D pg. 96

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz

26X13 - Max. 1x55 W

Dimming system DALI / Switch DIM

 71x71x13 cm
28x28x5,1 in
7kg | 15,4lb



Certifications:




9cm | 3,5in

150cm | 59,1in

92x85cm | 36,2x33,4in [diagonal]

Kite ref. KT04-LD pg. 96

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz

 47,2W 5.536lm 3000K built-in
upon request 2700K

Dimming system DALI / Switch DIM
upon request PHASE CUT

 71x71x13 cm
28x28x5,1 in
9kg | 19,8lb



Certifications:




9cm | 3,5 in

150cm | 59,1in

133x119cm | 52,4x46,8in [diagonal]

Kite ref. KT04G pg. 97

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz

 G5 - Max. 4x24 W

 100x100x12 cm
39,4x39,4x4,7 in
10,4kg | 22,9lb



Certifications:




9cm | 3,5 in

150cm | 59,1in

133x119cm | 52,4x46,8in [diagonal]

Kite ref. KT04G-D pg. 97

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

Painted steel

CANOPY
Stainless steel

CABLE
Transparent

230V - 50Hz


 G5 - Max. 4x24 W

Dimming system DALI / Switch DIM

 100x100x12 cm
39,4x39,4x4,7 in
10,4kg | 22,9lb



Certifications:

Kite ref. **KT04G-LD** pg. 97

LAMPSHADE SIMETECH® by arturo alvarez pg.179	CANOPY Stainless steel
One color to choose	CABLE Transparent
Painted steel	

LED / DIMMABLE


230V - 50Hz
73,6W 9.600lm 3000K built-in upon request 2700K
Dimming system DALI / Switch DIM upon request PHASE CUT

	100x100x12 cm 39,4x39,4x4,7 in 13kg 28,7lb
--	--



Energy efficiency: A++

Certifications:



Luisa ref. **LS04** pg. 40

LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated
One color to choose	CABLE Transparent
Stainless steel	

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

	44x44x40 cm 17,3x17,3x15,7 in 3kg 6,6lb
--	---



Energy efficiency: from A+ to E

Certifications:



Luisa ref. **LS04-LD** pg. 40

LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated
One color to choose	CABLE Transparent
Stainless steel	
Bottom diffuser	

LED / DIMMABLE

230V - 50Hz
18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT

	44x44x40 cm 17,3x17,3x15,7 in 3,5kg 7,1lb
--	---



Energy efficiency: from A++ to A

Certifications:



Luisa ref. **LS04G** pg. 40

LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated
One color to choose	CABLE Transparent
Stainless steel	

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x8 W

	51x51x53 cm 20x20x20,9 in 4kg 9lb
--	---



Energy efficiency: from A+ to E

Certifications:





Luisa ref. **LS04G-LD** pg. 40

LAMPSHADE
Painted stainless steel

One color to choose

Stainless steel

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

LED / DIMMABLE

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

€871€

51x51x53 cm
20x20x20,9 in
4,6kg | 10,1lb



Certifications:



Nevo ref. **NEO4** pg. 78

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Transparent

230V - 50Hz

E27 - Max. 3x100 W

E27 LED - Max. 3x12 W

E27 ECO - Max. 3x77 W


Energy efficiency: from A+ to E

660€

61x61x32 cm
24x24x12,6 in
5kg | 11lb



Certifications:



Nevo ref. **NEO4G** pg. 79

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Transparent

230V - 50Hz

E27 - Max. 4x100 W

E27 LED - Max. 4x12 W

E27 ECO - Max. 4x77 W


Energy efficiency: from A+ to E

1.302€

84x84x38 cm
33x33x15 in
9,4kg | 20,7lb



Certifications:



Nevo ref. **NEO4-1** pg. 78

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

230V - 50Hz

E14 - Max. 2x9 W

E14 - Max. 2x11 W

E14 ECO - Max. 2x46 W

E14 LED - Max. 2x7 W

E14 - Max. 2x60 W

Energy efficiency: from A+ to E

433€

43x43x30 cm
17x17x11,8 in
2,3kg | 5lb



Certifications:





Nevo ref. NE04-1-LD

pg. 78

LED / DIMMABLE

606€

LAMPSHADE

Painted stainless steel

CANOPY

Steel gloss nickel-plated

One color to choose

CABLE

Transparent

Steel gloss nickel-plated
and Stainless steel

Inside diffuser

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT


Energy efficiency: from A++ to A



43x43x30 cm
17x17x11,8 in
2,6kg | 5,1lb



Certifications:



Nevo ref. NE04-6

2.445€

LAMPSHADE

Painted stainless steel

CANOPY

DIBOND®

One color to choose

CABLE

Transparent

Steel gloss nickel-plated
and Stainless steel

230V - 50Hz

E14 - Max. 12x9 W
E14 ECO - Max. 12x46 W
E14 LED - Max. 12x7 W
E14 - Max. 12x60 W


Energy efficiency: from A+ to E



60x80x82 cm
23,6x31,5x32,3 in
20kg | 40lb



Certifications:



refs. 3xNE06P, 3xNE04-1

Nevo ref. NE04-11

4.956€

LAMPSHADE

Painted stainless steel

CANOPY

DIBOND®

One color to choose

CABLE

Transparent

Steel gloss nickel-plated
and Stainless steel

230V - 50Hz

E14 - Max. 22x9 W
E14 ECO - Max. 22x46 W
E14 LED - Max. 22x7 W
E14 - Max. 22x60 W


Energy efficiency: from A+ to E



80x120x135 cm
31,5x47,2x53,1 in
53kg | 116,8lb



Certifications:



refs. 4xNE06P, 7xNE04-1



Onn ref. ONO4 pg. 17

438€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

One color to choose

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECD - Max. 1x77 W

44x44x40 cm
17,3x17,3x15,7 in
3kg | 6,6lb



Energy efficiency: from A+ to E

Certifications:
CE



LED Onn ref. ONO4-LD pg. 17

LED / DIMMABLE

756€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

One color to choose

CABLE
Black or transparent

230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT	

44x44x40 cm
17,3x17,3x15,7 in
3,8kg | 8,4lb



Energy efficiency: from A++ to A

Certifications:
CE



Onn ref. ONO4G pg. 16

798€

LAMPSHADE
Painted stainless steel

CANOPY
Steel gloss nickel-plated

One color to choose

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 3x100 W
	E27 LED - Max. 3x12 W
	E27 ECD - Max. 3x77 W

43x43x63 cm
16,9x16,9x24,8 in
4,8kg | 10,6lb



Energy efficiency: from A+ to E

Certifications:
CE



LED Onn ref. ONO4G-LD pg. 16

LED / DIMMABLE

993€

LAMPSHA
Painted stainless steel

CANOPY
Steel gloss nickel-plated

One color to choose

CABLE
Black or transparent


230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT	

43x43x63 cm
16,9x16,9x24,8 in
5,6kg | 12,3lb



Energy efficiency: from A++ to A

Certifications:
CE



Pili ref. PL04 pg. 24

LAMPSHADE
Painted stainless steel thread

One color: white

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

230V - 50Hz	
	E27 LED - Max. 1x8 W
	E27 EC0 - Max. 1x77 W
	E27 LED - Max. 1x12 W

44x44x40 cm
17,3x17,3x15,7 in
2,5kg | 5,5lb




Energy efficiency: from A+ to E

Certifications:



426€



Pili ref. PL04G pg. 24

LAMPSHADE
Painted stainless steel thread

One color: white

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

230V - 50Hz	
	E27 LED - Max. 1x8 W
	E27 EC0 - Max. 1x77 W
	E27 LED - Max. 1x12 W

51x51x53 cm
20x20x20,9 in
3,4kg | 7,5lb




Energy efficiency: from A+ to E

Certifications:



523€



Pili ref. PL04-4 pg. 25

LAMPSHADE
Painted stainless steel thread

One color

CANOPY
Steel gloss nickel-plated

CABLE
Transparent

230V - 50Hz	
	E27 LED - Max. 4x8 W
	E27 EC0 - Max. 4x77 W
	E27 LED - Max. 4x12 W

80x120x115 cm
31,5x47,2x45,3 in
17,6kg | 38,8lb



Energy efficiency: from A+ to E

Certifications:



2.077€

refs. 4xPL04G



Shio ref. SH04 pg. 158

LAMPSHADE
Plywood

One color to choose

CANOPY
Steel gloss nickel-plated
and Stainless steel

Painted steel

Top and bottom diffuser

230V - 50Hz	
	2GX13 - Max. 1x55 W

61x61x22 cm
24x24x8,7 in
7,8kg | 17,2lb



Energy efficiency: from A+ to B

Certifications:



744€



Shio

ref. SH04-D

pg. 158

LAMPSHADE

Plywood

One color to choose

Painted steel

Top and bottom diffuserr

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

230V - 50Hz

2GX13 - Max. 1x55 W

Dimming system DALI / Switch DIM

Energy efficiency: from A+ to B

61x61x22 cm

24x24x8,7 in

7,8kg | 17,2lb

Certifications:

CE

150cm | 59,1in

13cm | 5,1in

Ø 34cm | 13,4in

Shio

ref. SH04-1

pg. 158

LAMPSHADE

Plywood

One color to choose

Painted steel

Top and bottom diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

230V - 50Hz

2GX13 - Max. 1x22 W

Energy efficiency: from A+ to B

44x44x20 cm

17,3x17,3x7,9 in

4,2kg | 9,1lb

Certifications:

CE

150cm | 59,1in

13cm | 5,1in

Ø 34cm | 13,4in

Shio

ref. SH04-1-D

pg. 158

LAMPSHADE

Plywood

One color to choose

Painted steel

Top and bottom diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

230V - 50Hz

2GX13 - Max. 1x22 W

Dimming system DALI / Switch DIM

Energy efficiency: from A+ to B

44x44x20 cm

17,3x17,3x7,9 in

4,2kg | 9,1lb

Certifications:

CE

150cm | 59,1in

13cm | 5,1in

Ø 34cm | 13,4in

LED

Shio

ref. SH04-1-LD

pg. 158

LAMPSHADE

Plywood

One color to choose

Painted steel

Top and bottom diffuser

CANOPY

Steel gloss nickel-plated and Stainless steel

CABLE

Black or transparent

230V - 50Hz

18,1W

3000K

1776lm

built-in

upon request 2700K

1645lm

Dimming system DALI / Switch DIM

upon request PHASE CUT

Energy efficiency: from A++ to A

44x44x40 cm

17,3x17,3x15,7 in

4,7kg | 10,5lb

Certifications:

CE

33



Tati ref. TA04 pg. 72

660€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 3x100 W
	E27 LED - Max. 3x12 W
	E27 ECO - Max. 3x77 W

Energy efficiency: from A+ to E

61x61x32 cm
24x24x12,6 in
4kg | 8,8lb



Certifications:



Tati ref. TA04G

1.258€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 4x100 W
	E27 LED - Max. 4x12 W
	E27 ECO - Max. 4x77 W

Energy efficiency: from A+ to E

84x84x38 cm
33,1x33,1x15 in
9kg | 19,8lb



Certifications:



Tati ref. TA04-1 pg. 73

441€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

52x47x21 cm
20,5x18,5x8,3 in
3kg | 6,6lb



Certifications:



LED Tati ref. TA04-1-LD pg. 73

LED / DIMMABLE

694€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and Stainless steel

Inside diffuser

CANOPY
Steel gloss nickel-plated
and Stainless steel

CABLE
Black or transparent

230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT	

Energy efficiency: from A++ to A

52x47x21 cm
20,5x18,5x8,3 in
3,5kg | 7,1lb



Certifications:





Tati_{ref.} TA04-3

1.557€

LAMPSHADE

Painted stainless steel

One color to choose

Steel gloss nickel-plated and Stainless steel

refs. 3xTA06G

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz


- E14 - Max. 6x9 W
- E14 - Max. 6x11 W
- E14 ECO - Max. 6x46 W
- E14 LED - Max. 6x7 W
- E14 - Max. 6x60 W

60x80x82 cm
23,6x31,5x32,3 in
19kg | 41,9lb



Energy efficiency: from A+ to E

Certifications:



Tati_{ref.} TA04-5

2.331€

LAMPSHADE

Painted stainless steel

One color to choose

Two color combination

Steel gloss nickel-plated and Stainless steel

refs. 3xTA06G, 2xTA06P

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

- E14 - Max. 10x9 W
- E14 - Max. 10x11 W
- E14 ECO - Max. 10x46 W
- E14 LED - Max. 10x7 W
- E14 - Max. 10x60 W

60x80x82 cm
23,6x31,5x32,3 in
25kg | 55,1lb



Energy efficiency: from A+ to E

Certifications:



Tati_{ref.} TA04-10

4.857€

LAMPSHADE

Painted stainless steel

One color to choose

Two color combination

Steel gloss nickel-plated and Stainless steel

refs. 6xTA06G, 4xTA06P

CANOPY

DIBOND®

CABLE

Transparent

230V - 50Hz

- E14 - Max. 20x9 W
- E14 - Max. 20x11 W
- E14 ECO - Max. 20x46 W
- E14 LED - Max. 20x7 W
- E14 - Max. 20x60 W

80x120x135 cm
31,5x47,2x53,1 in
55kg | 121,3lb



Energy efficiency: from A+ to E

Certifications:





Tempo Andante ref. TEAN04

pg. 34

444€

LAMPSHADE
Painted stainless steel

One color to choose

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W

61x27x20 cm
24x10,6x7,9 in
1,8kg | 3,2lb



Energy efficiency: from A+ to E

Certifications:



Tempo Andante ref. TEAN04-LD

pg. 34

LED / DIMMABLE

699€

LAMPSHADE
Painted stainless steel

One color to choose

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT	

61x27x20 cm
24x10,6x7,9 in
2,4kg | 5,5lb



Energy efficiency: from A++ to A

Certifications:



Tempo Vivace ref. TEVIO4

pg. 36

432€

LAMPSHADE
Painted stainless steel

One color to choose

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	E27 - Max. 1x100 W
	E27 LED - Max. 1x12 W
	E27 ECO - Max. 1x77 W

43x43x30 cm
17x17x11,8 in
2,2kg | 4,8lb



Energy efficiency: from A+ to E

Certifications:



Tempo Vivace ref. TEVIO4-LD

pg. 36

LED / DIMMABLE

687€

LAMPSHADE
Painted stainless steel

One color to choose

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz	
	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Dimming system DALI / Switch DIM upon request PHASE CUT	

43x43x30 cm
17x17x11,8 in
3kg | 6,6lb



Energy efficiency: from A++ to A

Certifications:



Tina ref. TN04

pg. 136

471€

LAMPSHADE

Polypropylene

CANOPY

Steel gloss nickel-plated

One color: white

CABLE

Black or transparent

Painted steel

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

E27 LED - Max. 1x8 W



110x31x25 cm
43,3x12,2x9,8 in
3,8kg | 8,3lb



Energy efficiency: from A+ to E

Certifications:



Tina ref. TN04-LD

pg. 136

LED/DIMMABLE

664€

LAMPSHADE

Polypropylene

CANOPY

Steel gloss nickel-plated

One color: white

CABLE

Black or transparent

Painted steel

Bottom diffuser

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT



110x31x25 cm
43,3x12,2x9,8 in
4,3kg | 9,7lb



Energy efficiency: from A++ to A

Certifications:



Tina ref. TN04G

pg. 136

501€

LAMPSHADE

Polypropylene

CANOPY

Steel gloss nickel-plated

One color: white

CABLE

Black or transparent

Painted steel

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

E27 LED - Max. 1x8 W



110x31x25 cm
43,3x12,2x9,8 in
5,1kg | 11,2lb



Energy efficiency: from A+ to E

Certifications:



Tina ref. TN04G-LD

pg. 136

LED / DIMMABLE

687€

LAMPSHADE

Polypropylene

CANOPY

Steel gloss nickel-plated

One color: white

CABLE

Black or transparent

Painted steel

Bottom diffuser

230V - 50Hz

18,1W 3000K 1776lm built-in
upon request 2700K 1645lm

Dimming system DALI / Switch DIM
upon request PHASE CUT



110x31x25 cm
43,3x12,2x9,8 in
5,7kg | 12,6lb



Energy efficiency: from A++ to A

Certifications:





Tina ref. TN04-5

pg. 138

LAMPSHADE Polypropylene	CANOPY DIBOND®	230V - 50Hz
One color: white	CABLE Transparent	E27 - Max. 5x100 W
Painted steel		E27 LED - Max. 5x12 W
		E27 ECO - Max. 5x77 W
		E27 LED - Max. 5x8 W
refs. 5xTN04		Energy efficiency: from A+ to E

2.913€

80x120x135 cm
31,5x47,2x53,1 in
38kg | 83,8lb

Certifications:
CE



Ura 1 ref. UR104

pg. 6

LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated	230V - 50Hz
One color to choose	CABLE Black or transparent	E27 - Max. 1x100 W
		E27 LED - Max. 1x12 W
		E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

444€

61x61x33 cm
24x24x13 in
4,2kg | 9,2lb

Certifications:
CE



LED

Ura 1 ref. UR104-LD

pg. 6


LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated	230V - 50Hz
One color to choose	CABLE Black or transparent	18,1W 3000K 1776lm built-in upon request 2700K 1645lm
Bottom diffuser		Dimming system DALI / Switch DIM upon request PHASE CUT

Energy efficiency: from A++ to A

579€

61x61x33 cm
24x24x13 in
4,7kg | 10,4lb

Certifications:
CE



Ura 2 ref. UR204

pg. 7

LAMPSHADE Painted stainless steel	CANOPY Steel gloss nickel-plated	230V - 50Hz
One color to choose	CABLE Black or transparent	E27 - Max. 1x100 W
		E27 LED - Max. 1x12 W
		E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

360€

46x24x25 cm
18,1x9,4x9,8 in
1,6kg | 3,5lb

Certifications:
CE



Ura 2 ref. UR204-LD pg. 7

LAMPSHADE
Painted stainless steel

One color to choose

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

LED / DIMMABLE

230V - 50Hz
● 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

505€

46x24x25 cm
18,1x9,4x9,8 in
2,1kg | 4,6lb

Certifications:
CE



Ura 3 ref. UR304 pg. 8

LAMPSHADE
Painted stainless steel

One color to choose

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

230V - 50Hz
● E27 - Max. 1x100 W
● E27 LED - Max. 1x12 W
● E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

360€

36x36x30 cm
14,2x14,2x11,8 in
1,6kg | 3,5lb

Certifications:
CE



Ura 3 ref. UR304-LD pg. 8

LAMPSHADE
Painted stainless steel

One color to choose

Bottom diffuser

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent

LED / DIMMABLE

230V - 50Hz
● 18,1W 3000K 1776lm built-in
upon request 2700K 1645lm
Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: from A++ to A

505€

36x36x30 cm
14,2x14,2x11,8 in
2kg | 4,4lb

Certifications:
CE



Ura ref. UR04-3 pg. 9

LAMPSHADE
Painted stainless steel

One color to choose

refs. 1xUR104, 1xUR204, 1xUR304

CANOPY
Steel gloss nickel-plated

CABLE
Black or transparent


230V - 50Hz
● E27 - Max. 3x100 W
● E27 LED - Max. 3x12 W
● E27 ECO - Max. 3x77 W

Energy efficiency: from A+ to E

1.566€

60x80x95 cm
23,6x31,5x37,4 in
10,2kg | 22,5lb

Certifications:
CE



Uxi ref. UX04 pg. 163

LAMPSHADE
Plywood

One color to choose

Top and bottom diffuser

CANOPY
Stainless steel


CABLE
Black or transparent

230V - 50Hz
G5 - Max. 2x39 W

Energy efficiency: from A+ to B

110x31x25 cm
43,3x12,2x9,8 in
7,7kg | 17lb

Certifications:



Uxi ref. UX04-D pg. 163

LAMPSHADE
Plywood

One color to choose

Top and bottom diffuser

CANOPY
Stainless steel

CABLE
Black or transparent

DIMMABLE


230V - 50Hz
G5 - Max. 2x39 W

Dimming system DALI / Switch DIM

Energy efficiency: from A+ to B

110x31x25 cm
43,3x12,2x9,8 in
7,7kg | 17lb

Certifications:



V ref. VV04 pg. 168

LAMPSHADE
Polycarbonate

One color to choose

Glass diffuser

CANOPY
Steel gloss nickel-plated and Stainless steel

CABLE
Black or transparent

230V - 50Hz

E27 - Max. 1x100 W

E27 LED - Max. 1x12 W

E27 ECO - Max. 1x77 W

Energy efficiency: from A+ to E

84x84x38 cm
33x33x15 in
9,6kg | 21,2lb

Certifications:



V ref. VV04G pg. 168

LAMPSHADE
Polycarbonate

One color to choose

Glass diffuser

CANOPY
Steel gloss nickel-plated and Stainless steel

CABLE
Black or transparent

230V - 50Hz

E27 - Max. 4x100 W

E27 LED - Max. 4x12 W


E27 ECO - Max. 4x77 W

Energy efficiency: from A+ to E

108x108x33 cm
42,5x42,5x13 in
10kg | 22lb

60x60x55 cm
23,6x23,6x21,6 in
12kg | 26,4lb

Certifications:



Vento ref. VN04-LD pg. 148

LAMPSHADE
Glass

CANOPY
Stainless steel

One color to choose or combinations:
Pink:02+84
Brown: 90+95

CABLE
Black or transparent

Bottom diffuser

LED / DIMMABLE


230V - 50Hz
23,6W 2.768lm 3000K built-in upon request 2700K
Dimming system DALI / Switch DIM upon request PHASE CUT

Energy efficiency: A++

125x30x30 cm
49,2x11,8x11,8 in
9,8kg | 21,6lb



Certifications:
CE



Vento ref. VN04-1 pg. 149

LAMPSHADE
Glass

CANOPY
Stainless steel

One color to choose or combinations:
Pink:02+84
Brown: 90+95

CABLE
Black or transparent

NOTE: VENTO collection are not guaranteed with halogen G9.
Only guaranteed with G9 energy savings lamps, G9 LED or G9 ECO Halogens

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

Energy efficiency: from A+ to C

80x30x30 cm
31,5x11,8x11,8 in
3,7kg | 8,2lb



Certifications:
CE



Woods ref. WD04 pg. 165

LAMPSHADE
Birch

CANOPY
Painted steel

Glass diffuser

CABLE
Transparent

230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W


Energy efficiency: from A+ to E

61x61x33 cm
24x24x13 in
17kg | 37,7lb



Certifications:
CE

WALL & CEILING LAMPS



Apliques ref. A0604

297€

LAMPSHADE
Glass

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

230V - 50Hz
E14 - Max. 2x11 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

50x20x25 cm
19,7x7,9x9,8 in
1,5kg | 3,3lb



Energy efficiency: from A+ to E

Certifications:
CE



Ballet ref. BA06 pg. 50

420€

LAMPSHADE
Painted stainless steel

One color to choose

SUPPORT
Painted steel

MOUNTING OPTIONS
Wall lamp


230V - 50Hz
E27 - Max. 1x100 W
E27 LED - Max. 1x12 W
E27 ECO - Max. 1x77 W

44x44x20 cm
17,3x17,3x7,9 in
1,9kg | 4,2lb



Energy efficiency: from A+ to E

Certifications:
CE



Blum ref. BL06 pg. 31

375€

LAMPSHADE
Painted stainless steel thread

One color: white

SUPPORT
Painted steel

MOUNTING OPTIONS
Wall lamp


230V - 50Hz
E27 LED - Max. 1x8 W
E27 ECO - Max. 1x77 W
E27 LED - Max. 1x12 W

43x43x30 cm
17x17x11,8 in
1,5kg | 3,3lb



Energy efficiency: from A+ to E

Certifications:
CE



Cors_{ref.} CR06 pg. 85

228€

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

50x20x25 cm
19,7x7,9x9,8 in
1kg | 2,2lb


One color to choose

MOUNTING OPTIONS
Wall lamp

Energy efficiency: from A+ to C



Certifications:



Curvas_{ref.} CV06

375€

LAMPSHADE
Glass

SUPPORT
Stainless steel

230V - 50Hz
E14 - Max. 2x11 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

61x27x20 cm
24x10,6x7,9 in
3kg | 6,5lb


One color to choose

MOUNTING OPTIONS
Wall lamp

Energy efficiency: from A+ to E



Certifications:



Doscubos_{ref.} D006G

228€

LAMPSHADE
Glass

SUPPORT
Stainless steel

230V - 50Hz
G9 LED - Max. 1x4 W
G9 ECO - Max. 1x42 W
G9 ECO - Max. 1x33 W

21x21x22 cm
8,3x8,3x8,7 in
1,3kg | 2,8lb


One color to choose

MOUNTING OPTIONS
Wall & ceiling lamp

Energy efficiency: from A+ to C



Certifications:



Gea_{ref.} GE06 pg. 68

228€

LAMPSHADE
Painted stainless steel

SUPPORT
Stainless steel

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

34x24x14 cm
13,4x9,4x5,5 in
1kg | 2,2lb

One color to choose

MOUNTING OPTIONS
Wall lamp

Energy efficiency: from A+ to C



Certifications:





Kite ref. **KT06G** pg. 98

LAMPSHAD
SIMETECH® by arturo alvarez
pg.179

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

230V - 50Hz
G5 - Max. 4x24 W

Energy efficiency: from A+ to B

102x102x12 cm
40,1x40,1x4,7 in
10kg | 22lb



Certifications:



Kite ref. **KT06G-D** pg. 98

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

DIMMABLE
230V - 50Hz
G5 - Max. 4x24 W
Dimming system DALI / Switch DIM

Energy efficiency: from A+ to B

102x102x12 cm
40,1x40,1x4,7 in
10kg | 22lb



Certifications:



Kite ref. **KT06G-LD** pg. 98

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

LED / DIMMABLE
230V - 50Hz
73,6W 9.600lm 3000K built-in
upon request 2700K
Dimming system DALI / Switch DIM
upon request PHASE CUT

Energy efficiency: A++

102x102x12 cm
40,1x40,1x4,7 in
11kg | 24,2lb



Certifications:



Li ref. **LI06** pg. 128

LAMPSHADE
Pressed Cellulose

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall lamp

DIMMABLE
230V - 50Hz
11,8W 1.805lm 3000K built-in
upon request 2700K
Dimming system Phase Cut included


Energy efficiency: A++

70x21x12 cm
27,6x8,3x4,7 in
2kg | 4,4lb



Certifications:





Onn ref. ON06 pg. 18

LAMPSHADE
Painted stainless steel

One color: white

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp


230V - 50Hz	
E27 - Max. 1x100 W	
E27 LED - Max. 1x12 W	
E27 ECO - Max. 1x77 W	

432€

52x47x31 cm
20,5x18,5x12,2 in
4,4kg | 9,7lb



Certifications:



Onn ref. ON06G pg. 18

LAMPSHADE
Painted stainless steel

One color: white

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

230V - 50Hz	
E27 - Max. 3x100 W	
E27 LED - Max. 3x12 W	
E27 ECO - Max. 3x77 W	

777€

71x71x30 cm
28x28x11,8 in
6,1kg | 13,4lb



Certifications:



Planum ref. PM06R pg. 102

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

230V - 50Hz	
G5 - Max. 4x24 W	

792€

102x102x12 cm
40,1x40,1x4,7 in
9kg | 19,8lb



Certifications:



Planum ref. PM06R-D pg. 102

LAMPSHADE
SIMETECH® by arturo alvarez
pg.179

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp

230V - 50Hz	
G5 - Max. 4x24 W	
Dimming system DALI / Switch DIM	

870€

102x102x12 cm
40,1x40,1x4,7 in
9kg | 19,8lb



Certifications:





LED

Planum

ref. PM06R-LD

pg. 102

LED / DIMMABLE

1.089€

LAMP SHADE SIMETECH® by arturo alvarez pg.179 One color to choose	SUPPORT Stainless steel MOUNTING OPTIONS Wall & ceiling lamp	230V - 50Hz 73,6W 9.600lm 3000K built-in upon request 2700K Dimming system DALI / Switch DIM upon request PHASE CUT	102x102x12 cm 40,1x40,1x4,7 in 10kg 22lb Certifications: CE
---	---	--	---



Planum

ref. PM06PR

pg. 103

DIMMABLE

553€

LAMP SHADE SIMETECH® by arturo alvarez pg.179 One color to choose	SUPPORT Stainless steel MOUNTING OPTIONS Wall & ceiling lamp	230V - 50Hz G5 - Max. 2x24 W Energy efficiency: from A+ to B	100x53x12 cm 39,4x20,9x4,7 in 4,5kg 9,9lb Certifications: CE
---	---	---	--



Planum

ref. PM06PR-D

pg. 103

DIMMABLE

627€

LAMP SHADE SIMETECH® by arturo alvarez pg.179 One color to choose	SUPPORT Stainless steel MOUNTING OPTIONS Wall & ceiling lamp	230V - 50Hz G5 - Max. 2x24 W Dimming system DALI / Switch DIM Energy efficiency: from A+ to B	100x53x12 cm 39,4x20,9x4,7 in 4,5kg 9,9lb Certifications: CE
---	---	---	--



LED

Planum


ref. PM06PR-LD

pg. 103

LED / DIMMABLE

756€

LAMP SHADE SIMETECH® by arturo alvarez pg.179 One color to choose	SUPPORT Stainless steel MOUNTING OPTIONS Wall & ceiling lamp	230V - 50Hz 36,8W 4.800lm 3000K built-in upon request 2700K Dimming system DALI / Switch DIM upon request PHASE CUT Energy efficiency: A++	100x53x12 cm 39,4x20,9x4,7 in 5kg 11lb Certifications: CE
---	---	--	---



Tati ref. TA06 pg. 75

226€

LAMPSHADE
Painted stainless steel

One color to choose

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall lamp


230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

34x24x14 cm
13,4x9,4x5,5 in
1kg | 2,2lb



Energy efficiency: from A+ to C

Certifications:
CE



Tati ref. TA06G

394€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp


230V - 50Hz
E14 - Max. 2x9 W
E14 ECO - Max. 2x46 W
E14 LED - Max. 2x7 W
E14 - Max. 2x60 W

43x43x30 cm
17x17x11,8 in
2,4kg | 5,3lb



Energy efficiency: from A+ to E

Certifications:
CE



Tati ref. TA06P

303€

LAMPSHADE
Painted stainless steel

One color to choose

Steel gloss nickel-plated
and stainless steel

SUPPORT
Steel gloss nickel-plated
and stainless steel

MOUNTING OPTIONS
Wall & ceiling lamp


230V - 50Hz
G9 LED - Max. 1x4 W
G9 ECO - Max. 1x42 W
G9 ECO - Max. 1x33 W

36x36x30 cm
14,2x14,2x11,8 in
1kg | 2,2lb



Energy efficiency: from A+ to C

Certifications:
CE



Vento ref. VN06 pg. 147

609€

LAMPSHADE
Glass

One color to choose or
combinations:
Pink:02+84
Brown: 90+95

SUPPORT
Stainless steel

MOUNTING OPTIONS
Wall lamp

230V - 50Hz
G9 LED - Max. 2x4 W
G9 ECO - Max. 2x42 W
G9 ECO - Max. 2x33 W

80x30x30 cm
31,5x11,8x11,8 in
4,4kg | 9,7lb



Energy efficiency: from A+ to C

Certifications:
CE

NOTE: VENTO collection are not guaranteed with halogen G9.
Only guaranteed with G9 energy savings lamps, G9 LED or G9 ECO Halogens

ACCESSORIES

PIECE TO MOVE THE ELECTRIC CABLE

Ref. PIEZA002

Net Price: 7€

VAT not included



NOTE:
Most of our pendant lamps (single and chandeliers) could be installed using a piece to move the electric cable.
For chandeliers, please ask for quotation.

BULBS

E-14

		W	DESCRIPTION	E.E.I. ¹	T (Kelvin)	REF.	PRICE ²
	E14	9	CFL/Energy saving bulb	A	2700K	ELEC0350	9€
	E14	11	CFL/Energy saving bulb	A	2700K	ELEC0323	9€
	E14 ECO	42	Candel Tungsten halogen ECO Classic	D	2700K	ELEC0348	3€
	E14 ECO	42	Round Tungsten halogen ECO Classic	D	2700K	ELEC0349	3€
	E14 LED	5	Candel LED Opal	A+	3000K	ELEC0613	9€
	E14 LED	4	Candel LED Transparent vintage	A+	2700K	ELEC0688	12€
	E14 LED	5	Round LED Opal	A+	3000K	ELEC0614	9€
	E14 LED	4	Round LED Transparent vintage	A+	2700K	ELEC0689	12€

E-27

		W	DESCRIPTION	E.E.I. ¹	T (Kelvin)	REF.	PRICE ²
	E27 ECO	77	Tungsten halogen ECO Standard	D	2800K	ELEC0081	3,5€
	E27 LED	7,5	LED Standard Dimmable vintage	A+	2700K	ELEC0700	13€
	E27	20	Globe D=94 Softone	A	2700K	ELEC0506	11€
	E27 LED	6	LED Globe Sole D=98 vintage	A+	2700K	ELEC0673	26€
	E27 LED	11	LED 2800K Globe D=95 opal	A+	2800K	ELEC0615	35€

G-9

		W	DESCRIPTION	E.E.I. ¹	T (Kelvin)	REF.	PRICE ²
	G9 LED	4	LED bi-pin 230V G9	A+	3000K	ELEC0655	12€
	G9 LED	3	LED bi-pin 230V G9	A+	2700K	ELEC0703	12€
	G9 ECO	42	Tungsten halogen ECO HaloClick Line	D	2800K	ELEC0086	6,5€
	G9 ECO	33	Tungsten halogen ECO Halopin	C	2700K	ELEC0085	5€

2GX13

		W	DESCRIPTION	E.E.I. ¹	T (Kelvin)	REF.	PRICE ²
	2GX13	22	Circular Fluorescent 830	A	3000K	ELEC0542	21€
	2GX13	55	Circular Fluorescent 830	A	3000K	ELEC0544	22€

G-5

		W	DESCRIPTION	E.E.I. ¹	T (Kelvin)	REF.	PRICE ²
	G5	24	Fluorescent tube T5 H0 830	A	3000K	ELEC0518	7€
	G5	24	Fluorescent tube T5 H0 827	A	2700K	ELEC0528	7€
	G5	54	Fluorescent tube T5 H0 830	A	3000K	ELEC0519	7€
	G5	39	Fluorescent tube T5 H0 830	A	3000K	ELEC0098	7€

¹ E.E.I.: Energy Efficiency Index. This index is only an estimate and may change from one manufacturer to another.

² Net Price. VAT not included.

Note: The brands provided are Osram or Philips. If we do not have the brands shown, we will provide you with any others of the same quality.