

```
kreon pricelist
```

kreon pricelist 2

Euro version

Light	aplis	4		onn	143
	aplis in-line	18		oran	144
	ato	36		prologe	150
	ato in-line	38		raga	164
	cadre	40		rei	166
	cana	42		rokko	170
	classic	63		side in-line	172
	diapason	64		tubo	179
	dolma	70		twilight	181
	down	78		up	182
	down in-line	90		up in-line	190
	erubo	106		updown	195
	esprit	110		wabi	196
	fuga	114		ypsilon	199
	holon	116			
	inline	124	Systems	track systems	200
	koi	130			
	lifto	132	Sound	audio	206
	lini	134			
	nuit	136	Offices		216

kreon aplis 40

[illegible]

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	2W	700mA	152lm
				3,2W	1050mA	219lm
		CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI80+	2700K/3000K	2W	700mA	172lm
				3,2W	1050mA	262lm
		CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI80+	2700K/3000K	2W	700mA	77lm
				3,2W	1050mA	90lm
		CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm

kreon aplis 40 accessories

kreon aplis 40 accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737602</u>	30,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707301</u>	22,60	Louvre IP44, white
	<u>KR707302</u>	22,60	Louvre IP44, black
Driver	<u>KR752730</u>	15,10	LED driver, 700mA, ON/OFF, 3W
	<u>KR752733</u>	49,98	LED driver, 700mA, DALI, 10W
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
	<u>KR772443</u>	86,00	LED driver, 1050mA, DALI, 15W

kreon aplis 80

		Colour	KR-code	Light sources	Base price (EUR excl.)	Options												Optional accessories
						<u>8327</u> 2700K, CR183	<u>8330</u> 3000K, CR183	<u>8340</u> 4000K, CR183	<u>9027</u> 2700K, CR190	<u>9030</u> 3000K, CR190	<u>9040</u> 4000K, CR190	<u>9827</u> 2700K, CR198	<u>9830</u> 3000K, CR198	<u>9840</u> 4000K, CR198	<u>SP</u> Spot (18°)	<u>FL</u> Flood (28°)	<u>WFL</u> Wide flood (48°)	
	aplis 80 directional LED ⊙ Ø 90 H 120 ◆	○	<u>KR937931</u>	①	243,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	
	Filter holder: incl., glare snoot: incl.	●	<u>KR937932</u>	①	243,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	
	aplis 80 directional LED MR16 ⊙ Ø 90 H 110 ◆	○	<u>KR937801</u>	②	85,00													
	Filter holder: incl., lamp: excl.	●	<u>KR937802</u>	②	85,00													
	aplis 80 directional LED PAR16 ⊙ Ø 90 H 125 □	○	<u>KR937841</u>	③	85,00													
	Filter holder: incl., lamp: excl.	●	<u>KR937842</u>	③	85,00													

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		15,6W	700mA	686lm
		CRI90	2700K/3000K/4000K		15,6W	700mA	686lm
		CRI98	2700K/3000K/4000K		15,2W	700mA	491lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon aplis 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737702</u>	31,77	Plasterkit for concrete installation
Lenses	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR704800</u>	28,80	Softening lens
	<u>KR772342</u>	26,38	Anti-glare louvre
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W,
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W

				Base price (EUR excl. VAT)											Optional accessories
		Colour	KR-code		Light sources	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	
	aplis 80 downlight LED Ø 90 H 100 ♦ Wide flood reflector: incl.	○	KR937031	①	188,79	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■
		●	KR937032	①	188,79	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■
	aplis 80 downlight LED MR16 Ø 90 H 110 ♦ Lamp: excl.	○	KR937231	②	85,00										■
		●	KR937232	②	85,00										
	aplis 80 downlight LED PAR16 Ø 90 H 130 ▢ Lamp: excl.	○	KR937251	③	85,00										■
		●	KR937252	③	85,00										
	aplis 80 wallwasher LED Ø 90 H 100 ♦ Wallwash reflector: incl.	○	KR937331	④	319,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■
		●	KR937332	④	319,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K			9,5W	700mA	985lm
		CRI90	2700K/3000K/4000K			11,4W	700mA	985lm
		CRI98	2700K/3000K/4000K			9,2W	500mA	731lm
②	LED MR16				12V	15W		
③	LED PAR16				230V	15W		
④	LED	CRI83	2700K/3000K/4000K			9,5W	700mA	509lm
		CRI90	2700K/3000K/4000K			11,4W	700mA	509lm
		CRI98	2700K/3000K/4000K			9,2W	500mA	378lm

kreon aplis 80 accessories			KR-code	Base price (EUR excl. VAT)	
■ Optional accessories					
Plasterkit concrete		<u>KR737702</u>	31,77	Plasterkit for concrete installation	
Louvre IP44 (only for downlight)		<u>KR717306</u>	27,50	Louvre IP44, white	
		<u>KR717302</u>	27,50	Louvre IP44, black	
Driver		<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
		<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W	
		<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	
		<u>KR772432</u>	27,68	LED driver, 500mA, phase dim, 15W	
		<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W,	
		<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W	
		<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W	
		<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W	
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W		

kreon aplis 120

kreon aplis 120				Base price (EUR excl. VAT)														Optional accessories
	Colour	KR-code	Light sources		<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (12°)	<u>FL</u> Flood (28°)	<u>WFL</u> Wide flood (34°)		
	aplis 120 directional Ø 128 H 140 Filter holder: incl., glare snoot: incl.	 <u>KR957931</u>	①	307,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00	15,00		
		 <u>KR957932</u>	①	307,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00	15,00		
	aplis 120 downlight low output Ø 128 H 110	 <u>KR957231</u>	②	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
		 <u>KR957232</u>	②	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
	aplis 120 downlight high output Ø 128 H 130	 <u>KR957241</u>	③	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—		
		 <u>KR957242</u>	③	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—		

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1274lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	573lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1021lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	987lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	691lm	
②	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1114lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	839lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1666lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	1609lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	1127lm	
③	LED		CRI83	2700K/3000K/4000K	25,6W	1050mA	2610lm
			CRI90	2700K/3000K/4000K	25,7W	1050mA	2697lm
			CRI98	2700K/3000K/4000K	20W	1050mA	1605lm

kreon aplis 120 accessories

kreon aplis 120 accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR737612</u>	36,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707406</u>	34,35	Louvre IP44, white
	<u>KR707402</u>	34,35	Louvre IP44, black
Lenses (only for directional)	<u>KR750100</u>	24,00	Sculpture lens
	<u>KR750200</u>	24,00	Diffusing lens
	<u>KR750800</u>	33,30	Softening lens
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W

kreon aplis in-line 40

aplis in-line 40		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	OV Oval (42° + 12°)	Required accessories	Optional accessories
	aplis in-line 40 directional ⌀ 63 H 80 Glare snoot: incl.		<u>KR907733</u>	①	114,55	—	—	35,00	35,00	—	—	—			
	aplis in-line 40 downlight ⌀ 63 H 80		<u>KR907033</u>	②	100,80	—	—	35,00	35,00	—	—	—	—		
	aplis in-line 40 wallwasher ⌀ 63 H 80		<u>KR907331</u>	③	155,50	—	—	35,00	35,00						
			<u>KR907332</u>	③	155,50	—	—	35,00	35,00						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	2W	700mA	152lm
				3,2W	1050mA	219lm
		CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI80+	2700K/3000K	2W	700mA	172lm
				3,2W	1050mA	262lm
		CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI80+	2700K/3000K	2W	700mA	77lm
				3,2W	1050mA	90lm
		CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm

kreon aplis in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707104</u>	16,15	Plasterkit, no shadowgap
Plasterkit concrete		<u>KR707101</u>	28,66	Plasterkit for concrete installation
Louvre		<u>KR707106</u>	14,75	Louvre, white
		<u>KR707122</u>	14,75	Louvre, black
		<u>KR707105</u>	100,00	Louvre, gun black
		<u>KR707103</u>	55,00	Louvre, red satin copper
Louvre IP44 (only for downlight)		<u>KR707301</u>	22,60	Louvre IP44, white
		<u>KR707302</u>	22,60	Louvre IP44, black
Deep recessed installation (only for downlight)		<u>KR707704</u>	18,60	Plasterkit, deep recessed, no shadowgap
		<u>KR707701</u>	31,11	Plasterkit for concrete installation, deep recessed, no shadowgap
		<u>KR707706</u>	17,00	Deep recessed louvre, white
		<u>KR707702</u>	17,00	Deep recessed louvre, black
■ Optional accessories				
Driver		<u>KR752730</u>	15,10	LED driver, 700mA, ON/OFF, 3W
		<u>KR752733</u>	49,98	LED driver, 700mA, DALI, 10W
		<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	86,00	LED driver, 1050mA, DALI, 15W
Distance ring		<u>KR707307</u>	20,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707308</u>	24,60	Distance ring 3mm (set of 5 pcs.)
		<u>KR707309</u>	29,00	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 80

		KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (48°)	Required accessories	Optional accessories
	aplis in-line 80 directional LED Ø 102 H 120 Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	198,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
	aplis in-line 80 directional LED MR16 Ø 102 H 110 Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	60,00														
	aplis in-line 80 directional LED PAR16 Ø 102 H 125 Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	60,00														

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		15,6W	700mA	686lm
		CRI90	2700K/3000K/4000K		15,6W	700mA	686lm
		CRI98	2700K/3000K/4000K		15,2W	700mA	491m
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon aplis in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
		Required accessories		
Plasterkit		<u>KR717104</u>	21,50	Plasterkit, no shadowgap
		<u>KR717108</u>	21,50	Plasterkit, shadowgap
Plasterkit concrete		<u>KR717101</u>	31,77	Plasterkit for concrete installation, no shadowgap
		<u>KR717109</u>	31,77	Plasterkit for concrete installation, shadowgap
Louvre		<u>KR717106</u>	18,63	Louvre, white
		<u>KR717122</u>	18,63	Louvre, black
		<u>KR717105</u>	165,42	Louvre, gun black
		<u>KR717103</u>	114,27	Louvre, red satin copper

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR704800</u>	28,80	Softening lens
	<u>KR772342</u>	25,86	Anti-glare louvre
Driver	<u>KR772024</u>	41,26	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W
	<u>KR772432</u>	27,68	LED driver, 500mA, phase dim, 15W
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W
Distance ring	<u>KR717307</u>	24,40	Distance ring 2mm (set of 5 pcs.)
	<u>KR717308</u>	29,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717309</u>	37,60	Distance ring 5mm (set of 5 pcs.)

kreon aplis in-line 80

aplis in-line 80					Base price (EUR excl. VAT)													
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	Required accessories	Optional accessories			
	aplis in-line 80 downlight LED Ø 102 H 100 Wide flood reflector (45°): incl.	<u>KR917033</u>	①	153,47	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00					
	aplis in-line 80 downlight LED MR16 Ø 102 H 110 Lamp: excl.	<u>KR917233</u>	②	60,00														
	aplis in-line 80 downlight LED PAR16 Ø 102 H 125 Lamp: excl.	<u>KR917253</u>	③	60,00														
	aplis in-line 80 wallwasher LED Ø 102 H 100 Wallwash reflector: incl.	<u>KR917331</u>	④	267,00	—	—	—				35,00	35,00	35,00					
		<u>KR917332</u>	④	267,00	—	—	—				35,00	35,00	35,00					

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K			9,5W	700mA	985lm
		CRI90	2700K/3000K/4000K			11,4W	700mA	985lm
		CRI98	2700K/3000K/4000K			9,2W	500mA	731lm
②	LED MR16				12V	15W		
③	LED PAR16				230V	15W		
④	LED	CRI83	2700K/3000K/4000K			9,5W	700mA	509lm
		CRI90	2700K/3000K/4000K			11,4W	700mA	509lm
		CRI98	2700K/3000K/4000K			9,2W	500mA	378lm

kreon aplis in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	21,50	Plasterkit, no shadowgap
		<u>KR717108</u>	21,50	Plasterkit, shadowgap
Plasterkit concrete		<u>KR717101</u>	31,77	Plasterkit for concrete installation, no shadowgap
		<u>KR717109</u>	31,77	Plasterkit for concrete installation, shadowgap
Louvre		<u>KR717106</u>	18,63	Louvre, white
		<u>KR717122</u>	18,63	Louvre, black
		<u>KR717105</u>	165,42	Louvre, gun black
		<u>KR717103</u>	114,27	Louvre, red satin copper
		<u>KR717906</u>	38,00	Dropped louvre, white
		<u>KR717902</u>	38,00	Dropped louvre, black
	Louvre IP44 (only for downlight)	<u>KR717306</u>	27,50	Louvre IP 44, white
		<u>KR717302</u>	27,50	Louvre IP 44, black


```
kreon    aplis in-line 120
```

kreon aplis in-line 120				Base price (EUR excl. VAT)													Required accessories	Optional accessories
	KR-code	Light sources			<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (12°)	<u>FL</u> Flood (28°)	<u>WFL</u> Wide flood (34°)		
	aplis in-line 120 directional Ø 144 H 140 Filter holder: incl., glare snoot: incl	<u>KR907933</u>	①	255,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00	15,00		
	aplis in-line 120 downlight low output Ø 144 H 110 Filter holder: incl.	<u>KR907233</u>	②	225,90	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
	aplis in-line 120 downlight high output Ø 144 H 150	<u>KR907243</u>	③	225,90	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1274lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	573lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1021lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	987lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	691lm	
②	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1114lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	839lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1666lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	1609lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	1127lm	
③	LED		CRI83	2700K/3000K/4000K	25,6W	1050mA	2610lm
			CRI90	2700K/3000K/4000K	25,7W	1050mA	2697lm
			CRI98	2700K/3000K/4000K	20W	1050mA	1605lm

kreon aplis in-line 120 accessories

kreon aplis in-line 120 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit	KR707204	25,50	Plasterkit, no shadowgap	
	KR707208	27,30	Plasterkit, shadowgap	
Plasterkit concrete	KR707201	35,50	Plasterkit for concrete installation, no shadowgap	
	KR707209	35,50	Plasterkit for concrete installation, shadowgap	
Louvre	KR707206	20,20	Louvre, white	
	KR707222	20,20	Louvre, black	
Louvre IP44 (only for downlight)	KR707406	34,35	Louvre IP 44, white	
	KR707402	34,35	Louvre IP 44, black	
■ Optional accessories				
Lenses (only for directional)	KR750100	24,00	Sculpture lens	
	KR750200	24,00	Diffusing lens	
	KR750800	33,30	Softening lens	
Driver	KR772034	36,23	LED driver, 700mA, ON/OFF, 20W	
	KR772232	54,35	LED driver, 700mA, 1-10V, 20W	
	KR772236	78,95	LED driver, 700mA, DALI, 18W	
	KR772430	32,18	LED driver, 700mA, phase dim, 25W	
	KR772140	45,76	LED driver, 1050mA, ON/OFF, 36W	
	KR772142	62,12	LED driver, 1050mA, 1-10V, 39W	
	KR772143	91,90	LED driver, 1050mA, DALI, 35W	
Distance ring	KR707407	25,50	Distance ring 2mm (set of 5 pcs.)	
	KR707408	30,50	Distance ring 3mm (set of 5 pcs.)	
	KR707409	38,50	Distance ring 5mm (set of 5 pcs.)	

kreon aplis in-line 120

aplis in-line 120				Base price (EUR excl. VAT)											Required accessories	Optional accessories
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98			
	aplis in-line 120 wallwasher Ø 144 H 150		①	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
			①	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
	aplis in-line 120 wallwasher Ø 144 H 150		②	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
			②	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K	15,2W	700mA	937lm
		CRI90	2700K/3000K/4000K	17,1W	700mA	906lm
		CRI98	2700K/3000K/4000K	12,9W	700mA	633lm
②	LED	CRI83	2700K/3000K/4000K	25,6W	1050mA	1385lm
		CRI90	2700K/3000K/4000K	25,7W	1050mA	1275lm
		CRI98	2700K/3000K/4000K	20W	1050mA	840lm

kreon aplis in-line 120 accessories

kreon aplis in-line 120 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit	KR707204	25,50	Plasterkit, no shadowgap	
	KR707208	25,50	Plasterkit, shadowgap	
Plasterkit concrete	KR707201	35,50	Plasterkit for concrete installation, no shadowgap	
	KR707209	35,50	Plasterkit for concrete installation, shadowgap	
Louvre	KR707206	20,20	Louvre, white	
	KR707222	20,20	Louvre, black	
■ Optional accessories				
Driver	KR772034	36,23	LED driver, 700mA, ON/OFF, 20W	
	KR772232	54,35	LED driver, 700mA, 1-10V, 20W	
	KR772236	78,95	LED driver, 700mA, DALI, 18W	
	KR772430	32,18	LED driver, 700mA, phase dim, 25W	
	KR772140	45,76	LED driver, 1050mA, ON/OFF, 36W	
	KR772142	62,12	LED driver, 1050mA, 1-10V, 39W	
	KR772143	91,90	LED driver, 1050mA, DALI, 35W	
Distance ring	KR707407	25,50	Distance ring 2mm (set of 5 pcs.)	
	KR707408	30,50	Distance ring 3mm (set of 5 pcs.)	
	KR707409	38,50	Distance ring 5mm (set of 5 pcs.)	

kreon aplis in-line 165

		KR-code	Light sources	Base price (EUR excl. VAT)												Required accessories	Optional accessories
	aplis in-line 165 directional low output Ø 186 H 230 Filter holder: incl., glare snoot: incl.	<u>KR917833</u>	①	246,06	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00				
	aplis in-line 165 directional high output Ø 186 H 250 Filter holder: incl., glare snoot: incl.	<u>KR917343</u>	②	279,03	—	—	—	10,00	100,00	10,00	35,00	35,00	35,00				

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		15,2W	700mA	1250lm
		CRI90	2700K/3000K/4000K		16,5W	700mA	1250lm
		CRI98	2700K/3000K/4000K		13,9W	500mA	988lm
②	LED	CRI83	2700K/3000K/4000K		25,7W	1050mA	1874lm
		CRI90	2700K/3000K/4000K		25,7W	1050mA	1874lm
		CRI98	2700K/3000K/4000K		20W	1050mA	1249lm

kreon aplis in-line 165 accessories

kreon aplis in-line 165 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit	<u>KR717204</u>	29,00	Plasterkit, no shadowgap	
	<u>KR717208</u>	29,00	Plasterkit, shadowgap	
Plasterkit concrete	<u>KR717201</u>	37,68	Plasterkit for concrete installation, no shadowgap	
	<u>KR717209</u>	37,68	Plasterkit for concrete installation, shadowgap	
Louvre	<u>KR717206</u>	23,85	Louvre, white	
	<u>KR717222</u>	23,85	Louvre, black	
Reflector	<u>KR720032</u>	40,80	Reflector LED, spot 13°	
	<u>KR720034</u>	40,80	Reflector LED, flood 23°	
	<u>KR720036</u>	40,80	Reflector LED, wide flood 40°	
■ Optional accessories				
Lenses	<u>KR720100</u>	27,02	Sculpture lens	
	<u>KR720200</u>	27,02	Diffusing lens	
	<u>KR720800</u>	38,50	Softening lens	
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W	
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W	
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W	
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W	
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W	
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W	
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W	

kreon aplis in-line 165

kreon aplis in-line 165				Base price (EUR excl. VAT)											Required accessories	Optional accessories
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98			
	aplis in-line 165 wallwasher low output ⦿ Ø 186 H 200			①	290,61	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
		●	KR917432	①	290,61	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
	aplis in-line 165 wallwasher high output ⦿ Ø 186 H 210			②	354,89	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
		●	KR917442	②	354,89	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		15,2W	700mA	756lm
		CRI90	2700K/3000K/4000K		16,5W	700mA	756lm
		CRI98	2700K/3000K/4000K		13,9W	500mA	597lm
②	LED	CRI83	2700K/3000K/4000K		25,7W	1050mA	1161lm
		CRI90	2700K/3000K/4000K		25,7W	1050mA	1161lm
		CRI98	2700K/3000K/4000K		20W	1050mA	774lm

kreon aplis in-line 165 accessories

kreon aplis in-line 165 accessories			KR-code	Base price (EUR excl. VAT)	
■ Required accessories					
Plasterkit		<u>KR717204</u>	29,00	Plasterkit, no shadowgap	
		<u>KR717208</u>	29,00	Plasterkit, shadowgap	
Plasterkit concrete		<u>KR717201</u>	37,68	Plasterkit for concrete installation, no shadowgap	
		<u>KR717209</u>	37,68	Plasterkit for concrete installation, shadowgap	
Louvre		<u>KR717206</u>	23,85	Louvre, white	
		<u>KR717222</u>	23,85	Louvre, black	
■ Optional accessories					
Driver		<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
		<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W	
		<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	
		<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W	
		<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W	
		<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W	
		<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W	
		<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W	
		<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W	

kreon ato 80

				Base price (EUR excl. VAT)									Optional accessories
		Colour	KR-code		9027 2700K, CRI90+		9030 3000K, CRI90+		FL Flood (30°)	WFL Wide flood (40°)	P1 White painted lamphead	P2 Black painted lamphead	A0 Chrome lamphead
 ato 80 single Ø 90 H min. 110	○	<u>KR937911</u>	①	220,00	—	—	—	—	—	—	27,50	27,50	■
	●	<u>KR937912</u>	①	220,00	—	—	—	—	—	—	27,50	27,50	■
 ato 80 twin Ø 90 H min. 105	○	<u>KR937921</u>	②	250,00	—	—	—	—	—	—	53,60	53,60	■
	●	<u>KR937922</u>	②	250,00	—	—	—	—	—	—	53,60	53,60	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	12W	700mA	1150lm
②	LED	CRI90+	2700K/3000K	2 x 6,7W	700mA	2 x 370lm

kreon ato 80 accessories

kreon ato 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR737702</u>	31,77	Plasterkit for concrete installation
Glare preventor (only for ato 80 single)		<u>KR706721</u>	56,61	Straight glare preventor, white, H30
		<u>KR706722</u>	56,61	Straight glare preventor, black, H30
		<u>KR706720</u>	71,91	Straight glare preventor, chrome, H30
		<u>KR706725</u>	71,91	Straight glare preventor, red copper, H30
Lenses		<u>KR706070</u>	37,80	Anti-glare louvre
		<u>KR706270</u>	29,07	Diffusing lens
Driver		<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
		<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
		<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
		<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W

kreon ato in-line 80

kreon ato in-line 80				Base price (EUR excl. VAT)	9027 2700K, CRI90+		9030 3000K, CRI90+		FL Flood (30°)		WFL Wide flood (40°)		P1 White painted lamphead		P2 Black painted lamphead		A0 Chrome lamphead		A5 Red copper lamphead		Required accessories		Optional accessories	
Colour	KR-code	Light source																						
	ato in-line 80 single Ø 102 H min. 110		KR917911	①	194,00	—	—	—	—	—	—	—	—	—	—	27,50	27,50							
			KR917912	①	194,00	—	—	—	—	—	—	—	—	—	—	—	27,50	27,50						
	ato in-line 80 twin Ø 102 H min. 105		KR917921	②	224,00	—	—	—	—	—	—	—	—	—	—	53,60	53,60							
			KR917922	②	224,00	—	—	—	—	—	—	—	—	—	—	—	53,60	53,60						

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	12W	700mA	1150lm
②	LED	CRI90+	2700K/3000K	2 x 6,7W	700mA	2 x 370lm

kreon ato in-line 80 accessories

kreon ato in-line 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit	KR717104	21,50	Plasterkit, no shadowgap, trimless finish	
	KR717108	21,50	Plasterkit, shadowgap, trimless finish	
Plasterkit concrete	KR717101	31,77	Plasterkit for concrete installation, no shadowgap (430x430)	
	KR717102	31,77	Plasterkit for concrete installation, no shadowgap, small (200x200)	
	KR717109	31,77	Plasterkit for concrete installation, shadowgap (430x430)	
	KR717107	31,77	Plasterkit for concrete installation, shadowgap, small (200x200)	
■ Optional accessories				
Glare preventor (only for ato in-line 80 single)	KR706721	56,61	Straight glare preventor, white, H30	
	KR706722	56,61	Straight glare preventor, black, H30	
	KR706720	71,91	Straight glare preventor, chrome, H30	
	KR706725	71,91	Straight glare preventor, red copper, H30	
Lenses	KR706070	37,80	Anti-glare louvre	
	KR706270	29,07	Diffusing lens	
Driver	KR772034	36,23	LED driver, 700mA, ON/OFF, 20W	
	KR772232	54,35	LED driver, 700mA, 1-10V, 20W	
	KR772236	78,95	LED driver, 700mA, DALI, 18W	
	KR772431	22,73	LED driver, 700mA, phase dim, 14W	
Distance ring	KR717307	24,40	Distance ring, 2mm (set of 5pcs.)	
	KR717308	29,00	Distance ring, 3mm (set of 5pcs.)	
	KR717309	37,60	Distance ring, 5mm (set of 5pcs.)	

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90		9030 3000K, CRI90		VD 1-10 V dimming	DD DALI dimming	Required accessories
	cadre 1200 linear 230V	●	KR963662	①	844,97	—	—	—	—	10,90		■
		●	KR963660	①	1076,51	—	—	—	—	10,90		■
	cadre 1200 spot 230V	●	KR963682	②	1109,96	—	—	—	—	10,90		■
		●	KR963680	②	1408,11	—	—	—	—	10,90		■
	cadre 1500 linear 230V	●	KR963672	③	954,82	—	—	—	—	10,90		■
		●	KR963670	③	1186,36	—	—	—	—	10,90		■
	cadre 1500 spot 230V	●	KR963692	④	1254,19	—	—	—	—	10,90		■
		●	KR963690	④	1517,96	—	—	—	—	10,90		■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	3000K	230V	38,1W	2670lm
②	LED	CRI90+	2700K/3000K	230V	4 x 8W	1294lm
③	LED	CRI90+	3000K	230V	47,7W	3011lm
④	LED	CRI90+	2700K/3000K	230V	5 x 8W	1505lm

kreon cadre accessories				
		Colour	KR-code	Base price (EUR excl. VAT)
■ Required accessories				
Leather telescopic suspension, black anodised (for KR9636x2)				
Pendant height 900-1200mm	End part	○	KR763721	470,99
		●	KR763722	470,99
	Coupler	○	KR763321	235,34
		●	KR763322	235,34
Pendant height 1200-1650mm	End part	○	KR763821	489,63
		●	KR763822	489,63
	Coupler	○	KR763421	244,80
		●	KR763422	244,80
Leather telescopic suspension, chrome (for KR9636x0)				
Pendant height 900-1200mm	End part	○	KR763701	611,52
		●	KR763702	611,52
	Coupler	○	KR763301	305,75
		●	KR763302	305,75
Pendant height 1200-1650mm	End part	○	KR763801	651,55
		●	KR763802	651,55
	Coupler	○	KR763401	325,75
		●	KR763402	325,75
Cable suspension	End part		KR763102	195,51
Max. pendant height: 2500mm	Coupler		KR763002	97,76

kreon cana 40

		Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories	
	cana 40 profile		<u>KR755201</u>	149,35		price/m
			<u>KR755202</u>	128,75		price/m

kreon cana 40 accessories

		Colour	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories					
Plasterkit for recessed mounting			<u>KR705000</u>	76,84	Trimless plasterkit profile  LxW Lx75 H 115 price/m
Suspension kit for pendant mounting			<u>KR705200</u>	280,50	Suspension kit
			<u>KR705202</u>	38,76	Additional suspension
Corner cut			<u>KR705501</u>	176,03	Cana 40 corner cut 90°, white
			<u>KR705502</u>	176,03	Cana 40 corner cut 90°, black
			<u>KR705560</u>	123,19	Trimless plasterkit corner cut 90°

kreon cana 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)				SP	FL	WFL	SP	FL	WFL	EX	SW	VD	DD	Optional accessories	
						8027	8030	9027	9030	Spot (10°)	Flood (24°)	Wide Flood (46°)	Spot (20°)	Flood (30°)	Wide Flood (40°)	Driver excluded	Switchable ON/OFF	1-10V dimming	DALI dimming	
	holon 40 single in-cana Min. module spacing: 100		<u>KR934001</u>	①	189,72	—	—	35.00	35.00	—	—	—	—	—	—	—	31,00	34.00	46.50	
			<u>KR934002</u>	①	189,72	—	—	35.00	35.00	—	—	—	—	—	—	—	—	31,00	34.00	46.50
	holon 40 twin in-cana Min. module spacing: 200		<u>KR934501</u>	②	341,70	—	—	70.00	70,00	—	—	—	—	—	—	—	31,00	34.00	46.50	
			<u>KR934502</u>	②	341,70	—	—	70.00	70,00	—	—	—	—	—	—	—	—	31,00	34.00	46.50
	holon 40 directional in-cana Min. module spacing: 100		<u>KR934301</u>	③	377,40	—	—	35.00	35.00	—	—	—	—	—	—	—	31,00	34.00	46.50	
			<u>KR934302</u>	③	377,40	—	—	35.00	35.00	—	—	—	—	—	—	—	—	31,00	34.00	46.50

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI80+	2700K/3000K	2W	700mA	152lm
	CRI90+	2700K/3000K	2W	700mA	121lm
② LED	CRI80+	2700K/3000K	2 x 2W	700mA	304lm
	CRI90+	2700K/3000K	2 x 2W	700mA	243lm
③ LED	CRI80+	2700K/3000K	8,4W	700mA	721lm
	CRI90+	2700K/3000K	8,4W	700mA	558lm

kreon cana 40 accessories

kreon cana 40 accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses holon 40 directional in-cana	<u>KR762000</u>	22,34	Anti-glare louver
	<u>KR762200</u>	23,56	Diffusing lens
	<u>KR762100</u>	23,93	Sculpture lens
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772050</u>	63,23	LED driver, 700mA, ON/OFF, 33W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772332</u>	118,58	LED driver, 700mA, 1-10V, 60W
	<u>KR772134</u>	78,95	LED driver, 700mA, DALI 20W
	<u>KR772333</u>	118,58	LED driver, 700mA, DALI, 60W

kreon cana 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)		8027 2700K, CRI80+		8030 3000K, CRI80+		8527 2700K, CRI85+		8530 3000K, CRI85+		9027 2700K, CRI90+		9030 3000K, CRI90+		SP Spot (10°)	FL Flood (24°)	WFL Wide Flood (46°)	EX Driver excluded	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories		
	prologe 40 single in-cana Min. module spacing: 100	○	KR934051	①	189,72	—	—	35.00		35.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
		●	KR934052	①	189,72	—	—	35.00		35.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
	prologe 40 twin in-cana Min. module spacing: 200	○	KR934551	②	341,70	—	—	70.00		70.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
		●	KR934552	②	341,70	—	—	70.00		70.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
	prologe 40 double in-cana Min. module spacing: 150	○	KR934751	②	261,12	—	—	70.00		70.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
		●	KR934752	②	261,12	—	—	70.00		70.00	—	—	—	—	—	31,00	34.00	46.50	—	—	—	—	31,00	34.00	46.50			
	ligna 40 in-cana high efficiency		KR934900	③	204,00			—		—			—		—	18,00	20.00	35.50	—			—	18,00	20.00	35.50		price/m	
	ligna 40 in-cana high output		KR934902	④	239,50			—		—			—		—	18,00	20.00	35.50	—			—	18,00	20.00	35.50		price/m	

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K / 3000K	2W	700mA	152lm
		CRI90+	2700K / 3000K	2W	700mA	121lm
②	LED	CRI80+	2700K / 3000K	2 x 2W	700mA	304lm
		CRI90+	2700K / 3000K	2 x 2W	700mA	243lm
③	LED	CRI85+	2700K / 3000K	11,6W/m	24Vdc	921lm/m
④	LED	CRI85+	2700K / 3000K	19,2W/m	24Vdc	1417lm/m

kreon cana 40 accessoires

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		KR772034	36,23	LED driver, 700mA, ON/OFF, 30W
		KR772050	63,23	LED driver, 700mA, ON/OFF, 33W
		KR772232	54,35	LED driver, 700mA, 1-10V, 20W
		KR772332	118,58	LED driver, 700mA, 1-10V, 60W
		KR772134	78,95	LED driver, 700mA, DALI 20W
		KR772133	61,43	LED driver, 700mA, DALI, 30W
		KR772333	118,58	LED driver, 700mA, DALI, 60W
		KR774006	136,66	DALI/DMX controller for ligna 40 in-cana
		KR774106	95,37	1-10V controller for ligna 40 in-cana
		KR490373	59,98	LED power supply 24VDC, 30W
		KR490374	98,88	LED power supply 24VDC, 60W
		KR490375	132,60	LED power supply 24VDC, 100W
		KR490376	179,30	LED power supply 24VDC, 150W

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories	
	cana 80 profile Input voltage: 230V, nr. of circuits: 3	○	<u>KR775201</u>	164,70	■	■	price/m
		●	<u>KR775202</u>	144,10	■	■	price/m

		KR-code	Base price (EUR excl. VAT)		
■ Required accessories					
Plasterkit		<u>KR705010</u>	81,16	Trimless plasterkit profile  LxW Lx125 H185	price/m
■ Optional accessories					
Corner cut		<u>KR705511</u>	193,26	cana 80 corner cut 90°, white	
		<u>KR705512</u>	193,26	cana 80 corner cut 90°, black	
		<u>KR705610</u>	130,21	Trimless plasterkit corner cut 90°	

kreon cana 80

				Base price (EUR excl. VAT)	Standard version										Optional accessories						
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SP Spot (17°)	FL Flood (27°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories	
	holon 80 single in-cana mid		KR934011	①	354,96	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
			KR934012	①	354,96	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
	holon 80 single in-cana end		KR934111	①	354,96	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
			KR934112	①	354,96	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
	holon 80 twin in-cana mid		KR934511	②	534,48	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
			KR934512	②	534,48	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
	holon 80 twin in-cana end		KR934611	②	534,48	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
			KR934612	②	534,48	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	230V	10,9W	509lm
	CRI90	2700K/3000K/4000K	230V	10,9W	509lm
	CRI98	2700K/3000K/4000K	230V	10,9W	369lm
② LED	CRI83	2700K/3000K/4000K	230V	2 x 10,9W	1018lm
	CRI90	2700K/3000K/4000K	230V	2 x 10,9W	1018lm
	CRI98	2700K/3000K/4000K	230V	2 x 10,9W	738lm

kreon cana 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses (for twin, order twice)	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR772342</u>	26,38	Anti-glare louvre

kreon cana 80

				Base price (EUR excl.)															Optional accessories	
	Colour	KR-code	Light sources		<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (14°)	<u>FL</u> Flood (30°)	<u>WFL</u> Wide flood (38°)	<u>SW</u> Switchable ON/OFF	<u>VD</u> 1-10V dimming	<u>DD</u> DALI dimming	
		<u>KR934311</u>	①	617,10	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		<u>KR934312</u>	①	617,10	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		<u>KR934411</u>	①	617,10	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		<u>KR934412</u>	①	617,10	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	SP	CRI83	2700K/3000K/4000K	230V	30,2W	1641lm
		CRI90	2700K/3000K/4000K	230V	30,2W	1641lm
		CRI98	2700K/3000K/4000K	230V	30,2W	1280lm
	FL 6 WFL	CRI83	2700K/3000K/4000K	230V	25,7W	2415lm
		CRI90	2700K/3000K/4000K	230V	25,7W	2415lm
		CRI98	2700K/3000K/4000K	230V	20W	1610lm

kreon cana 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses	<u>KR726100</u>	29,92	Sculpture lens
	<u>KR726200</u>	29,92	Diffusing lens
	<u>KR762002</u>	26,75	Anti-glare louvre

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories	
	cana 120 profile Input voltage: 230V, nr. of circuits: 3	○	<u>KR795201</u>	186,22	■	■	price/m
		●	<u>KR795202</u>	186,22	■	■	price/m

		KR-code	Base price (EUR excl. VAT)		
■ Required accessories					
Plasterkit		<u>KR705020</u>	85,39	Trimless plasterkit profile  LxW Lx180 H 190	price/m
■ Optional accessories					
Corner cut		<u>KR705521</u>	218,62	cana 120 corner cut 90°, white	
		<u>KR705522</u>	218,62	cana 120 corner cut 90°, black	
		<u>KR705620</u>	137,61	Trimless plasterkit corner cut 90°	

kreon cana 120

				Base price (EUR excl. VAT)															Optional accessories	
	Colour	KR-code	Light sources		<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (12°)	<u>FL</u> Flood (24°)	<u>WFL</u> Wide flood (38°)	<u>SW</u> Switchable ON/OFF	<u>VD</u> 1-10V dimming		<u>DD</u> DALI dimming
		KR934021	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		KR934022	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		KR934121	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		KR934122	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
		KR934521	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
		KR934522	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
		KR934621	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
		KR934622	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen		
①	LED	SP	CRI83	2700K/3000K/4000K	230V	15,6W	793lm	
			CRI90	2700K/3000K/4000K	230V	15,6W	793lm	
			CRI98	2700K/3000K/4000K	230V	15,6W	567lm	
	FL & WFL	CRI83	2700K/3000K/4000K	230V	15,2W	1075lm		
		CRI90	2700K/3000K/4000K	230V	17,1W	1075lm		
		CRI98	2700K/3000K/4000K	230V	12,9W	753lm		
	②	LED	SP	CRI83	2700K/3000K/4000K	230V	2 x 15,6W	1585lm
				CRI90	2700K/3000K/4000K	230V	2 x 15,6W	1585lm
				CRI98	2700K/3000K/4000K	230V	2 x 15,6W	1134lm
FL & WFL		CRI83	2700K/3000K/4000K	230V	2 x 15,2W	2150lm		
		CRI90	2700K/3000K/4000K	230V	2 x 17,1W	2150lm		
		CRI98	2700K/3000K/4000K	230V	2 x 12,9W	1505lm		

kreon cana 120 accessories

■ Optional accessories			
Lenses (for twin, order twice)	<u>KR750100</u>	24,00	Sculpture lens
	<u>KR750200</u>	24,00	Diffusing lens
	<u>KR750800</u>	33,30	Softening lens

kreon cana 120

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Standard								Optional			Optional accessories				
						<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (12°)	<u>FL</u> Flood (24°)	<u>WFL</u> Wide flood (38°)	<u>SW</u> Switchable ON/OFF	<u>VD</u> 1-10V dimming	<u>DD</u> DALI dimming	Optional accessories
	prologe 120 single in-cana mid		KR934071	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
			KR934072	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
	prologe 120 single in-cana end		KR934171	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
			KR934172	①	395,25	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	16,00	32,00	
	prologe 120 twin in-cana mid		KR934571	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
			KR934572	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
	prologe 120 twin in-cana end		KR934671	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	
			KR934672	②	670,75	—	—	—	10,00	10,00	10,00	70,00	70,00	70,00	—	—	—	—	16,00	32,00	

		CRI	CCT	Voltage	Wattage	Fixture lumen		
①	LED	SP	CRI83	2700K/3000K/4000K	230V	15,6W	812lm	
			CRI90	2700K/3000K/4000K	230V	15,6W	812lm	
			CRI98	2700K/3000K/4000K	230V	15,6W	581lm	
	FL & WFL	CRI83	2700K/3000K/4000K	230V	15,2W	1067lm		
		CRI90	2700K/3000K/4000K	230V	17,1W	1067lm		
		CRI98	2700K/3000K/4000K	230V	12,9W	747lm		
	②	LED	SP	CRI83	2700K/3000K/4000K	230V	2 x 15,6W	1623lm
				CRI90	2700K/3000K/4000K	230V	2 x 15,6W	1623lm
				CRI98	2700K/3000K/4000K	230V	2 x 15,6W	1161lm
FL & WFL		CRI83	2700K/3000K/4000K	230V	2 x 15,2W	2134lm		
		CRI90	2700K/3000K/4000K	230V	2 x 17,1W	2134lm		
		CRI98	2700K/3000K/4000K	230V	2 x 12,9W	1494lm		

kreon cana 120 accessories


	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses (for twin, order twice)	<u>KR750100</u>	24,00	Sculpture lens
	<u>KR750200</u>	24,00	Diffusing lens
	<u>KR750800</u>	33,30	Softening lens

kreon classic

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)		
classic standing light	●	<u>KR944102</u>	①	939,00	8027 2700K, CRI80+	8030 3000K, CRI80+	
						TD Dimmable, cable integrated	

	CRI	CCT	Wattage	Fixture lumen
① LED	CR80+	2700K/3000K	75W	8450lm

kreon diapason 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (10°)	FL Flood (24°)	WFL Wide flood (46°)	SW Switchable ON/OFF	VD 1-10V dimmable	DD DALI dimmable	Required accessories	Optional accessories
	diapason 40 M10	○	KR906601	①	214,20	—	—	35,00	35,00	—	—	—					■
		●	KR906602	①	214,20	—	—	35,00	35,00	—	—	—					■
	diapason 40 recessed mounted	○	KR906611	①	229,50	—	—	35,00	35,00	—	—	—				■	■
		●	KR906612	①	229,50	—	—	35,00	35,00	—	—	—				■	■
	diapason 40 surface mounted	○	KR906651	①	265,20	—	—	35,00	35,00	—	—	—					■
		●	KR906652	①	265,20	—	—	35,00	35,00	—	—	—					■
	diapason 40 on-track	○	KR906621	②	280.00	—	—	35,00	35,00	—	—	—	—	26.00	26.00		■
		●	KR906622	②	280.00	—	—	35,00	35,00	—	—	—	—	26.00	26.00		■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K		3,2W	1050mA	258lm
		CRI90+	2700K/3000K		3,2W	1050mA	237lm
②	LED	CRI80+	2700K/3000K	48V	4,5W		141lm
		CRI90+	2700K/3000K	48V	4,5W		109lm

kreon diapason 40 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Installation kit for diapason 40 base	KR717104	21,50	Installation kit without trim, no shadowgap ● Ø 102
	KR717108	21,50	Installation kit without trim, with shadowgap ● Ø 102
	○ KR717021	33,15	Installation kit with trim, white ● Ø 90
	● KR717022	33,15	Installation kit with trim, black ● Ø 90
	KR717101	31,77	Plasterkit for concrete installation, no shadowgap
	KR717109	31,77	Plasterkit for concrete installation, shadowgap
Low voltage track			See page 204
■ Optional accessories			
Driver	KR772142	62,12	LED driver, 1050mA, 1-10V, 39W
	KR772443	86,00	LED driver, 1050mA, DALI, 15W

kreon diapason 80

diapason 80				Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories
	Colour	KR-code	Light sources													
	diapason 80 M10															
	○	KR916601	①	239,70	—	—	35,00	35,00	—	—	—					■
	●	KR916602	①	239,70	—	—	35,00	35,00	—	—	—					■
	◐	KR916605	①	275,00	—	—	35,00	35,00	—	—	—					■
	diapason 80 recessed mounted															
	○	KR916611	①	255,00	—	—	35,00	35,00	—	—	—				■	■
	●	KR916612	①	255,00	—	—	35,00	35,00	—	—	—				■	■
	◐	KR916615	①	290,00	—	—	35,00	35,00	—	—	—					■
	diapason 80 surface mounted															
	○	KR916651	①	294,17	—	—	35,00	35,00	—	—	—					■
	●	KR916652	①	294,17	—	—	35,00	35,00	—	—	—					■
	◐	KR916655	①	328,40	—	—	35,00	35,00	—	—	—					■
	diapason 80 on-track															
	○	KR916621	②	311,70	—	—	35,00	35,00	—	—	—	—	26,00	26,00		■
	●	KR916622	②	311,70	—	—	35,00	35,00	—	—	—	—	26,00	26,00		■
	◐	KR916625	②	351,70	—	—	35,00	35,00	—	—	—	—	26,00	26,00		■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI80+	2700K/3000K		5,7W	500mA	557lm
	CRI90+	2700K/3000K		5,7W	500mA	428lm
② LED	CRI80+	2700K/3000K	48V	8,2W		557lm
	CRI90+	2700K/3000K	48V	8,2W		428lm

kreon diapason 80 accessories

kreon diapason 80 accessories				
	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit for diapason 80 recessed mounted		<u>KR717104</u>	21,50	Installation kit without trim, no shadowgap ● Ø 102 H 70
		<u>KR717108</u>	21,50	Installation kit without trim, with shadowgap ● Ø 102 H 70
	○	<u>KR717021</u>	33,15	Installation kit with trim, white ● Ø 90 H 70
	●	<u>KR717022</u>	33,15	Installation kit with trim, black ● Ø 90 H 70
Low voltage track				See page 204
■ Optional accessories				
Glare preventer	○	<u>KR706721</u>	56,61	Straight glare preventer, white (H 30)
	●	<u>KR706722</u>	56,61	Straight glare preventer, black (H 30)
	●	<u>KR706725</u>	71,91	Straight glare preventer, red copper (H 30)
	○	<u>KR706731</u>	63,75	Rounded glare preventer, white (H 54)
	●	<u>KR706732</u>	63,75	Rounded glare preventer, black (H 54)
Louvres and lenses		<u>KR706070</u>	37,80	Anti-glare louvre
		<u>KR706270</u>	29,07	Diffusing lens
Driver		<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W
		<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
		<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W

kreon diapason 120

kreon diapason 120																				
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI83	8330 3000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories	
	diapason 120 M10		KR926601	①	357,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
			KR926602	①	357,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
	diapason 120 base		KR926611	①	372,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
			KR926612	①	372,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
	diapason 120 surface mounted		KR926651	①	413,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
			KR926652	①	413,00	—	—	10,00	10,00	35,00	35,00	—	—	—						
	diapason 120 on-track		KR926621	②	442,00	—	—	10,00	10,00	35,00	35,00	—	—	—	—	26,00	26,00			
			KR926622	②	442,00	—	—	10,00	10,00	35,00	35,00	—	—	—	—	26,00	26,00			

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K		19,5W	700mA	1185lm
			CRI90	2700K/3000K		19,5W	700mA	1185lm
			CRI98	2700K/3000K		19,5W	700mA	939lm
	FL & WFL		CRI83	2700K/3000K		16,5W	700mA	1761lm
			CRI90	2700K/3000K		16,5W	700mA	1761lm
			CRI98	2700K/3000K		19,9W	700mA	1794lm
			CRI98	2700K/3000K		19,9W	700mA	1794lm
②	LED	SP	CRI83	2700K/3000K	48V	19,5W		1185lm
			CRI90	2700K/3000K	48V	22W		1185lm
			CRI98	2700K/3000K	48V	19,5W		939lm
	FL & WFL		CRI83	2700K/3000K	48V	16,5W		1761lm
			CRI90	2700K/3000K	48V	19W		1761lm
			CRI98	2700K/3000K	48V	19,9W		1794lm
			CRI98	2700K/3000K	48V	19,9W		1794lm

kreon diapason 120 accessories

kreon diapason 120 accessories				
	Colour	KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Installation kit for diapason 120 base		<u>KR717104</u>	21,50	Installation kit without trim, no shadowgap ⓘ Ø102
		<u>KR717108</u>	21,50	Installation kit without trim, with shadowgap ⓘ Ø102
	○	<u>KR717021</u>	33,15	Installation kit with trim, white ⓘ Ø90
	●	<u>KR717022</u>	33,15	Installation kit with trim, black ⓘ Ø90
Plasterkit concrete		<u>KR717101</u>	31,77	Plasterkit for concrete installation, no shadowgap
		<u>KR717109</u>	31,77	Plasterkit for concrete installation, shadowgap
Low voltage track				See page 204
■ Optional accessories				
Glare preventer	○	<u>KR706821</u>	65,28	Straight glare preventer, white (H 40)
	●	<u>KR706822</u>	65,28	Straight glare preventer, black (H 40)
	○	<u>KR706831</u>	73,44	Rounded glare preventer, white (H 90)
	●	<u>KR706832</u>	73,44	Rounded glare preventer, black (H 90)
Louvres and lenses ⓘ		<u>KR706080</u>	37,80	Anti-glare louvre
		<u>KR706180</u>	33,66	Sculpture lens
		<u>KR706280</u>	29,07	Diffusing lens
Driver		<u>KR772050</u>	63,23	LED driver, 700mA, ON/OFF, 50W
		<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
		<u>KR772233</u>	90,07	LED driver, 700mA, DALI, 27W
		<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W

kreon dolma 40

	dolma 40 up/down light Gear: incl., 230V, IP20		<u>KR915341</u>		265,00	9027 2700K, CRI90+	9030 3000K, CRI90+	EX gear excluded	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming
			<u>KR915342</u>		265,00	—	—	—	40,00	50,00	50,00

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED SW/VD/DD	CRI90+	2700K/3000K	230V	3,2W		111lm
	EX	CRI90+	2700K/3000K	3V	3,2W	1050mA	111lm

kreon dolma 40 accessories

		Colour	KR-code	Base price (EUR excl. VAT)	
	dolma 40 profile		<u>KR745002</u>	169,95	price/m
	Min depth: 80, thickness boardmaterial: max. 12,5mm, IP40		<u>KR745003</u>	165,00	price/m
■ Optional accessories					
Driver			<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
			<u>KR772443</u>	86,00	LED driver, 1050mA, DALI, 15W

kreon dolma 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	dolma 80 up/down light Gear: incl., 230V, IP20		<u>KR915441</u>	①	336,05	—	—	—	65,00	65,00	
			<u>KR915442</u>	①	336,05	—	—	—	65,00	65,00	
			<u>KR915443</u>	①	336,05	—	—	—	65,00	65,00	
	dolma 80 symmetrical light Gear: incl., 230V, IP20		<u>KR915471</u>	①	364,14	—	—	—	65,00	65,00	
			<u>KR915472</u>	①	364,14	—	—	—	65,00	65,00	
			<u>KR915473</u>	①	364,14	—	—	—	65,00	65,00	

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI80+	2700K/3000K	230V	8,4W	126lm

kreon dolma 80 accessories

kreon dolma 80 accessories				
		Colour	KR-code	Base price (EUR excl. VAT)
	dolma 80 profile Min depth: 80, thickness boardmaterial: max. 15mm, IP40		<u>KR715002</u>	190,07
			<u>KR715003</u>	190,07
■ Optional accessories				
Electrical wiring			<u>KR705401</u>	12,52
				Extra electrical wiring (for an extra circuit)
EURO connector			<u>KR705403</u>	6,10
				EURO connector

kreon down 40

[illegible]

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI80+	2700K/3000K	2W	700mA	153lm
			3,2W	1050mA	219lm
	CRI90+	2700K/3000K	2W	700mA	121lm
			3,2W	1050mA	143lm
② LED	CRI80+	2700K/3000K	2W	700mA	172lm
			3,2W	1050mA	262lm
	CRI90+	2700K/3000K	2W	700mA	138lm
			3,2W	1050mA	172lm
③ LED	CRI80+	2700K/3000K	2W	700mA	77lm
			3,2W	1050mA	90lm
	CRI90+	2700K/3000K	2W	700mA	47lm
			3,2W	1050mA	71lm

kreon down 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Plasterkit concrete		<u>KR747602</u>	30,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)		<u>KR707311</u>	22,60	Louvre IP44, white
		<u>KR707312</u>	22,60	Louvre IP44, black
Driver		<u>KR752730</u>	15,10	LED driver, 700mA, ON/OFF, 3W
		<u>KR752733</u>	49,98	LED driver, 700mA, DALI, 10W
		<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	86,00	LED driver, 1050mA, DALI, 15W

kreon down 80

[illegible]

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		15,6W	700mA	690lm
		CRI90	2700K/3000K/4000K		15,6W	700mA	690lm
		CRI98	2700K/3000K/4000K		15,2W	700mA	494lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		

kreon down 80 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747702</u>	31,77	Plasterkit for concrete installation
Lenses	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR704800</u>	28,80	Softening lens
	<u>KR772342</u>	26,38	Anti-glare louvre
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W,
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W

kreon down 80				Base price (EUR excl. VAT)											Optional accessories
	Colour	KR-code	Light sources		<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98		
	down 80 downlight LED ☉ LxW 91x91 H 100 ◆ Wide flood reflector: incl.	○ <u>KR947031</u>	①	188,79	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		
		● <u>KR947032</u>	①	188,79	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		
	down 80 downlight LED MR16 ☉ LxW 91x91 H 110 ◆ Lamp: excl.	○ <u>KR947231</u>	②	85,00											
		● <u>KR947232</u>	②	85,00											
	down 80 downlight LED PAR16 ☉ LxW 91x91 H 130 ▣ Lamp: excl.	○ <u>KR947251</u>	③	85,00											
		● <u>KR947252</u>	③	85,00											
	down 80 wallwasher LED ☉ LxW 91x91 H 100 ◆ Wallwash reflector: incl.	○ <u>KR947431</u>	④	319,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		
		● <u>KR947432</u>	④	319,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		9,5W	700mA	985lm
		CRI90	2700K/3000K/4000K		11,4W	700mA	985lm
		CRI98	2700K/3000K/4000K		9,2W	500mA	731lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		
④	LED	CRI83	2700K/3000K/4000K		9,5W	700mA	509lm
		CRI90	2700K/3000K/4000K		11,4W	700mA	509lm
		CRI98	2700K/3000K/4000K		9,2W	500mA	378lm

kreon down 80 accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747702</u>	31,77	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR717316</u>	27,50	Louvre IP44, white
	<u>KR717312</u>	27,50	Louvre IP44, black
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W
	<u>KR772432</u>	27,98	LED driver, 500mA, phase dim, 15W
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W,
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W

kreon down 120

kreon down 120				Base price (EUR excl. VAT)														Optional accessories
	Colour	KR-code	Light sources		<u>8327</u> 2700K, CRI83	<u>8330</u> 3000K, CRI83	<u>8340</u> 4000K, CRI83	<u>9027</u> 2700K, CRI90	<u>9030</u> 3000K, CRI90	<u>9040</u> 4000K, CRI90	<u>9827</u> 2700K, CRI98	<u>9830</u> 3000K, CRI98	<u>9840</u> 4000K, CRI98	<u>SP</u> Spot (12°)	<u>FL</u> Flood (28°)	<u>WFL</u> Wide flood (34°)		
	down 120 directional ☉ LxW 128x128 H 140 Filter holder: incl., glare snoot: incl.	 <u>KR957981</u>	①	307,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00	15,00		
		 <u>KR957982</u>	①	307,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00	15,00		
	down 120 downlight low output ☉ LxW 128x128 H 110	 <u>KR957281</u>	②	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
		 <u>KR957282</u>	②	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
	down 120 downlight high output ☉ LxW 128x128 H 130	 <u>KR957291</u>	③	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—		
		 <u>KR957292</u>	③	262,95	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—		

			CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1274lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	573lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1021lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	987lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	691lm	
②	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1114lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	839lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1666lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	1609lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	1127lm	
③	LED		CRI83	2700K/3000K/4000K	25,6W	1050mA	2610lm
			CRI90	2700K/3000K/4000K	25,7W	1050mA	2430lm
			CRI98	2700K/3000K/4000K	20W	1050mA	1605lm

kreon down 120 accessories

kreon down 120 accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747612</u>	36,00	Plasterkit for concrete installation
Louvre IP44 (only for downlight)	<u>KR707416</u>	34,35	Louvre IP44, white
	<u>KR707412</u>	34,35	Louvre IP44, black
Lenses (only for directional)	<u>KR750100</u>	24,00	Sculpture lens
	<u>KR750200</u>	24,00	Diffusing lens
	<u>KR750800</u>	33,30	Softening lens
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W


```
kreon    down 120
```

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Light output (lm)										Beam diameter (m)			Optional accessories	
						8327 2700K, CR183	8330 3000K, CR183	8340 4000K, CR183	9027 2700K, CR190	9030 3000K, CR190	9040 4000K, CR190	9827 2700K, CR198	9830 3000K, CR198	9840 4000K, CR198	SP Spot (12°)	FL Flood (28°)	FL Flood (20°)	WFL Wide flood (34°)	WFL Wide flood (36°)	
	down 120 wallwasher low output	○	<u>KR957581</u>	①	330,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00		15,00		
	⊗ LxW 128x128 H 150 Wallwash reflector: incl.	●	<u>KR957582</u>	①	330,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	15,00		15,00		
	down 120 wallwasher high output	○	<u>KR957591</u>	②	330,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00				—	—	
	⊗ LxW 128x128 H 170 Wallwash reflector: incl.	●	<u>KR957592</u>	②	330,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00				—	—	

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	15,2W	700mA	937lm
	CRI90	2700K/3000K/4000K	17,1W	700mA	906lm
	CRI98	2700K/3000K/4000K	12,9W	700mA	633lm
② LED	CRI83	2700K/3000K/4000K	25,6W	1050mA	1385lm
	CRI90	2700K/3000K/4000K	25,7W	1050mA	1275lm
	CRI98	2700K/3000K/4000K	20W	1050mA	840lm

kreon down 120 accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Plasterkit concrete	<u>KR747612</u>	36,00	Plasterkit for concrete installation
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	Required accessories	Optional accessories
	down 165 directional low output ● LxW 173x173 H 230 Filter holder: incl.	○	KR 947831	①	315,62	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
		●	KR 947832	①	315,62	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
	down 165 directional high output ● LxW 173x173 H 250 Filter holder: incl.	○	KR 947341	②	348,59	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
		●	KR 947342	②	348,59	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■
	down 165 wallwasher low output ● LxW 173x173 H 200	○	KR 947331	③	369,72	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		■
		●	KR 947332	③	369,72	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		■
	down 165 wallwasher high output ● LxW 173x173 H 210	○	KR 947441	④	391,99	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		■
		●	KR 947442	④	391,99	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K	15,2W	700mA	1250lm
		CRI90	2700K/3000K/4000K	16,5W	700mA	1250lm
		CRI98	2700K/3000K/4000K	13,9W	500mA	988lm
②	LED	CRI83	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI90	2700K/3000K/4000K	25,7W	1050mA	1874lm
		CRI98	2700K/3000K/4000K	20W	1050mA	1249lm
③	LED	CRI83	2700K/3000K/4000K	15,2W	700mA	756lm
		CRI90	2700K/3000K/4000K	16,5W	700mA	756lm
		CRI98	2700K/3000K/4000K	13,9W	500mA	597lm
④	LED	CRI83	2700K/3000K/4000K	25,7W	1050mA	1161lm
		CRI90	2700K/3000K/4000K	25,7W	1050mA	1161lm
		CRI98	2700K/3000K/4000K	20W	1050mA	774lm

	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
Reflector (not for wallwasher)	KR 720032	40,80	Reflector LED, spot 13°
	KR 720034	40,80	Reflector LED, flood 23°
	KR 720036	40,80	Reflector LED, wide flood 40°
■ Optional accessories			
Plasterkit concrete	KR 747712	36,00	Plasterkit for concrete installation
Lenses (not for wallwasher)	KR 720100	27,02	Sculpture lens
	KR 720200	27,02	Diffusing lens
	KR 720800	38,50	Softening lens
Driver	KR 772024	41,62	LED driver, 500mA, ON/OFF, 20W
	KR 772220	52,56	LED driver, 500mA, 1-10V, 20W
	KR 772126	78,95	LED driver, 500mA, DALI, 18W
	KR 772034	36,23	LED driver, 700mA, ON/OFF, 20W
	KR 772232	54,35	LED driver, 700mA, 1-10V, 20W
	KR 772236	78,95	LED driver, 700mA, DALI, 18W
	KR 772140	45,76	LED driver, 1050mA, ON/OFF, 36W
	KR 772142	62,12	LED driver, 1050mA, 1-10V, 39W
	KR 772143	91,90	LED driver, 1050mA, DALI, 35W

kreon down in-line 40

kreon down in-line 40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
--------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	2W	700mA	153lm
				3,2W	1050mA	219lm
		CRI90+	2700K/3000K	2W	700mA	121lm
				3,2W	1050mA	143lm
②	LED	CRI80+	2700K/3000K	2W	700mA	172lm
				3,2W	1050mA	262lm
		CRI90+	2700K/3000K	2W	700mA	138lm
				3,2W	1050mA	172lm
③	LED	CRI80+	2700K/3000K	2W	700mA	77lm
				3,2W	1050mA	90lm
		CRI90+	2700K/3000K	2W	700mA	47lm
				3,2W	1050mA	71lm

kreon down in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707114</u>	16,15	Plasterkit, no shadowgap
Plasterkit concrete		<u>KR707111</u>	28,66	Plasterkit for concrete installation
Louvre		<u>KR707116</u>	14,75	Louvre, white
		<u>KR707112</u>	14,75	Louvre, black
		<u>KR707115</u>	100,00	Louvre, gun black
		<u>KR707113</u>	55,00	Louvre, red satin copper
Deep recessed installation (only for downlight)		<u>KR707714</u>	18,60	Plasterkit, deep recessed, no shadowgap
		<u>KR707711</u>	31,11	Plasterkit for concrete installation, deep recessed, no shadowgap
		<u>KR707716</u>	17,00	Deep recessed louvre, white
		<u>KR707712</u>	17,00	Deep recessed louvre, black
■ Optional accessories				
Driver		<u>KR752730</u>	15,10	LED driver, 700mA, ON/OFF, 3W
		<u>KR752733</u>	49,98	LED driver, 700mA, DALI, 10W
		<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
		<u>KR772443</u>	86,00	LED driver, 1050mA, DALI, 15W
Distance ring		<u>KR707317</u>	20,00	Distance ring 2mm (set of 5 pcs.)
		<u>KR707318</u>	24,60	Distance ring 3mm (set of 5 pcs.)
		<u>KR707319</u>	29,00	Distance ring 5mm (set of 5 pcs.)

```
kreon    down in-line 80
```

kreon		down in-line 80		Base price (EUR excl. VAT)													Required accessories	Optional accessories
		KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SP Spot (18°)	FL Flood (28°)	WFL Wide flood (48°)		
	down in-line 80 directional LED ☉ LxW 102x102 H 120 ⬡ Filter holder: incl., glare snoot: incl.	<u>KR917933</u>	①	198,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—		
	down in-line 80 directional LED MR16 ☉ LxW 102x102 H 110 ⬡ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917803</u>	②	60,00														
	down in-line 80 directional LED PAR16 ☉ LxW 102x202 H 125 ▣ Filter holder: incl., lamp: excl., glare snoot: incl.	<u>KR917843</u>	③	60,00														

	CRI	CCT	Wattage	Voltage	Drive current	Fixture lumen
① LED	CRI83	2700K/3000K/4000K		15,6W	700mA	690lm
	CRI90	2700K/3000K/4000K		15,6W	700mA	690lm
	CRI98	2700K/3000K/4000K		15,2W	700mA	494lm
② LED MR16			12V	15W		
③ LED PAR16			230V	15W		

kreon down in-line 80 accessories

kreon down in-line 80 accessories		Base price (EUR excl. VAT)	
	KR-code		
■ Required accessories			
Plasterkit	<u>KR717114</u>	21,50	Plasterkit, no shadowgap
	<u>KR717118</u>	21,50	Plasterkit, shadowgap
Double plasterkit	<u>KR727114</u>	31,77	Double plasterkit, no shadowgap
Plasterkit concrete	<u>KR717119</u>	31,77	Plasterkit for concrete installation, no shadowgap
	<u>KR717111</u>	31,77	Plasterkit for concrete installation, shadowgap
Louvre	<u>KR717116</u>	18,63	Louvre, white
	<u>KR717112</u>	18,63	Louvre, black
	<u>KR717115</u>	165,42	Louvre, gun black
	<u>KR717113</u>	114,27	Louvre, red satin copper

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR704800</u>	28,80	Softening lens
	<u>KR772342</u>	25,86	Anti-glare louvre
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W
	<u>KR772432</u>	27,98	LED driver, 500mA, phase dim, 15W
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W
Distance ring (for plasterkit concrete)	<u>KR717317</u>	24,40	Distance ring 2mm (set of 5 pcs.)
	<u>KR717318</u>	29,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717319</u>	37,60	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	Required accessories	Optional accessories
	down in-line 80 downlight LED ⊗ LxW 102x102 H 100 ⬠ Wide flood reflector 45°: incl.		<u>KR917033</u>	①	153,47	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		
	down in-line 80 downlight LED MR16 ⊗ LxW 102x102 H 110 ⬠ Lamp: excl.		<u>KR917233</u>	②	60,00											
	down in-line 80 downlight LED PAR16 ⊗ LxW 102x102 H 125 ▢ Lamp: excl.		<u>KR917253</u>	③	60,00											
	down in-line 80 wallwasher LED ⊗ LxW 102x102 H 100 ⬠ Wallwash reflector: incl.	○	<u>KR917331</u>	④	267,00	—	—	—				35,00	35,00	35,00		
		●	<u>KR917332</u>	④	267,00	—	—	—				35,00	35,00	35,00		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		9,5W	700mA	985lm
		CRI90	2700K/3000K/4000K		11,4W	700mA	985lm
		CRI98	2700K/3000K/4000K		9,2W	500mA	731lm
②	LED MR16			12V	15W		
③	LED PAR16			230V	15W		
④	LED	CRI83	2700K/3000K/4000K		9,5W	700mA	509lm
		CRI90	2700K/3000K/4000K		11,4W	700mA	509lm
		CRI98	2700K/3000K/4000K		9,2W	500mA	378lm

kreon down in-line 80 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717114</u>	21,50	Plasterkit, no shadowgap
		<u>KR717118</u>	21,50	Plasterkit, shadowgap
Double plasterkit		<u>KR727114</u>	31,77	Double plasterkit, no shadowgap
Plasterkit concrete		<u>KR717119</u>	29,03	Plasterkit for concrete installation, no shadowgap
		<u>KR717111</u>	29,03	Plasterkit for concrete installation, shadowgap
Louvre		<u>KR717116</u>	18,63	Louvre, white
		<u>KR717112</u>	18,63	Louvre, black
		<u>KR717115</u>	165,42	Louvre, gun black
		<u>KR717113</u>	114,27	Louvre, red satin copper
Louvre IP44 (only for downlight)		<u>KR717316</u>	27,50	Louvre IP 44, white
		<u>KR717312</u>	27,50	Louvre IP 44, black

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Lenses	<u>KR704100</u>	23,01	Sculpture lens
	<u>KR704200</u>	23,01	Diffusing lens
	<u>KR704800</u>	28,80	Softening lens
	<u>KR772342</u>	25,86	Anti-glare louvre
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W
	<u>KR772432</u>	27,98	LED driver, 500mA, phase dim, 15W
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772431</u>	22,73	LED driver, 700mA, phase dim, 14W
Distance ring (for plasterkit concrete)	<u>KR717317</u>	24,40	Distance ring 2mm (set of 5 pcs.)
	<u>KR717318</u>	29,00	Distance ring 3mm (set of 5 pcs.)
	<u>KR717319</u>	37,60	Distance ring 5mm (set of 5 pcs.)

kreon down in-line 120

Kreon down in-line 120																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</
------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

		CRI		CCT	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1274lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	800lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	573lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1021lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	987lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	691lm	
②	LED	SP	CRI83	2700K/3000K/4000K	15,6W	700mA	1114lm
			CRI90	2700K/3000K/4000K	15,6W	700mA	1004lm
			CRI98	2700K/3000K/4000K	15,2W	700mA	839lm
	FL6 WFL	CRI83	2700K/3000K/4000K	15,2W	700mA	1666lm	
		CRI90	2700K/3000K/4000K	17,1W	700mA	1609lm	
		CRI98	2700K/3000K/4000K	12,9W	700mA	1127lm	
③	LED		CRI83	2700K/3000K/4000K	25,6W	1050mA	2610lm
			CRI90	2700K/3000K/4000K	25,7W	1050mA	2430lm
			CRI98	2700K/3000K/4000K	20W	1050mA	1605lm

kreon down in-line 120 accessories

			KR-code	Base price (EUR excl. VAT)	
			■ Required accessories		
Plasterkit			<u>KR707214</u>	25,50	Plasterkit, no shadowgap
			<u>KR707218</u>	25,50	Plasterkit, shadowgap
Plasterkit concrete			<u>KR707219</u>	35,50	Plasterkit for concrete installation, no shadowgap
			<u>KR707211</u>	35,50	Plasterkit for concrete installation, shadowgap
Louvre			<u>KR707216</u>	20,20	Louvre, white
			<u>KR707212</u>	20,20	Louvre, black
Louvre IP44 (only for downlight)			<u>KR707416</u>	34,35	Louvre IP 44, white
			<u>KR707412</u>	34,35	Louvre IP 44, black
			■ Optional accessories		
Lenses (only for directional)			<u>KR750100</u>	24,00	Sculpture lens
			<u>KR750200</u>	24,00	Diffusing lens
			<u>KR750800</u>	33,30	Softening lens
Driver			<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
			<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
			<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
			<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
			<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W
			<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
			<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W
Distance ring			<u>KR707417</u>	25,50	Distance ring 2mm (set of 5 pcs.)
			<u>KR707418</u>	30,50	Distance ring 3mm (set of 5 pcs.)
			<u>KR707419</u>	38,50	Distance ring 5mm (set of 5 pcs.)


```
kreon    down in-line 120
```

				Base price (EUR excl. VAT)	2700K, CRI83								3000K, CRI83								4000K, CRI83								2700K, CRI90								3000K, CRI90								4000K, CRI90								2700K, CRI98								3000K, CRI98								4000K, CRI98								Required accessories	Optional accessories
		Colour	KR-code		Light sources	8327	8330	8340	9027	9030	9040	9827	9830	9840																																																																
	down in-line 120 wallwasher low output ☉ LxW 144x144 H 150 Wallwash reflector: incl.	○	<u>KR907531</u>	①	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■																																																														
		●	<u>KR907532</u>	①	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■																																																														
	down in-line 120 wallwasher high output ☉ LxW 144x144 H 170 Wallwash reflector: incl.	○	<u>KR907541</u>	②	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■																																																														
		●	<u>KR907542</u>	②	287,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	■	■																																																														

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	15,2W	700mA	937lm
	CRI90	2700K/3000K/4000K	17,1W	700mA	906lm
	CRI98	2700K/3000K/4000K	12,9W	700mA	633lm
② LED	CRI83	2700K/3000K/4000K	25,6W	1050mA	1385lm
	CRI90	2700K/3000K/4000K	25,7W	1050mA	1275lm
	CRI98	2700K/3000K/4000K	20W	1050mA	840lm

kreon down in-line 120 accessories

	KR-code	Base price (EUR excl.	
■ Required accessories			
Plasterkit	<u>KR707214</u>	25,50	Plasterkit, no shadowgap
	<u>KR707218</u>	25,50	Plasterkit, shadowgap
Plasterkit concrete	<u>KR707219</u>	35,50	Plasterkit for concrete installation, no shadowgap
	<u>KR707211</u>	35,50	Plasterkit for concrete installation, shadowgap
Louvre	<u>KR707216</u>	20,20	Louvre, white
	<u>KR707212</u>	20,20	Louvre, black
■ Optional accessories			
Driver	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W
	<u>KR772430</u>	32,18	LED driver, 700mA, phase dim, 25W
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W
Distance ring	<u>KR707417</u>	25,50	Distance ring 2mm (set of 5 pcs.)
	<u>KR707418</u>	30,50	Distance ring 3mm (set of 5 pcs.)
	<u>KR707419</u>	38,50	Distance ring 5mm (set of 5 pcs.)

```
kreon    down in-line 165
```

kreon down in-line 165				Base price (EUR excl. VAT)											Required accessories	Optional accessories
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98			
	down in-line 165 directional low output ☉ LxW 186x186 H 230 Filter holder: incl., glare snoot: incl.	<u>KR917833</u>	①	246,06	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
	down in-line 165 directional high output ☉ LxW 186x186 H 250 Filter holder: incl., glare snoot: incl.	<u>KR917343</u>	②	279,03	—	—	—	10,00	100,00	10,00	35,00	35,00	35,00			
	down in-line 165 wallwasher low output ☉ LxW 186x186 H 200	<u>KR917431</u>	③	290,61	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
		<u>KR917432</u>	③	290,61	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
	down in-line 165 wallwasher high output ☉ LxW 186x186 H 210	<u>KR917441</u>	④	354,89	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			
		<u>KR917442</u>	④	354,89	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	15,2W	700mA	1250lm
	CRI90	2700K/3000K/4000K	16,5W	700mA	1250lm
	CRI98	2700K/3000K/4000K	13,9W	500mA	988lm
② LED	CRI83	2700K/3000K/4000K	25,7W	1050mA	1874lm
	CRI90	2700K/3000K/4000K	25,7W	1050mA	1874lm
	CRI98	2700K/3000K/4000K	20W	1050mA	1249lm
③ LED	CRI83	2700K/3000K/4000K	15,2W	700mA	756lm
	CRI90	2700K/3000K/4000K	16,5W	700mA	756lm
	CRI98	2700K/3000K/4000K	13,9W	500mA	597lm
④ LED	CRI83	2700K/3000K/4000K	25,7W	1050mA	1161lm
	CRI90	2700K/3000K/4000K	25,7W	1050mA	1161lm
	CRI98	2700K/3000K/4000K	20W	1050mA	774lm

kreon down in-line 165 accessories

kreon down in-line 165 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit	<u>KR717214</u>	29,00	Plasterkit, no shadowgap	
	<u>KR717218</u>	29,00	Plasterkit, shadowgap	
Plasterkit concrete	<u>KR717219</u>	33,88	Plasterkit for concrete installation, no shadowgap	
	<u>KR717211</u>	33,88	Plasterkit for concrete installation, shadowgap	
Louvre	<u>KR717216</u>	25,33	Louvre, white	
	<u>KR717212</u>	25,33	Louvre, black	
Reflector (not for wallwasher)	<u>KR720032</u>	40,80	Reflector LED, spot 13°	
	<u>KR720034</u>	40,80	Reflector LED, flood 23°	
	<u>KR720036</u>	40,80	Reflector LED, wide flood 40°	
■ Optional accessories				
Lenses (only for directional)	<u>KR720100</u>	27,56	Sculpture lens	
	<u>KR720200</u>	27,56	Diffusing lens	
	<u>KR720800</u>	39,27	Softening lens	
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W	
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	
	<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W	
	<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W	
	<u>KR772236</u>	78,95	LED driver, 700mA, DALI, 18W	
	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W	
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W	
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W	

kreon erubo

kreon erubo																		
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SP Spot (12°)	FL Flood (24°)	WFL Wide flood (38°)	Optional accessories
	erubo on-track low output Gear: incl., phase dimming		<u>KR927535</u>	①	396,31	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	
			<u>KR927532</u>	①	396,31	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	
	erubo on-track high output Gear: incl., phase dimming		<u>KR927635</u>	②	443,90	—	—	—	10,00	10,00	10,00					—	—	
			<u>KR927632</u>	②	443,90	—	—	—	10,00	10,00	10,00					—	—	
	erubo on-track high output Gear: incl., 1-10v dimming		<u>KR927645</u>	③	491,13	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—	
			<u>KR927642</u>	③	491,13	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—	
	erubo on-track high output Gear: incl., DALI dimming		<u>KR927655</u>	③	509,59	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—	
			<u>KR927652</u>	③	509,59	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00		—	—	

			CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	SP	CRI83	2700K/3000K	230V	15,6W	1051lm
			CRI98	2700K/3000K	230V	19W	897lm
	FL 6 WFL	CRI83	2700K/3000K	230V	9,5W	1037lm	
		CRI98	2700K/3000K	230V	13,3W	1037lm	
②	LED	FL 6 WFL	CRI83	2700K/3000K		15,2W	1595lm
③	LED	FL 6 WFL	CRI83	2700K/3000K		19,1W	1595lm
			CRI90	2700K/3000K		19,1W	1595lm
			CRI98	2700K/3000K		17,2W	1037lm

kreon erubo accessories

kreon		erubo accessories	
	KR-code	Base price (EUR excl. VAT)	
■ Required accessories			
3-circuit track			See page 200
■ Optional accessories			
Lenses	<u>KR762002</u>	26,75	Anti-glare louvre

				Colour	KR-code	Light sources	Base price (EUR excl. VAT)		8027 2700K, CRI80+	9027 2700K, CRI90+	Required accessories	Optional accessories
	esprit single floor Gear: incl. in base 					KR963111	①	561,00	—	35,00		
						KR963112	①	561,00	—	35,00		
	esprit double floor Gear: incl. in base 					KR963121	②	918,00	—	35,00		
						KR963122	②	918,00	—	35,00		
	esprit single ceiling Gear: excl., plasterkit: excl. 					KR963011	③	510,00	—	35,00		
						KR963012	③	510,00	—	35,00		
	esprit double ceiling Gear: excl., plasterkit: excl. 					KR963021	④	867,00	—	35,00		
						KR963022	④	867,00	—	35,00		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K	230V	2W		161lm
		CRI90+	2700K	230V	2W		129lm
②	LED	CRI80+	2700K	230V	2x2W		322lm
		CRI90+	2700K	230V	2x2W		258lm
③	LED	CRI80+	2700K		3,2W	1050mA	191lm
		CRI90+	2700K		3,2W	1050mA	156lm
④	LED	CRI80+	2700K		2x3,2W	1050mA	382lm
		CRI90+	2700K		2x3,2W	1050mA	313lm

kreon esprit accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Base esprit floor	KR763281	1275,00	Base, incl. driver, ON/OFF switchable, carrara bianco	
	KR763484	382,50	Base, incl. driver, ON/OFF switchable, natural blue steel	
	KR763286	1428,00	Base, incl. driver, carrara bianco, bluetooth controllable ‡ (Casambi inside)	
	KR763489	484,50	Base, incl. driver, natural blue steel, bluetooth controllable ‡ (Casambi inside)	
Plasterkit esprit ceiling	KR717104	21,50	Trimless plasterkit, no shadowgap	
	KR717108	21,50	Trimless plasterkit, shadowgap	
■ Optional accessories				
Driver esprit ceiling	KR752730	15,10	LED driver, 700mA, ON/OFF, 3W	
	KR752733	49,98	LED driver, 700mA, DALI, 10W	
	KR772142	62,12	LED driver, 1050mA, 1-10V, 39W	
	KR772443	98,97	LED driver, 1050mA, DALI, 15W	

kreon fuga

			Colour	KR-code	Light sources	Base price (EUR excl. VAT)	06 600mm pendant	09 900mm pendant	12 1200mm pendant	06 600mm base	09 900mm base	12 1200mm base	Required accessories	Optional accessories
	fuga 600 Driver: excl. ♦	recessed mounted	●	KR974172	①	211,19	135,90	148,50	171,60	182,90			■	■
		surface mounted	●	KR974572	①	211,19	135,90	148,50	171,60	182,90			■	■
	fuga 900 Driver: excl. ♦	recessed mounted	●	KR974272	②	262,90	135,90	148,50	171,60	182,90	194,30		■	■
		surface mounted	●	KR974672	②	262,90	135,90	148,50	171,60	182,90	194,30		■	■
	fuga 1200 Driver: excl. ♦	recessed mounted	●	KR974372	③	316,28	135,90	148,50	171,60		194,30	205,70	■	■
		surface mounted	●	KR974772	③	316,28	135,90	148,50	171,60		194,30	205,70	■	■
	fuga 900 Driver: incl. (on/off)		●	KR974262	④	339,12	135,90	148,50	171,60		194,30			■
	fuga 1200 Driver: incl. (on/off)		●	KR974362	⑤	392,27	135,90	148,50	171,60		194,30	205,70		■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI85+	2700K		6,4W	500mA	291lm
②	LED	CRI85+	2700K		9,5W	500mA	447lm
③	LED	CRI85+	2700K		12,7W	500mA	578lm
④	LED	CRI85+	2700K	230V	9,5W		447lm
⑤	LED	CRI85+	2700K	230V	12,7W		578lm

kreon fuga accessories

			KR-code	Base price (EUR excl. VAT)	
■ Required accessories					
Plasterkit			KR717114	21,50	Trimless plasterkit square, no shadowgap
			KR717118	21,50	Trimless plasterkit square, shadowgap
■ Optional accessories					
Driver			KR772024	41,62	LED driver, 500mA, ON/OFF, 20W
			KR772220	52,56	LED driver, 500mA, 1-10V, 20W
			KR772126	78,95	LED driver, 500mA, DALI, 18W

kreon holon 40

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)																
						8027 2700K, CRI80+	8030 3000K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	SP Spot (20°)	FL Flood (30°)	WFL Wide flood (40°)	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories				
	holon 40 directional surface mounted	○	<u>KR962301</u>	①	294,17	—	—	35,00	35,00	—	—	—									
		●	<u>KR962302</u>	①	294,17	—	—	35,00	35,00	—	—	—									
	holon 40 directional recessed mounted	○	<u>KR962311</u>	①	294,17	—	—	35,00	35,00	—	—	—									
		●	<u>KR962312</u>	①	294,17	—	—	35,00	35,00	—	—	—									
	holon 40 fixed	○	<u>KR962701</u>	①	199,61	—	—	35,00	35,00	—	—	—									
		●	<u>KR962702</u>	①	195,70	—	—	35,00	35,00	—	—	—									
	holon 40 on-track	○	<u>KR962611</u>	②	310,70	—	—	35,00	35,00	—	—	—	—	26,00	26,00						
		●	<u>KR962612</u>	②	310,70	—	—	35,00	35,00	—	—	—	—	26,00	26,00						

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K		8,4W	700mA	721lm
		CRI90+	2700K/3000K		8,4W	700mA	558lm
②	LED	CRI80+	2700K/3000K	48V	10,5W		721lm
		CRI90+	2700K/3000K	48V	10,5W		558lm

kreon holon 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR707104</u>	16,15	Plasterkit holon 40 directional recessed mounted
Low voltage track (for on-track only)				See page 204
■ Optional accessories				
Driver		<u>KR762700</u>	36,21	LED driver, 700mA, ON/OFF, 11W
		<u>KR762902</u>	61,20	LED driver, 700mA, 1-10V, 25W
		<u>KR752733</u>	49,98	LED driver, 700mA, DALI, 10W
Installation cover		<u>KR762501</u>	32,64	Installation cover, white
		<u>KR762502</u>	32,64	Installation cover, black
Lenses and louvres		<u>KR762000</u>	22,34	Anti-glare louvre
		<u>KR762200</u>	23,56	Diffusing lens

kreon holon 80

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)																Required accessories	Optional accessories			
	holon 80 directional surface mounted Gear: incl.		<u>KR962221</u>	①	540,60	8327 2700K, CRI83	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	SP Spot (14°)	—	—	—	SW Switchable on/off	—	37,00	37,00		
			<u>KR962222</u>	①	540,60	8330 3000K, CRI83	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	FL Flood (30°)	—	—	—	VD 1-10V dimming	—	37,00	37,00		
	holon 80 directional recessed mounted Gear: excl. 		<u>KR962431</u>	②	459,00	8340 4000K, CRI83	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	WFL Wide flood (38°)	—	—	—	DD DALI dimming	—	—	—		
			<u>KR962432</u>	②	459,00	9027 2700K, CRI90	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	9030 3000K, CRI90	—	—	—	9040 4000K, CRI90	—	—	—		

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	230V	15,6W		1067lm
			CRI90	2700K/3000K/4000K	230V	15,6W		1067lm
			CRI98	2700K/3000K/4000K	230V	15,2W		763lm
	FL & WFL		CRI83	2700K/3000K/4000K	230V	15,2W		1610lm
			CRI90	2700K/3000K/4000K	230V	17,1W		1610lm
			CRI98	2700K/3000K/4000K	230V	12,9W		1127lm
	LED	SP	CRI83	2700K/3000K/4000K		30,2W	1050mA	1641lm
			CRI90	2700K/3000K/4000K		30,2W	1050mA	1641lm
			CRI98	2700K/3000K/4000K		29,5W	1050mA	1280lm
		FL & WFL	CRI83	2700K/3000K/4000K		25,7W	1050mA	2415lm
			CRI90	2700K/3000K/4000K		25,7W	1050mA	2415lm
			CRI98	2700K/3000K/4000K		20W	1050mA	1610lm

kreon holon 80 accessories

				KR-code	Base price (EUR excl. VAT)	
■ Required accessories						
Plasterkit				KR717104	21,50	Trimless plasterkit, no shadowgap, for holon 80 directional recessed mounted
				KR717108	21,50	Trimless plasterkit, shadowgap, for holon 80 directional recessed mounted
■ Optional accessories						
Lenses and louvres				KR762002	26,75	Anti-glare louvre
				KR726100	29,92	Sculpture lens
				KR726200	29,92	Diffusing lens
Driver				KR772140	45,76	LED driver, 1050mA, ON/OFF, 36W
				KR772142	62,12	LED driver, 1050mA, 1-10V, 39W
				KR772143	91,90	LED driver, 1050mA, DALI, 35W

kreon holon 80

kreon holon 80				Base price (EUR excl. VAT)																				
		Colour	KR-code		Light sources	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SP Spot (14°)	FL Flood (30°)	WFL Wide flood (38°)	SW Switchable on/off	VD 1-10V dimming	DD DALI dimming	Required accessories	Optional accessories		
	holon 80 fixed Gear: incl.	○	KR962821	①	364,14	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	37,00	37,00				
		●	KR962822	①	364,14	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	37,00	37,00				
	holon 80 fixed Gear: excl. ♦	○	KR962631	②	331,50	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—							
		●	KR962632	②	331,50	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—							
	holon 80 fixed LED PAR16 Lamp: excl.	○	KR962731	③	211,00																			
		●	KR962732	③	211,00																			
	holon 80 on-track	○	KR962241	①	525,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	37,00	37,00				
		●	KR962242	①	525,00	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	—	—	—	37,00	37,00				

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	SP	CRI83	2700K/3000K/4000K	230V	15,6W		1067lm
			CRI90	2700K/3000K/4000K	230V	15,6W		1067lm
			CRI98	2700K/3000K/4000K	230V	15,2W		763lm
	FL & WFL		CRI83	2700K/3000K/4000K	230V	15,2W		1610lm
			CRI90	2700K/3000K/4000K	230V	17,1W		1610lm
			CRI98	2700K/3000K/4000K	230V	12,9W		1127lm
	LED	SP	CRI83	2700K/3000K/4000K		30,2W	1050mA	1641lm
			CRI90	2700K/3000K/4000K		30,2W	1050mA	1641lm
			CRI98	2700K/3000K/4000K		29,5W	1050mA	1280lm
	FL & WFL		CRI83	2700K/3000K/4000K		25,7W	1050mA	2415lm
			CRI90	2700K/3000K/4000K		25,7W	1050mA	2415lm
			CRI98	2700K/3000K/4000K		20W	1050mA	1610lm
	③	LED PAR16	lampholder GZ10/GU10		230V	max. 50W		

kreon holon 80 accessories

kreon holon 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
3~ circuit track (for on-track only)				See page 200
■ Optional accessories				
Lenses and louvres	<u>KR762002</u>	26,75	Anti-glare louvre	
	<u>KR726100</u>	29,92	Sculpture lens	
	<u>KR726200</u>	29,92	Diffusing lens	
Driver	<u>KR772140</u>	45,76	LED driver, 1050mA, ON/OFF, 36W	
	<u>KR772142</u>	62,12	LED driver, 1050mA, 1-10V, 39W	
	<u>KR772143</u>	91,90	LED driver, 1050mA, DALI, 35W	

kreon inline direct / surface mounted

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	<u>SW</u> Black	<u>8027</u> 2700K, CRI80+	<u>8030</u> 3000K, CRI80+	<u>8040</u> 4000K, CRI80+	<u>DD</u> Dimmable DALI, building side	<u>3</u> 350mA	<u>7</u> 700mA	
	inline d-diffus	<u>INL50</u>	①	470,00	—	—	—	—	—	—	—	price/m
	inline s-forward	<u>INL51</u>	②	560,00	—	—	—	—	—	—	—	price/m
	inline s-backward	<u>INL52</u>	③	560,00	—	—	—	—	—	—	—	price/m

		Light flow per meter (approx.)	lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-50	d-diffuse	1997lm	or 3656lm
②	LED	INLINE-51	s-forward	1703lm	or 3075lm
③	LED	INLINE-52	s-backward	1846lm	or 3162lm

kreon inline direct / surface mounted

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)	<u>SW</u> Black	<u>8027</u> 2700K, CRI80+	<u>8030</u> 3000K, CRI80+	<u>8040</u> 4000K, CRI80+	<u>DD</u> Dimmable DALI, building side	<u>3</u> 350mA	<u>7</u> 700mA	
	inline f-80°	<u>INL53</u>	①	560,00	—	—	—	—	—	—	—	
	inline f-40°	<u>INL54</u>	②	560,00	—	—	—	—	—	—	—	
	inline f-asym	<u>INL55</u>	③	560,00	—	—	—	—	—	—	—	
	inline f-lvr Louver Raster UGR <19	<u>INL56</u>	④	560,00	—	—	—	—	—	—	—	

		Light flow per meter (approx.)	lm/m (350mA) @ 4000K		lm/m (700mA) @ 4000K
①	LED	INLINE-53	f-80°	1820lm	or 3388lm
②	LED	INLINE-54	f-40°	2045lm	or 3653lm
③	LED	INLINE-55	f-asym	1747lm	or 3148lm
④	LED	INLINE-56	f-lvr	1675lm (UGR 19)	or 3025lm (UGR >19)

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)				<u>SW</u> Black				<u>DD</u> Dimmable DALI, building side		
					<u>2</u> —	<u>5</u> —	—		<u>8027</u> 2700K, CRI80+	<u>8030</u> 3000K, CRI80+	<u>8040</u> 4000K, CRI80+		<u>37</u> —	—
	inline d-diffus	<u>INL70</u>	①	770,00	—	—	—	—	—	—	—	—	—	—
	inline s-forward	<u>INL71</u>	②	860,00	—	—	—	—	—	—	—	—	—	—
	inline s-backward	<u>INL72</u>	③	860,00	—	—	—	—	—	—	—	—	—	—

		KR-code	Light sources	Recommended price per meter for a system length of approx. 5 meters (EUR excl. VAT)				<u>SW</u> Black				<u>DD</u> Dimmable DALI, building side		
					<u>2</u> —	<u>5</u> —	—		<u>8027</u> 2700K, CRI80+	<u>8030</u> 3000K, CRI80+	<u>8040</u> 4000K, CRI80+		<u>37</u> —	—
	inline f-80°	<u>INL73</u>	①	860,00	—	—	—	—	—	—	—	—	—	—
	inline f-40°	<u>INL74</u>	②	860,00	—	—	—	—	—	—	—	—	—	—
	inline f-asym	<u>INL75</u>	③	860,00	—	—	—	—	—	—	—	—	—	—
	inline f-lvr Louver Raster UGR <19	<u>INL76</u>	④	860,00	—	—	—	—	—	—	—	—	—	—

Light flow per meter (approx.)				Direct portion lm/m (350mA) @ 4000K	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-70	d-diffuse	1997lm	and 3980lm
②	LED	INLINE-71	s-forward	1703lm	and 3980lm
③	LED	INLINE-72	s-backward	1846lm	and 3980lm

Light flow per meter (approx.)				Direct portion lm/m (350mA) @ 4000K	Indirect portion lm/m (700mA) @ 4000K
①	LED	INLINE-73	f-80°	1820lm	and 3980lm
②	LED	INLINE-74	f-40°	2045lm	and 3980lm
③	LED	INLINE-75	f-asym	1747lm	and 3980lm
④	LED	INLINE-76	f-lvr	1675lm (UGR 19)	and 3980lm

kreon koi-s

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8030 3000K, CRI80	8040 4000K, CRI80	TD Dimmable, on stand	DD Dimmable, DALI	MS Multisens, self-adjusting
	koi-s standing light	●	KR944752	①	1403,00	—	—	—		153,00
	koi-s pendant light (0,5m)	●	KR944052	①	1112,00	—	—		—	153,00
	koi-s pendant light (1m)	●	KR944152	①	1209,00	—	—		—	153,00
	koi-s pendant light (2m)	●	KR944252	①	1347,00	—	—		—	153,00
	koi-s ceiling light fixture	●	KR944452	②	745,00	—	—		—	

		CRI	CCT	Wattage	Fixture lumen
①	LED	CR80+	3000/4000K	77W	7062lm
②	LED	CR80+	3000/4000K	25W	2210lm

kreon koi-q

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8030 3000K, CRI80	8040 4000K, CRI80	TD Dimmable, on stand	DD Dimmable, DALI	MS Multisens, self-adjusting
	koi-q standing light	●	KR944762	①	1403,00	—	—	—		153,00
	koi-q pendant light (0,5m)	●	KR944062	①	1112,00	—	—		—	153,00
	koi-q pendant light (1m)	●	KR944162	①	1209,00	—	—		—	153,00
	koi-q pendant light (2m)	●	KR944262	①	1347,00	—	—		—	153,00
	koi-q ceiling light fixture	●	KR944462	②	745,00	—	—		—	

		CRI	CCT	Wattage	Fixture lumen
①	LED	CR80+	3000/4000K	77W	7062lm
②	LED	CR80+	3000/4000K	25W	2210lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)		8030 3000K, CRI80		8040 4000K, CRI80		TD Dimmable, on stand	Optional accessories
	lifto table light	●	<u>KR944112</u>	①	437,00	—	—	—	—	—	—	■
	liftolino table light	●	<u>KR944212</u>	①	437,00	—	—	—	—	—	—	■

		CRI	CCT	Wattage	Fixture lumen
①	LED	CR90+	3000K/4000K	7W	675lm

		KR-code	Base price (EUR excl. VAT)
■ Optional accessories			
Iron base black		<u>KR744212</u>	74,00

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90+	9030 3000K, CRI90+	SW Switchable ON/OFF	09 Length 911 mm	12 Length 1211 mm	15 Length 1511 mm	Required accessories	Optional accessories	
	lini 10 profile Gear: excl. length: Nx50+5+(2x3) IP44	○	KR974111	①	170,00	—	—					■	■	price/m
		●	KR974112	①	170,00	—	—					■	■	price/m
		●	KR974114	①	195,00	—	—					■	■	price/m
	lini 10 cove Gear: excl. length: Nx50+5 IP44		KR774111	②	100,00	—	—						■	price/m
	lini 10 on-track for 48V low voltage track system Gear: incl.	○	KR974811	③	225,00	—	—	—	—	30,00	60,00		■	
		●	KR974812	③	225,00	—	—	—	—	30,00	60,00		■	
		●	KR974814	③	247,50	—	—	—	—	37,50	75,00		■	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90	2700K/3000K	24V	14,4W/m	716lm/m
②	LED	CRI90	2700K/3000K	24V	14,4W/m	928lm/m
③	LED	09 CRI90	2700K/3000K	48V	15,5W	477lm
		12 CRI90	2700K/3000K	48V	17,3W	636lm
		15 CRI90	2700K/3000K	48V	21,6W	795lm

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Surface mounted installation		KR774010	30,00	Mounting clip
Recessed mounted installation		KR774210	75,00	Recessed trimless plasterkit
■ Optional accessories				
Power supply		KR490373	59,98	LED power supply 24VdC/30W
		KR490374	98,88	LED power supply 24VdC/60W
		KR490375	132,60	LED power supply 24VdC/100W
		KR490376	179,30	LED power supply 24VdC/150W
Controller		KR774006	136,66	DALI 24V controller
		KR774106	95,37	1-10V 24V controller
Low voltage track				

kreon nuit profile

kreon nuit profile						
		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
 nuit profile Gear: incl., input voltage: 230V, dim options: phase, 1-10V, DALI Min. length: 500mm, max length: 6000mm			KR703211	123,09		
			KR703212	123,09		
			KR703215	123,09		

136

kreon nuit profile

[illegible]

137

kreon nuit profile

kreon nuit profile		Colour	KR-code	Light sources	Base price (EUR excl. VAT)								Optional accessories	
	nuit profile 1x5 LED module	<u>KR974190</u>	①	206,86	9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SP Spot 12°	FL Flood 29°	WFL Wide flood 40°	OV Oval 36° + 13°			
					—	—	—	—	—	—	—	—		

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K	230V	7W	498lm

kreon nuit profile

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Emergency kit	<u>KR703120</u>	251,63	Emergency kit, battery pack and indicator LED	

kreon nuit

kreon		nuit																
		Colour	KR-code	Light sources	Base price (EUR excl. VAT)													
						9027 2700K, CRI90+	9030 3000K, CRI90+	9040 4000K, CRI90+	SP Spot 12°	FL Flood 29°	WFL Wide flood 40°	OV Oval 36° + 13°	PD Phase dimming/ ON-OFF	VD 1-10V dimming	DD DALI/touch dimming	Optional accessories		
	nuit 1x5 Gear: excl.		KR953501	①	294,53	—	—	—	—	—	—	—						
			KR953502	①	294,53	—	—	—	—	—	—	—	—					
			KR953505	①	294,53	—	—	—	—	—	—	—	—					
	nuit 1x5 Gear: incl.		KR953511	②	294,53	—	—	—	—	—	—	—	30,50	44,50	60,50			
			KR953512	②	294,53	—	—	—	—	—	—	—	—	30,50	44,50	60,50		
			KR953515	②	294,53	—	—	—	—	—	—	—	—	30,50	44,50	60,50		
	nuit 2x5 Gear: incl.		KR953521	③	429,68	—	—	—	—	—	—	—	30,50	44,50	60,50			
			KR953522	③	429,68	—	—	—	—	—	—	—	—	30,50	44,50	60,50		
			KR953525	③	429,68	—	—	—	—	—	—	—	—	30,50	44,50	60,50		

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K/4000K		7W	500mA	498lm
②	LED	CRI90+	2700K/3000K/4000K	230V	7W	500mA	498lm
③	LED	CRI90+	2700K/3000K/4000K	230V	2x7W	500mA	996lm

kreon nuit accessories

kreon		nuit accessories		
	KR-code	Base price (EUR excl. VAT)		
■ Optional accessories				
Recessed mounting for nuit gear excl.	<u>KR753301</u>	66,81	Trim, white	
	<u>KR753302</u>	66,81	Trim, black	
	<u>KR753300</u>	20,91	Trimless	
Recessed mounting for nuit gear incl.	<u>KR753311</u>	86,19	Trim, white	
	<u>KR753312</u>	86,19	Trim, black	
	<u>KR753310</u>	45,24	Trimless	
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
	<u>KR772220</u>	50,56	LED driver, 500mA, 1-10V, 20W	
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	

kreon onn-wall

					Base price (EUR excl. VAT)						
				Colour	KR-code	Light sources					
	onn-wall 165 narrow beam 1-10V gear: incl.			○	KR983511	①	504,90	9027	2700K, CRI90+	9030	3000K, CRI90+
				●	KR983512	①	504,90				
	onn-wall 165 narrow beam DALI gear: incl.			○	KR983311	①	504,90				
				●	KR983312	①	504,90				
	onn-wall 300 narrow beam 1-10V gear: incl.			○	KR983521	②	711,96				
				●	KR983522	②	711,96				
	onn-wall 300 narrow beam DALI gear: incl.			○	KR983321	②	711,96				
				●	KR983322	②	711,96				
	onn-wall 165 wide beam			○	KR983411	①	TBD		—	—	
				●	KR983412	①	TBD				
	onn-wall 300 wide beam			○	KR983421	②	TBD		—	—	
				●	KR983422	②	TBD				

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI80+	2700K	230V	8,6W	605lm
②	LED	CRI80+	2700K	230V	17,2W	1211lm
③	LED	CRI90	2700K/3000K	230V	23,5W	1900lm
④	LED	CRI90	2700K/3000K	230V	47W	2940lm

kreon oran in-line

		KR-code	Light sources	Base price (EUR excl. VAT)		9027 2700K, CRI90+		9030 3000K, CRI90+		S Sphere bulb		L Long ampoule		Required accessories	Optional accessories
 oran in-line Ø 102 H 100		KR 991102	①	330,00		—	—	—	5,00	■	■				

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI90+	2700K/3000K	6,7W	700mA	282lm

kreon oran in-line accessories

Kreon oran in-line accessories		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR717104</u>	21,50	Plasterkit, no shadowgap
		<u>KR717108</u>	21,50	Plasterkit, with shadowgap
		<u>KR717102</u>	31,77	Plasterkit for concrete installation, no shadowgap, small (200x200)
		<u>KR717107</u>	31,77	Plasterkit for concrete installation, shadowgap, small (200x200)
Louvre		<u>KR717106</u>	18,63	Louvre, white
		<u>KR717122</u>	18,63	Louvre, black
		<u>KR717105</u>	165,42	Louvre, gun black
		<u>KR717103</u>	114,27	Louvre, red satin copper
■ Optional accessories				
Driver		<u>KR772024</u>	41,62	LED driver, 500mA/700mA, ON/OFF, 20W
		<u>KR772232</u>	54,35	LED driver, 700mA, phasedim, 10W
		<u>KR772236</u>	78,95	LED driver, 500mA/700mA, 1-10V, 20W
		<u>KR772433</u>	32,33	LED driver, 700mA, DALI, 18W
	<u>KR717307</u>	24,40	Distance ring 2mm (set of 5 pcs.)	
	<u>KR717308</u>	29,00	Distance ring 3mm (set of 5 pcs.)	
	<u>KR717309</u>	37,60	Distance ring 5mm (set of 5 pcs.)	

kreon oran object

Kreon		oran object		KR-code		Light sources		Base price (EUR excl. VAT)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
-------	--	-------------	--	---------	--	---------------	--	----------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

				CRI	CCT	Voltage	Wattage	Fixture lumen
	LED	glass		CRI90+	2700K	230V	6,7W	307lm
		albast block		CRI90+	2700K	230V	6,7W	43lm

kreon prologe 80

kreon prologe 80				Base price (EUR excl. VAT)															
	Colour	KR-code	Light sources		8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SW Switchable ON/OFF	DD DALI dimming	Optional accessories			
	prologe 80 single fixed LED Gear: excl. ♦	○	KR967121	①	215,60	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			■		
		●	KR967122	①	215,60	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00			■		
	prologe 80 single fixed LED Gear: incl.	○	KR967131	②	291,41	—	—	—	10,00	10,00	10,00			—					
		●	KR967132	②	291,41	—	—	—	10,00	10,00	10,00			—					
	prologe 80 single fixed LED MR16 Gear: incl., lamp: excl.	○	KR968111	③	179,13														
		●	KR968112	③	179,13														
	prologe 80 single fixed LED PAR16 Lamp: excl.	○	KR968131	④	152,42														
		●	KR968132	④	152,42														

		CRI		CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K			6,6W	500mA	643lm
		CRI90	2700K/3000K/4000K			7,9W	500mA	643lm
		CRI98	2700K/3000K/4000K			9,2W	500mA	643lm
②	LED	CRI83	2700K/3000K/4000K			230V	4,5W	480lm
③	LED MR16	fitting GU5,3				230V	20W	
④	LED PAR16	fitting GU10				230V	20W	

kreon prologe 80 accessories

kreon prologe 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		KR772024	41,62	LED driver, 500mA, ON/OFF, 20W
		KR772220	52,56	LED driver, 500mA, 1-10V, 20W
		KR772126	78,95	LED driver, 500mA, DALI, 18W
		KR772123	90,08	LED driver, 500mA, DALI, 27W

kreon prologe 80

[illegible]

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K/3000K/4000K		2x 6,6W	500mA	1287lm
		CRI90	2700K/3000K/4000K		2x 7,9W	500mA	1287lm
		CRI98	2700K/3000K/4000K		2x 9,2W	500mA	1287lm
②	LED	CRI83	2700K/3000K/4000K	230V	2x 4,5W		960lm
		CRI90	2700K/3000K/4000K	230V	2 x 5,4W		960lm
③	LED MR16	fitting GU5,3		230V	2x 20W		
④	LED PAR16	fitting GU10		230V	2x 20W		

kreon prologe 80 accessories

kreon prologe 80 accessories		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver	<u>KR772024</u>	41,62	LED driver, 500mA, ON/OFF, 20W	
	<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W	
	<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W	
	<u>KR772123</u>	90,08	LED driver, 500mA, DALI, 27W	

kreon prologe 80 in-line/in-dolma

	Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories	
		<u>KR765102</u>	207,04		price/m
		<u>KR765103</u>	207,04		price/m
		<u>KR765002</u>	194,77		price/m
		<u>KR765003</u>	194,77		price/m

kreon prologe 80 in-line/in-dolma
accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Corner cut	<u>KR765402</u>	146,39	90° corner cut prologe 80 in-line, black anodised
	<u>KR765403</u>	146,39	90° corner cut prologe 80 in-line, natural anodised
	<u>KR765302</u>	146,39	90° corner cut prologe 80 in-dolma, black anodised
	<u>KR765303</u>	146,39	90° corner cut prologe 80 in-dolma, natural anodised
Electrical wiring	<u>KR705401</u>	12,52	Extra electrical wiring

kreon prologe 80 in-line/in-dolma

		Colour	KR-code	Light sources	Base price (EUR excl.	8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	prologe 80 in-line/in-dolma single fixed LED Gear: incl.		<u>KR965121</u>	①	275,13	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	23,00	23,00	
			<u>KR965122</u>	①	275,13	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	23,00	23,00	
	prologe 80 in-line/in-dolma single fixed LED MR16 Gear: incl., lamp: excl.		<u>KR965111</u>	②	154,68													
			<u>KR965112</u>	②	154,68													
	prologe 80 in-line/in-dolma single fixed LED PAR16 Lamp: excl.		<u>KR965131</u>	③	140,39													
			<u>KR965132</u>	③	140,39													

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	230V	6,6W	643lm
	CRI90	2700K/3000K/4000K	230V	7,9W	643lm
	CRI98	2700K/3000K/4000K	230V	9,3W	643lm
② LED MR16	fitting GU5,3		230V	20W	
③ LED PAR16	fitting GU10			20W	

kreon prologe 80 in-line/in-dolma
accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Frosted glass	KR760109	12,54	Frosted glass prologe 80 in-line/in-dolma single LED MR16
	KR760209	18,21	Frosted glass prologe 80 in-line/in-dolma double LED MR16

kreon prologe 80 in-line/in-dolma


		Colour	KR-code	Light sources	Base price (EUR excl.													Optional accessories
						8327 2700K, CRI83	8330 3000K, CRI83	8340 4000K, CRI83	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90	9827 2700K, CRI98	9830 3000K, CRI98	9840 4000K, CRI98	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	
	prologe 80 in-line/in-dolma double fixed LED	○	<u>KR965221</u>	①	343,51	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	23,00	23,00	■
	Gear: incl.	●	<u>KR965222</u>	①	343,51	—	—	—	10,00	10,00	10,00	35,00	35,00	35,00	—	23,00	23,00	■
	prologe 80 in-line/in-dolma double fixed LED MR16	○	<u>KR965211</u>	②	192,12													■
	Gear: incl., lamp: excl.	●	<u>KR965212</u>	②	192,12													■
	prologe 80 in-line/in-dolma double fixed LED PAR16	○	<u>KR965231</u>	③	172,21													■
	Lamp: excl.	●	<u>KR965232</u>	③	172,21													■

	CRI	CCT	Voltage	Wattage	Fixture lumen
① LED	CRI83	2700K/3000K/4000K	230V	2 x 6,6W	1287lm
	CRI90	2700K/3000K/4000K	230V	2 x 7,9	1287lm
	CRI98	2700K/3000K/4000K	230V	2 x 9,3W	1287lm
② LED MR16	fitting GU5,3		230V	2 x 20W	
③ LED PAR16	fitting GU10		230V	2 x 20W	

kreon prologe 80 in-line/in-dolma
accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Frosted glass	<u>KR760109</u>	12,54	Frosted glass prologe 80 in-line/in-dolma single LED MR16	
	<u>KR760209</u>	18,21	Frosted glass prologe 80 in-line/in-dolma double LED MR16	

		KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90	9030 3000K, CRI90	9040 4000K, CRI90
	prologe 80 ligna in-line/in-dolma Gear: incl., protocol: DALI Length: 562mm, OLDP diffuser: incl.	<u>KR965153</u>	①	326,40	—	—	—
	prologe 80 ligna in-line/in-dolma Gear: incl., protocol: DALI Length: 843mm, OLDP diffuser: incl.	<u>KR965563</u>	②	367,20	—	—	—
	prologe 80 ligna in-line/in-dolma Gear: incl., protocol: DALI Length: 1124mm, OLDP diffuser: incl.	<u>KR965573</u>	③	397,80	—	—	—
	prologe 80 ligna in-line/in-dolma corner Gear: incl., protocol: DALI Length: 1124mm, OLDP diffuser: incl.	<u>KR965173</u>	③	448,80	—	—	—
	prologe 80 ligna in-line/in-dolma Gear: incl., protocol: DALI Length: 1405mm, OLDP diffuser: incl.	<u>KR965683</u>	④	499,80	—	—	—
	prologe 80 ligna in-line/in-dolma Gear: incl., protocol: DALI Length: 1686mm, OLDP diffuser: incl.	<u>KR965693</u>	⑤	520,20	—	—	—
	prologe 80 ligna in-line/in-dolma corner Gear: incl., protocol: DALI Length: 1686mm, OLDP diffuser: incl.	<u>KR965193</u>	⑤	612,00	—	—	—
	prologe 80 ligna in-line/in-dolma emergency Gear: incl., protocol: DALI Length: 1686mm, OLDP diffuser: incl.	<u>KR965393</u>	⑤	836,40	—	—	—



		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI90+	3000K	230V	17,7W	1065lm
②	LED	CRI90+	3000K	230V	26,5W	1597lm
③	LED	CRI90+	3000K	230V	35,4W	2129lm
④	LED	CRI90+	3000K	230V	44,2W	2661lm
⑤	LED	CRI90+	3000K	230V	53,1W	3194lm

kreon prologe 145

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9527 2700K, CRI95	FL Flood 25°	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	Optional accessories
	prologe 145 single directional Gear: incl. Lamp: excl.	○	<u>KR988651</u>	①	320,00	—	—	—	10,00	15,50	■
		●	<u>KR988652</u>	①	320,00	—	—	—	10,00	15,50	■
	prologe 145 double directional Gear: incl. Lamp: excl.	○	<u>KR988751</u>	②	490,00	—	—	—	10,00	15,50	■
		●	<u>KR988752</u>	②	490,00	—	—	—	10,00	15,50	■

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI95	2700K/3000K	230V	16,1W	900lm
②	LED	CRI95	2700K/3000K	230V	2 x 16,1W	2 x 900lm

kreon raga

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80	8527 2700K, CRI80	HGB High gloss black frame finishing	SST Brushed stainless steel frame finishing	BRC Brushed red copper frame finishing	Optional accessories
	raga horizontal IP 66		<u>KR904002</u>	①	1224,00	—		—	—	—	
			<u>KR904005</u>	②	2550,00	—		—	—	—	
			<u>KR904006</u>	①	2550,00	—		—	—	—	
	raga vertical IP 65		<u>KR904012</u>	③	1326,00		—	—	—	—	
			<u>KR904015</u>	④	2958,00		—	—	—	—	
			<u>KR904016</u>	③	2958,00		—	—	—	—	

		CRI	CCT	Voltage	Wattage	Fixture lumen
①	LED	CRI80	2700K	230V	12W	539lm
②	LED	CRI80	2700K	230V	12W	682lm
③	LED	CRI85	2700K	230V	5,4W	85lm
④	LED	CRI85	2700K	230V	5,4W	155lm

kreon raga accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Anchor		<u>KR704000</u>	56,10	Concrete anchor
		<u>KR704004</u>	56,10	Flooring anchor

kreon rokko

				Base price (EUR excl. VAT)	Optional accessories	
		Colour	K/R-code	Light sources		
	mini rokko ☉ LxW 125x75 D 80 Gear: excl.	○	<u>KR943021</u>	①	111,02	■
		●	<u>KR943022</u>	①	111,02	■
	mini rokko ☉ LxW 125x75 D 80 Gear: incl.	○	<u>KR943121</u>	②	132,45	■
		●	<u>KR943122</u>	②	132,45	■
	mini square rokko ☉ LxW 125x125 D 85 Gear: incl.	○	<u>KR943321</u>	③	234,60	■
		●	<u>KR943322</u>	③	234,60	■

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	3000K		2,3W	700mA	72lm
②	LED	CRI80+	3000K	230V	2,3W		72lm
③	LED	CRI80+	3000K	230V	6,9W		226lm

kreon rokko accessories

				KR-code	Base price (EUR excl. VAT)	
				■ Optional accessories		
Installation set				<u>KR743002</u>	16,42	Plasterboard installation set
Concrete pouring mould				<u>KR743004</u>	2,65	Concrete pouring mould for mini rokko
				<u>KR743304</u>	3,16	Concrete pouring mould for mini square rokko
Driver				<u>KR772034</u>	36,23	LED driver, 700mA, ON/OFF, 20W
				<u>KR772232</u>	54,35	LED driver, 700mA, 1-10V, 20W
				<u>KR772134</u>	78,95	LED driver, 700mA, DALI, 20W

kreon side in-line 40

		Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)														
	side in-line 40 x 100 ⦿ LxW 120x65 D 80 ⬠ Gear: excl., IP55	○	<u>KR932321</u>	①	170,00	—	—				—	—	—	—	10,50	10,50	10,50	■	■
		●	<u>KR932322</u>	①	170,00	—	—				—	—	—	—	10,50	10,50	10,50	■	■
	side in-line 40 x 200 ⦿ LxW 220x65 D 80 ⬠ Gear: incl., IP20	○	<u>KR932331</u>	①	225,00	—	—	—	25,00		—	—	—	—	12,50	12,50	12,50	■	■
		●	<u>KR932332</u>	①	225,00	—	—	—	25,00		—	—	—	—	12,50	12,50	12,50	■	■
	side in-line 40 x 200 ⦿ LxW 220x65 D 80 ⬠ Gear: excl., IP55	○	<u>KR932421</u>	①	190,00	—	—				—	—	—	—	12,50	12,50	12,50	■	■
		●	<u>KR932422</u>	①	190,00	—	—				—	—	—	—	12,50	12,50	12,50	■	■

	CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	5,6V	4W	700mA	247lm

kreon side in-line 40 accessories

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit		<u>KR775320</u>	33,50	Plasterkit for side in-line 40 x 100
		<u>KR775320-10</u>	300,00	10 pieces plasterkit for side in-line 40 x 100
		<u>KR775420</u>	37,50	Plasterkit for side in-line 40 x 200
		<u>KR775420-10</u>	350,00	10 pieces plasterkit for side in-line 40 x 200
		<u>KR775420-30</u>	1080,00	30 pieces plasterkit for side in-line 40 x 200
		<u>KR775323</u>	11,00	Concrete plasterkit for side in-line 40 x 100
		<u>KR775423</u>	14,00	Concrete plasterkit for side in-line 40 x 200
		<u>KR775324</u>	11,00	Concrete installation box for side in-line 40 x 100
		<u>KR775424</u>	14,00	Concrete installation box for side in-line 40 x 200
■ Optional accessories				
Removal tool		<u>KR775004</u>	12,10	Removal tool for side in-line 40
Driver		<u>KR762700</u>	36,21	LED driver, 700mA, ON/OFF, max. 11W
		<u>KR772232</u>	54,35	LED driver, 500-700mA, 1-10V, max. 20W
		<u>KR752733</u>	157,37	LED driver, 700mA, DALI, max. 10W

kreon side in-line 80

				Colour louvre	KR-code	Light source	Base price (EUR excl. VAT)		9027 2700K, CRI90+		9030 3000K, CRI90+		EX Gear excluded ⚙	SW Switchable ON/OFF	VD 1-10V dimming	DD DALI dimming	P1 Painted white backplate	P2 Painted black backplate	A2 Alu black backplate	A3 Alu grey backplate	A4 Alu bronze backplate	A5 Alu copper backplate	Required accessories	Optional accessories
	side in-line 80 x 200 ⊗ LxW 220x105 D 80 Gear: incl., IP20			○	<u>KR932621</u>	①	320,00	—	—	—	—	—	—	—	16,00	21,50	—	—	—	—	17,50	17,50	■	■
				●	<u>KR932622</u>	①	320,00	—	—	—	—	—	—	—	16,00	21,50	—	—	—	—	17,50	17,50	■	■
	side in-line 80 x 200 ⊗ LxW 220x105 D 80 IP55			○	<u>KR932631</u>	①	290,00	—	—	—	—	—	—	—	72,50	—	—	—	—	—	17,50	17,50	■	■
				●	<u>KR932632</u>	①	290,00	—	—	—	—	—	—	—	72,50	—	—	—	—	—	17,50	17,50	■	■

		CRI		CCT	Voltage	Wattage	Stuurstroom	Toestel lumen
①	LED	EX	CRI90+	2700K/3000K		8,25W	500mA	640lm
		SW	CRI90+	2700K/3000K	230V	8,25W		640lm

kreon side in-line 80 accessories

				KR-code	Base price (EUR excl. VAT)	
■ Required accessories						
				<u>KR775620</u>	47,50	Plasterkit for side in-line 80
				<u>KR775620-10</u>	450,00	10 pieces plasterkit for side in-line 80
				<u>KR775620-20</u>	900,00	20 pieces plasterkit for side in-line 80
				<u>KR775623</u>	17,00	Concrete plasterkit for side in-line 80
				<u>KR775624</u>	17,00	Concrete installation box for side in-line 80
■ Optional accessories						
Removal tool				<u>KR775008</u>	13,75	Removal tool for side in-line 80
Driver				<u>KR772220</u>	52,56	LED driver, 500mA, 1-10V, 20W
				<u>KR772126</u>	78,95	LED driver, 500mA, DALI, 18W

tubo table light

	CRI	CCT	Wattage	Fixture lumen
① LED	CR80+	2700K	12W	1150lm

twilight 360 standing light

	CRI	CCT	Wattage	Fixture lumen
① LED	CR80+	2700K	65W	7120lm

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	9027 2700K, CRI90	9030 3000K, CRI90	SP Spot	FL Flood	SB Spot with baffle	FB Flood with baffle	XC (optional) For recessed wall or ceiling installation	Optional accessories
	up 40 ⦿ LxW 45x45 D 60	○	<u>KR952111</u>	①	180,00	—	—	—	—	—	—	20,00	■
		●	<u>KR952112</u>	①	180,00	—	—	—	—	—	—	20,00	■
	up 40 surface mounted	○	<u>KR952011</u>	①	180,00	—	—	—	—	—	—		■
		●	<u>KR952012</u>	①	180,00	—	—	—	—	—	—		■
	up 40 circular ⦿ Ø 45 D 60	○	<u>KR952611</u>	①	180,00	—	—	—	—	—	—	20,00	■
		●	<u>KR952612</u>	①	180,00	—	—	—	—	—	—	20,00	■
	up 40 circular surface mounted	○	<u>KR952911</u>	①	220,00	—	—	—	—	—	—		■
		●	<u>KR952912</u>	①	220,00	—	—	—	—	—	—		■

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI90+	2700K/3000K	2W	700mA	159lm

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Driver		<u>KR772630</u>	76,77	LED driver, 700mA, ON/OFF, 30W (IP68)
		<u>KR772752</u>	86,40	LED driver, 700mA, 1-10V, 12W (IP67)
		<u>KR772853</u>	92,30	LED driver, 700mA, DALI, 30W (IP68)

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80	9027 2700K, CRI90	Optional accessories
	up 80 ⦿ LxW 86x86 D 84 Diffusing lens: incl.	○	<u>KR952101</u>	①	376,02	—	35,00	■
		●	<u>KR952102</u>	①	376,02	—	35,00	■
	up 80 ⦿ LxW 86x86 D 84 15° optic & anti glare louvre incl.	○	<u>KR952121</u>	②	376,02	—	35,00	■
		●	<u>KR952122</u>	②	376,02	—	35,00	■
	up 80 wallwasher ⦿ LxW 86x86 D 84	○	<u>KR952171</u>	③	388,39	—	35,00	■
		●	<u>KR952172</u>	③	388,39	—	35,00	■
	up 80 circular ⦿ Ø 86 D 84 Diffusing lens: incl.	○	<u>KR952601</u>	①	376,02	—	35,00	■
		●	<u>KR952602</u>	①	376,02	—	35,00	■
	up 80 circular ⦿ Ø 86 D 84, 15° optic & anti glare louvre incl.	○	<u>KR952621</u>	②	376,02	—	35,00	■
		●	<u>KR952622</u>	②	376,02	—	35,00	■
	up 80 circular wallwasher ⦿ Ø 86 D 84	○	<u>KR952671</u>	③	388,39	—	35,00	■
		●	<u>KR952672</u>	③	388,39	—	35,00	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K	8,4W	700mA	272lm
		CRI90	2700K	8,4W	700mA	272lm
②	LED	CRI80+	2700K	8,4W	700mA	458lm
		CRI90	2700K	8,4W	700mA	458lm
③	LED	CRI80+	2700K	8,4W	700mA	534lm
		CRI90	2700K	8,4W	700mA	534lm

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Matchbox	<u>KR752103</u>	73,95	Matchbox up 80
	<u>KR752603</u>	73,95	Matchbox up 80 circular
Driver	<u>KR772830</u>	90,27	LED driver, 700 mA, ON/OFF, 35W (IP68)
	<u>KR772752</u>	86,40	LED driver, 700 mA, 1-10V, 12W (IP67)
	<u>KR772753</u>	115,47	LED driver, 700 mA, DALI, 70W (IP68)

				Colour	KR-code	Light sources	Base price (EUR excl. VAT)	Optional accessories
	up 80 circular stub Ø 86 D 84				<u>KR952702</u>	①	1050,00	
								
	up 80 circular gherkin Ø 86 D 84				<u>KR952712</u>	①	1050,00	
								
	up 80 circular freeform stub Ø 86 D 84				<u>KR952722</u>	①	1050,00	
								

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K	8,4W	700mA	152lm

				KR-code	Base price (EUR excl. VAT)	
■ Optional accessories						
Matchbox				<u>KR752603</u>	73,95	Matchbox up 80 circular
Driver				<u>KR772830</u>	90,27	LED driver, 700 mA, ON/OFF, 12W (IP67)
				<u>KR772752</u>	86,40	LED driver, 700 mA, 1-10V, 35W (IP68)
				<u>KR772753</u>	115,47	LED driver, 700 mA, DALI, 70W (IP68)

[illegible]

	CRI	CCT	Wattage	Drive current	Fixture lumen
① LED	CRI83	2700K	15,2W	700mA	824lm
	CRI90	2700K	17,1W	700mA	824lm
② LED	CRI83	2700K	15,2W	700mA	1099lm
	CRI90	2700K	17,1W	700mA	1099lm

kreon up accessories			
	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Matchbox	<u>KR782103</u>	92,92	Matchbox for up 165
	<u>KR782104</u>	123,98	Matchbox for gear for up 165 (for fixtures gear excl.)
	<u>KR782603</u>	110,93	Matchbox for up 165 circular
	<u>KR782604</u>	141,99	Matchbox for gear for up 165 circular (for fixtures gear excl.)
Coupling sleeve	<u>KR782105</u>	29,51	Coupling sleeve
Driver	<u>KR772630</u>	76,77	LED driver, 700 mA, ON/OFF, 30W (IP68)
	<u>KR772852</u>	60,57	LED driver, 700 mA, 1-10V, 30W (IP67)
	<u>KR772853</u>	92,30	LED driver, 700 mA, DALI, 30W (IP68)

kreon up in-line

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80	9027 2700K, CRI90	Optional accessories
	up in-line 80 ⦿ LxW 85x85 D 84 Diffusing lens: incl.	○	<u>KR952301</u>	①	376,02	—	35,00	■
		●	<u>KR952302</u>	①	376,02	—	35,00	■
	up in-line 80 ⦿ LxW 85x85 D 84 15° optic & anti-glare louvre: incl.	○	<u>KR952321</u>	②	376,02	—	35,00	■
		●	<u>KR952322</u>	②	376,02	—	35,00	■
	up in-line 80 wallwasher ⦿ LxW 85x85 D 84	○	<u>KR952371</u>	③	388,39	—	35,00	■
		●	<u>KR952372</u>	③	388,39	—	35,00	■
	up in-line 80 circular ⦿ Ø 85 D 84 Diffusing lens: incl.	○	<u>KR952801</u>	①	376,02	—	35,00	■
		●	<u>KR952802</u>	①	376,02	—	35,00	■
	up in-line 80 circular ⦿ Ø 85 D 84 15° optic & anti-glare louvre: incl.	○	<u>KR952821</u>	②	376,02	—	35,00	■
		●	<u>KR952822</u>	②	376,02	—	35,00	■
	up in-line 80 circular wallwasher ⦿ Ø 85 D 84	○	<u>KR952871</u>	③	388,39	—	35,00	■
		●	<u>KR952872</u>	③	388,39	—	35,00	■

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K	8,4W	700mA	272lm
		CRI90	2700K	8,4W	700mA	272lm
②	LED	CRI80+	2700K	8,4W	700mA	458lm
		CRI90	2700K	8,4W	700mA	458lm
③	LED	CRI80+	2700K	8,4W	700mA	534lm
		CRI90	2700K	8,4W	700mA	534lm

kreon up in-line accessories

	KR-code	Base price (EUR excl. VAT)	
■ Optional accessories			
Matchbox	<u>KR752103</u>	73,95	Matchbox for up in-line 80
	<u>KR752603</u>	73,95	Matchbox for up in-line 80 circular
Driver	<u>KR772830</u>	90,27	LED driver, 700 mA, ON/OFF, 35W (IP68)
	<u>KR772752</u>	86,40	LED driver, 700 mA, 1-10V, 12W (IP67)
	<u>KR772753</u>	115,47	LED driver, 700 mA, DALI, 70W (IP68)

kreon up in-line

		Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8327 2700K, CRI80		9027 2700K, CRI90		C5 Maritime	Optional accessories
	up in-line 165 ☼ LxW 156x156 D 97 Gear: excl., anti-glare louvre incl.	○	KR982321	①	529,15	—	10,00	48,50	■		
		●	KR982322	①	529,15	—	10,00	48,50	■		
	up in-line 165 wallwasher ☼ LxW 156x156 D 97 Gear: excl.	○	KR982381	②	587,19	—	10,00	48,50	■		
		●	KR982382	②	587,19	—	10,00	48,50	■		
	up in-line 165 circular ☼ Ø156 D 97 Gear: excl., anti-glare louvre incl.	○	KR982821	①	529,15	—	10,00	48,50	■		
		●	KR982822	①	529,15	—	10,00	48,50	■		
	up in-line 165 circular wallwasher ☼ Ø156 D 97 Gear: excl.	○	KR982881	②	587,19	—	10,00	48,50	■		
		●	KR982882	②	587,19	—	10,00	48,50	■		

		CRI	CCT	Wattage	Drive current	Fixture lumen
①	LED	CRI83	2700K	15,2W	700mA	824lm
		CRI90	2700K	17,1W	700mA	824lm
②	LED	CRI83	2700K	15,2W	700mA	1099lm
		CRI90	2700K	17,1W	700mA	1099lm

kreon up in-line accessories

		KR-code	Base price (EUR excl. VAT)	
■ Optional accessories				
Matchbox		KR782103	92,92	Matchbox for up in-line 165
		KR782104	123,98	Matchbox for gear for up in-line 165 (for fixtures gear excl.)
		KR782603	110,93	Matchbox for up in-line 165 circular
		KR782604	141,99	Matchbox for gear for up in-line 165 circular (for fixtures gear excl.)
Coupling sleeve		KR782105	29,51	Coupling sleeve
Driver		KR772630	76,77	LED driver, 700 mA, ON/OFF, 30W (IP68)
		KR772852	60,57	LED driver, 700 mA, 1-10V, 30W (IP67)
		KR772853	92,30	LED driver, 700 mA, DALI, 30W (IP68)

updown					Base price (EUR excl. VAT)	8027 2700K, CRI80		8030 3000K, CRI80		DD Dimmable DALI	
	updown pendant light 30 Length: 1260mm		●	<u>KR944402</u>	①	790,00	—	—	—		
	updown pendant light 32 Length: 1560mm		●	<u>KR944502</u>	②	790,00	—	—	—		

		CRI	CCT	Wattage	Fixture lumen
①	LED	CR80+	2700/3000K	34W	3600lm
②	LED	CR80+	2700/3000K	42W	5300lm

				Colour	KR-code	Light sources	Base price (EUR excl. VAT)	8027 2700K, CRI80+	8030 3000K, CRI80+	9027 2700K, CRI90+	9030 3000K, CRI90+	FL Flood (30°)	SW Switchable ON/OFF	Optional accessories
	wabi	Gear: incl. 		●	<u>KR943052</u>	①	423,30	—	—			—		
	wabi	Gear: excl. 		●	<u>KR943252</u>	②	387,60	—	—			—		
	wabi bollard 300	Gear: incl. 		●	<u>KR943552</u>	③	765,00	—	—			—	—	
	wabi bollard 750	Gear: incl. 		●	<u>KR943752</u>	③	831,30	—	—			—	—	
	wabi wall	Gear: incl. 		●	<u>KR943352</u>	④	220,00			—	—			
	wabi wall	Gear: excl. 		●	<u>KR943152</u>	⑤	190,00			—	—			

		CRI	CCT	Voltage	Wattage	Drive current	Fixture lumen
①	LED	CRI80+	2700K/3000K	230V	4,2W		387lm
②	LED	CRI80+	2700K/3000K		8,2W	700mA	645lm
					12W	1050mA	783lm
③	LED	CRI80+	2700K/3000K	230V	8,2W		645lm
④	LED	CRI90+	2700K/3000K	230V	4W		265lm
⑤	LED	CRI90+	2700K/3000K		4W	700mA	265lm

				KR-code	Base price (EUR excl. VAT)	
■ Optional accessories						
Glare preventer				<u>KR743052</u>	95,37	Glare preventer (straight black H50)
Optional installation (only for wabi)				<u>KR743750</u>	53,04	Concrete anchor
				<u>KR743850</u>	48,96	Ground pin
				<u>KR743950</u>	61,20	Spacer
Driver				<u>KR772630</u>	76,77	LED driver, 700mA, ON/OFF, 30W (IP68)
				<u>KR772752</u>	86,40	LED driver, 700mA, 1-10V, 12W (IP67)
				<u>KR772853</u>	92,30	LED driver, 700mA, DALI, 30W (IP68)
				<u>KR772840</u>	90,27	LED driver, 1050mA, ON/OFF, 52W (IP68)
				<u>KR772862</u>	60,17	LED driver, 1050mA, 1-10V, 42W (IP67)
				<u>KR772863</u>	115,47	LED driver, 1050mA, DALI, 70W (IP68)

epsilon standing light

	CRI	CCT	Wattage	Fixture lumen
① LED	CR80+	2700K	35W	3100lm

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track	○	<u>KR726021</u>	90,29	2000mm, white
	●	<u>KR726022</u>	90,29	2000mm, black
	○	<u>KR726031</u>	124,58	3000mm, white
	●	<u>KR726032</u>	124,58	3000mm, black
Accessories	○	<u>KR726501</u>	5,60	End cap, white
	●	<u>KR726502</u>	5,60	End cap, black
	○	<u>KR726511</u>	22,51	End feed, earth left, white
	●	<u>KR726512</u>	22,51	End feed, earth left, black
	○	<u>KR726521</u>	22,51	End feed, earth right, white
	●	<u>KR726522</u>	22,51	End feed, earth right, black
	○	<u>KR726531</u>	51,74	Mid feed, white
	●	<u>KR726532</u>	51,74	Mid feed, black
	○	<u>KR726541</u>	15,15	Straight connector, no feed, white
	●	<u>KR726542</u>	15,15	Straight connector, no feed, black
	○	<u>KR726721</u>	53,86	L-coupler with feeding option, earth outside, white
	●	<u>KR726722</u>	53,86	L-coupler with feeding option, earth outside, black
	○	<u>KR726621</u>	53,86	L-coupler with feeding option, earth inside, white
	●	<u>KR726622</u>	53,86	L-coupler with feeding option, earth inside, black
	○	<u>KR726041</u>	11,69	Track cover, 1000mm, white
	●	<u>KR726042</u>	11,69	Track cover, 1000mm, black

	Colour	KR-code	Base price (EUR excl. VAT)	
Recessed installation		<u>KR726055</u>	267,99	Recessed profile for surface track price/m
		<u>KR726056</u>	17,23	Mounting bracket recessed profile
		<u>KR726057</u>	16,27	Recessed profile snap hanger
Suspension components		<u>KR726963</u>	33,54	Suspension steel wire 1500mm
		<u>KR726973</u>	39,78	Suspension steel wire 3000mm
	○	<u>KR726821</u>	14,72	Pendant clip for suspension by steel wire, white
	●	<u>KR726822</u>	14,72	Pendant clip for suspension by steel wire, black

kreon 3~ 230V track + databus

	Colour	KR-code	Base price (EUR excl. VAT)	
3~circuit track + databus	○	<u>KR736021</u>	112,57	2000mm, white
	●	<u>KR736022</u>	112,57	2000mm, black
	○	<u>KR736031</u>	168,87	3000mm, white
	●	<u>KR736032</u>	168,87	3000mm, black
Accessories	○	<u>KR726501</u>	5,60	End cap, white
	●	<u>KR726502</u>	5,60	End cap, black
	○	<u>KR736511</u>	38,01	End feed, earth left + databus, white
	●	<u>KR736512</u>	38,01	End feed, earth left + databus, black
	○	<u>KR736521</u>	33,54	End feed, earth right + databus, white
	●	<u>KR736522</u>	39,78	End feed, earth right + databus, black
	○	<u>KR736531</u>	14,72	Mid feed + databus, white
	●	<u>KR736532</u>	14,72	Mid feed + databus, black
	○	<u>KR736541</u>	31,43	Straight connector, no feed + databus, white
	●	<u>KR736542</u>	31,43	Straight connector, no feed + databus, black
	○	<u>KR736721</u>	84,09	L-coupler with feeding option, earth outside + databus, white
	●	<u>KR736722</u>	84,09	L-coupler with feeding option, earth outside + databus, black
	○	<u>KR736621</u>	84,09	L-coupler with feeding option, earth inside + databus, white
	●	<u>KR736622</u>	84,09	L-coupler with feeding option, earth inside + databus, black
	○	<u>KR726041</u>	11,69	Track cover, 1000mm, white
	●	<u>KR726042</u>	11,69	Track cover, 1000mm, black

kreon 3~ 230V track + databus

	Colour	KR-code	Base price (EUR excl. VAT)	
Recessed installation		<u>KR726055</u>	267,99	Recessed profile for surface track price/m
		<u>KR726056</u>	17,23	Mounting bracket recessed profile
		<u>KR726057</u>	16,27	Recessed profile snap hanger
Suspension components		<u>KR726963</u>	33,54	Suspension steel wire 1500mm
		<u>KR726973</u>	39,78	Suspension steel wire 3000mm
	○	<u>KR726821</u>	14,72	Pendant clip for suspension by steel wire, white
	●	<u>KR726822</u>	14,72	Pendant clip for suspension by steel wire, black

kreon 48V track

	Colour	KR-code	Base price (EUR excl. VAT)	
Standard low voltage track profile	○	KR746411	62,70	1000mm, white
	●	KR746412	62,70	1000mm, black
	○	KR746421	125,37	2000mm, white
	●	KR746422	125,37	2000mm, black
	○	KR746431	188,07	3000mm, white
	●	KR746432	188,07	3000mm, black
Accessories	○	KR746401	5,50	End cap standard LV track, white
	●	KR746402	5,50	End cap standard LV track, black
	○	KR746511	33,30	Feed connector low voltage, white
	●	KR746512	33,30	Feed connector low voltage, black
	○	KR746531	18,30	Straight connector, white
	●	KR746532	18,30	Straight connector, black
	○	KR746611	66,00	L-connector low voltage, white
	●	KR746612	66,00	L-connector low voltage, black
		KR746920	85,50	Cutting tool for track conductors
Power supply		KR790473	58,80	Power supply 48Vdc, 30W
		KR790474	96,94	Power supply 48Vdc, 60W
		KR790475	130,00	Power supply 48Vdc, 100W
		KR790476	150,00	Power supply 48Vdc, 240W
Suspension components		KR746710	12,00	Suspension steel wire 1500mm
		KR746810	13,70	Suspension steel wire 2500mm
	○	KR746830	4,62	Pendant clip for suspension by steel wire, short
	●	KR746930	6,78	Pendant clip for suspension by steel wire, long – can be used as reinforcing bracket to connect two pieces of tracks

kreon 48V track in-line

	Colour	KR-code	Base price (EUR excl. VAT)	
Recessed, trimless low voltage track profile	●	KR746110	63,00	Recessed profile, 1000mm
	●	KR746120	138,80	Recessed profile, 2000mm
	●	KR746130	208,10	Recessed profile, 3000mm
Accessories	●	KR746602	5,50	End cap recessed LV track
	○	KR746511	33,30	Feed connector low voltage, white
	●	KR746512	33,30	Feed connector low voltage, black
	○	KR746531	18,30	Straight connector low voltage, white
	●	KR746532	18,30	Straight connector low voltage, black
	○	KR746611	66,00	L-connector low voltage, white
	●	KR746612	66,00	L-connector low voltage, black
		KR746800	7,65	Reinforcing bracket to join two pieces of LV recessed track
		KR746900	9,25	Mounting bracket for recessed LV profile
		KR746920	85,50	Cutting tool for track conductors
Power supply		KR790473	58,80	Power supply 48Vdc, 30W
		KR790474	96,94	Power supply 48Vdc, 60W
		KR790475	130,00	Power supply 48Vdc, 100W
		KR790476	150,00	Power supply 48Vdc, 240W

		Colour	KR-code	Base price (EUR excl. VAT)	RD1 Round, white	RD2 Round, black	SQ1 Square, white	SQ2 Square, black	Required accessories
	audio in-line 80	○	KR907091	266,70					■
		●	KR907092	266,70					■
	audio in-line 120	○	KR907891	363,60					■
		●	KR907892	363,60					■
	audio trim 80	○	KR937091	308,20	—	—	—	—	
		●	KR937092	308,20	—	—	—	—	
	audio trim 120	○	KR937991	441,80	—	—	—	—	
		●	KR937992	441,80	—	—	—	—	

		KR-code	Base price (EUR excl. VAT)	
■ Required accessories				
Plasterkit (round)		KR717104	21,50	Plasterkit aplis in-line 80, no shadowgap
		KR717108	21,50	Plasterkit aplis in-line 80, shadowgap
		KR707204	25,50	Plasterkit aplis in-line 120, no shadowgap
		KR707208	25,50	Plasterkit aplis in-line 120, shadowgap
Plasterkit (square)		KR717114	21,50	Plasterkit down in-line 80, no shadowgap
		KR717118	21,50	Plasterkit down in-line 80, shadowgap
		KR707214	25,50	Plasterkit down in-line 120, no shadowgap
		KR707218	25,50	Plasterkit down in-line 120, shadowgap
Louvre (round)		KR717106	18,63	Louvre aplis in-line 80, white
		KR717122	18,63	Louvre aplis in-line 80, black
		KR717105	165,42	Louvre aplis in-line 80, gun black
		KR717103	114,27	Louvre aplis in-line 80, red satin copper
		KR707206	20,20	Louvre aplis in-line 120, white
		KR707222	20,20	Louvre aplis in-line 120, black
Louvre (square)		KR717116	18,63	Louvre down in-line 80, white
		KR717112	18,63	Louvre down in-line 80, black
		KR717115	165,42	Louvre down in-line 80, gun black
		KR717113	114,27	Louvre down in-line 80, red satin copper
		KR707216	20,20	Louvre down in-line 120, white
		KR707212	20,20	Louvre down in-line 120, black

kreon audio in-cana

		Colour	KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories	
	holon 80 in-cana single		<u>KR934211</u>	529,50			
			<u>KR934212</u>	529,50			
	prologe 80 in-cana single		<u>KR934261</u>	529,50			
			<u>KR934262</u>	529,50			
■ Required accessories		See kreon cana 80 on page 48 for more information on the serie.					
■ Optional accessories		See kreon cana 80 on page 48 for more information on the serie.					

kreon audio in nuit

		KR-code	Base price (EUR excl. VAT)	Required accessories	Optional accessories
	nuit	<u>KR974890</u>	462,00		
■ Required accessories		See kreon nuit range on page 136 for more information on the serie.			
■ Optional accessories		See kreon nuit range on page 136 for more information on the serie.			

	Colour	KR-code	Base price (EUR excl. VAT)	Optional accessories
mini kreamp amplifier DIN-rail 4-positions		<u>KR957020</u>	541,80	
kreamp amplifier DIN-rail 6-positions		<u>KR957025</u>	760,00	
connect BT 3 + jack LxH 80x80, 68mm standard socket box		<u>KR957321</u>	384,50	
		<u>KR957322</u>	384,50	
subwoofer LxH 560x190x113		<u>KR957620</u>	905,50	
■ Optional accessories				
Voltage		<u>KR757020</u>	79,50	DIN-rail 24V-60W for minikreamp
		<u>KR757025</u>	162,00	DIN-rail 48V-100W for minikreamp
Cable RJ45		<u>KR710102</u>	2,10	Cable RJ45, 0,3m
		<u>KR710000</u>	2,30	Cable RJ45, 0,5m
		<u>KR710005</u>	10,00	Cable RJ45, 5m
		<u>KR710010</u>	17,00	Cable RJ45, 10m
		<u>KR710020</u>	32,46	Cable RJ45, 20m
Splitter		<u>KR710300</u>	103,64	Splitterbox

[illegible][illegible]

kreon HQ

Industrieweg Noord 1152
3660 Oudsbergen
Belgium
T +32 89 81 97 80
belgium@kreon.com
www.kreon.com

kreon Austria

Kärntner Ring 4
1010 Wien
Austria
T +43 1 715 44 25
austria@kreon.com

kreon China

655 Changhua road, ground floor S1
JingAn district
200040 Shanghai
P.R. China
china@kreon.com

kreon France

5, rue d'Aboukir
75002 Paris
France
T +33 1 44 50 53 54
france@kreon.com

kreon Germany

Brühler Straße 11-13
50968 Köln
Germany
Tel +49 221 937 22 0
germany@kreon.com

kreon Italy

Via V. Forcella 5
20144 Milano
Italy
T +39 02 89 42 08 46
italy@kreon.com

kreon Middle East

Dubai Airport Free Zone Area (DAFZA)
West Wing 6 (W6)
Office 6 WA 420
P.O. Box 293845
Dubai
United Arab Emirates
T +971 4 6091 355
T +971 4 6091 656
middle.east@kreon.com

kreon Inc.

North America & Canada
20 Murray Hill Parkway
East Rutherford NJ 07073
+1 (201) 298-44 48
usa@kreon.com

kreon Poland

T +48 504 788 355
poland@kreon.com

kreon Russia

T +79257081901
russia@kreon.com

kreon South East Asia

63a Club Street
Singapore 069 437
T +65 62 22 33 93
singapore@kreon.com

kreon Spain & Portugal

Ángel Guimera 7-9 local C
Barcelona 08017
Spain
T +34 600 462 551
spain@kreon.com

kreon Switzerland

Neufeldweg 6
5103 Möriken
Switzerland
T +41 61 316 74 01
switzerland@kreon.com

kreon The Netherlands

Danzigerbocht 39
1013 AM Amsterdam
The Netherlands
T +31 (0)6 52 391 680
the.netherlands@kreon.com

kreon Turkey

Sehit Murat Demirli Cad. Resadiye Yolu 76
Alemdag-Ümraniye 34794
Istanbul
Turkey
T +90 216 430 86 00
turkey@kreon.com

kreon UK

67 Maltings Place
169 Tower Bridge Road
London
SE1 3LJ
United Kingdom
T +44 (0)20 7740 2112
uk@kreon.com